## **BHARAT SANCHAR NIGAM LIMITED (NOTICE INVITING TENDER)**

SI No.	Name of work	Estimated	EMD (Rs).	Time	NIT No.	
	Emergency Construction of DP Structure & Repairing of 25 KVA Transformer damaged by Sever cyclone FANI at TE Kalyanpur under Puri District.	cost.(Rs.)	3984	7 days	N.I.T No 51/BSNL-BSR/19-20.	BS

A/A & E/S Reference	PROJECT WORK	
T/S No.	11/BSNL-EDB/19-20	

Tender paper cost (Non refundable) Rs.	590.00	
Last Date of receipt of application:-	24.06.2019	(upto 4.00PM)
Last Date of tender paper sale:-	24.06.2019	(upto 5.30PM)
Last Date of tender paper receipt:	25.06.2019	(upto 3.00PM)
Date of opening:-	25.06.2019	(after 3.30 PM)

## Eligibility Criteria :-

Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

#### AND

The manufacturer/authorised dealer/OEM of any makes of major equipment included in the NIT. The letter of authorization from manufacturer in original/photo copy attested by BSNLexecutive will be submitted.

#### OR

Experience of having successfully completed similar works in BSNL during last 7 years ending last day of month previous to the one in which applications are invited should either of the following

Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

#### OF

Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

#### OR

One similar successfully completed works costing not less than the amount equal to 80% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

#### OR

BSNL enlisted contractor of Class - III & above in Electrical category.

Note- 1.The firm should have to possess a valid HT Electrical Licence issued by any State Govt. 2. Testimonials of satisfactory completion of works should be obtained from an officer not below the rank of Executive Engineer.3. Xerox copy of Employees Provident Fund & ESI Registration Certificate, PAN Card & GST registration certificate must be submitted for verification.

- 2 All other terms & conditions as per BSNL EW-6 and BSNL EW-8 form.
- The tenderer shall submit the tender in 2 sealed covers marked as cover 1 st and 2nd inscribing the name of work. Both should be separate & they should not be enclosed in common third cover. The first cover should contain the earnest money deposited in the shape of demand draft /pay order of a schedule bank/nationalised bank/state bank guarranted by reserve bank of India drawn in favour of A.O(CASH), BSNL,GMTD, Bhubaneswar. In case submitting tender down loading from web site, the 1 st cover should contain DD towards cost of tender document and EMD drawn in favour of A.O(CASH), BSNL,GMTD,

1

Bhubaneswar along with attested copy of eligible criteria. The second cover contains the tender documents, if the 1 st cover is not annexed in proper form, the second form containing tender will not be opened at all.

Note: - I) The company or firm or any other person is not permitted to tender for work in BSNL unit in which his/her near relative(s) is(are) posted.

- 4 If the date of opening is declared as holiday, then the tender shall be opened on next working day.
- 5 The tender documents shall not be sent through courier /post. The tender documents received through courier/ post shall not be opened / considered at all.

## No:-PLG-04/BSNL-EDB/19/104

#### Dt 14/06/19

- 1) The C.E(E), BSNL Electrical Odisha Zone, Bhubaneswar
- 2) The Executive Engineer(E) BSNL Electrical Division, Sambalpur.
- 3) The Executive Engineer(E) BSNL Electrical Division, Cuttack
- 4) The Vigilance Officer O/o the CGMT Orissa Circle, Bhubaneswar.
- 5) The Accounts Officer, BSNL Electrical Division, Bhubaneswar.
- 6) The Notice Board.
- 7) Contractors

Executive Engineer (E), BSNL Electrical Division, Bnubaneswar.

### NOTICE INVITING TENDER

CPWD - 6

### **BHARAT SANCHAR NIGAM LIMITED**

( A Govt. of India Enteprise )

Item rate ten	ders are invited on	behalf of the BSNL from	m elegible contractors	for the work of :-
---------------	---------------------	-------------------------	------------------------	--------------------

Emergency Construction of DP Structure & Repairing of 25 KVA Transformer damaged by Sever cyclone FANI at TE Kalyanpur under Puri District.

The work is estimated to cost Rs.

199223.00 This estimate however is given merely as a rough guide.

1) Tender will be issued to

Please refer to eligibility criteria

complted work of magnitude as specificied in press notification at page No. 4.

- 2). Agreement shall be drawn with the successful tenderer on prescribed form no. 8 which is available as a Govt. of India publication, tender shall quote his rates as per various tems and conditions of the said form which will form part of the agreement.
- 3). The time allowed for carrying out the work will be

7 days

- 4). The availablity of individual site will be specified in the award letter.
- 5). Receipt of applications for issue of forms will be stopped by 1600 Hrs. two days before the date fixed for opening of tenders. Issue of tender forms will be stopped two days before the date fixed for opening of tenders.

Tender documents consists of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of contract to be complied with by the whose tender may be accepted and other necessary document can be seen in the office of the Executive Engineer (E),BSNL ELECTRICAL DIVISION, Bhubaneswar between 11.00 AM & 04.00 PM every day except on Sunday and public Holiday. Tender documents, excluding standard form, will be issued from his office, during the hours specified above on payment of Rs.

590.00 only in cash.

- 6). The tender must produce an Cartered Accountant certificate in the revised form as modified under Ministry of Finance O.M. No. 67/30/69/ITAL dated 02.07.1970 as amended from time to time before tender papers can be sold to him.
- 7). Tenders, which should always be in sealed envelope, with the name of work and due date written on the envelope, will be received by

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar. up to 03.00 PM on 25.06.2019 and will be opened by him or his suthorized representative in his office on the same day at 03.30 PM.

- 8) The tender shall be accompanied by earnest money of Rs.

  Accounts Officer(CASH), BSNL, GMTD, BHUBANESWAR, the amount being credited to Nationalized Bank / State Bank .
- 9). The description of the work is a follows :-

Name of the work :-

Emergency Construction of DP Structure & Repairing of 25 KVA Transformer damaged by Sever cyclone FANI at TE Kalyanpur under Puri District.

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and exmine the site and its suttoundings and satisty themselves before submitting eheir tenders as to the ground and sub - soil.( so far as is practicaable ), the form and nature of the site , the means of access to the site , the accomodation they may require and in general shall themselves obtain all necessary information as to tisks , contingencies and other circumstances which may influence or affect their tender . A tenderer shall be responsible for arranging and maintaining at his own cost all materials , tools [;ants, water , electricity access, facilities for workers and all other service required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer ijplies that he has read this notice and all other contract documents and has made himself aware of the scope and st conditions and ates at which stores, tools and plants, etc. will be issued to him by the department and local conditions and other factors having a bearing on the execution, of the work.

1. The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenderers in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the renderer shall be summarily rejected.

The public enterprises that avail benefits of the purchase preference should be subjected to adequate penalties for cost overruns etc.

- 2. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibied and the tenders submitted by the contractors who restore to canvassing will be liable to rejection.
- 3. The competent authority on hehalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer whall be bound to perform the same at the rate quoted.
- 4. The contractor shall not be permitted to tender for work in the BSNL (responsible for award and execution of contracts) in which his near relative is posted as divisional account ant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intomate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the BSNL or in the Ministry of communication. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 5. No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of he Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had abtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

The tender for the works shall remain open for acceptance for a period of ninety days from the date o opening of tenders. If any tender withdraws his tender before the said period or makes any notifications in the tems and condition of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfit 50 % of the earnest money as aforesaid.

- 6. This Notice Inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Acepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of:-
- a) The Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading there to.
  - b) Standard C.P.W.D. form 8.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar,

## Near relative(s) of BSNL employee not permitted to tender :

The company or firm or any other person is not permitted to tende for works in BSNL unit in which his near relative(s) is (are) posted. The unit is defined as SSA/ Circle / Chief Engineer / Chief Arch / Corporate office for non-executive employees and all SSA in a circle including circle office / Chief Eng. / Chief Arch. / Corporate office for executive employees (including those called as Gazetted officers at present).

Therefore, it has been decided by the competent authority that a clause must be added in the tender and other related documents that the tenderer should give a certificatethat none of his / her such near relatives isn working in the units as defined above where he is going to apply for tender work. In case of proprietorship form certificate will be given by the proprietor, for partnership firm certificate will be given by the partners and in case of limited campany by all the directors of the company.

Any breach of these conditions by the company or firm or any other person, the tender / work will be cancelled and earnest money / security deposite will be forfeited any stage whenever it is so notices. The department will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

FORMAT OF THE CERTIFICATE TO BE GIVEN BY THE FIRM/ PERSON:						
I	S/O	R/O				
stage, it is found that the prior intimation to me. a) Members of I b) They are hus c) The one is re	information given by me Hindu Undivided family, Sband and wife, elated to the other in the r	ed below is/ are employed in BSNL unit as per details given in the tender documents. In case at is false / incorect, BSNL shall have absolute right to take any action as deemed fit / without any manner as father, mother, son(s) & son's wife ( daughter- in - law), Daughter(s) & daughter's hustr(s) & sister's husband( brother in law).				
		Signature of the firm / person.				
		<u>DECLARATION</u>				
I		(full name of Tenderer ) hereby eclare that I am fully aware of the terms and conditions of	contracts			
for work presently prevail	ling in the Civil Wing of B	SNL . I also declare that, I have thoroughly gone through the terms and agreements as contained	d in various clauses			
clausesand Sub - Clause	es of terms P.W.D 8 I/c	up to date amendments therein . I ( full name of contractor )				
further declare that while	submitting the tender fo	г				
			( full name of work ).			
I fully agree to a	abide by the aforesaid ter	ms and conditions of the contract and shall be bound to enter into the agreement in case my ten	der is accepted.			
I undertake to bear all lial	blities I.e. duties etc. aris	ing out of 46th amendments of constitution of India.				
Date :-		( Full singnature of the tenderer )  Executive Engineer (E), BSNL Electrical Division,Bl	hubausausa			
		GENERAL SPECIFICATIONS.	nubaneswar.			
1) The work shall be carri	ied out as per current de	partment / CPWD_specificiations.				
2) Layout of the work sha	Layout of the work shall be given at site of work by the Engineering - in Charge or his duty authorized representative.					
3) Samples of the all artic	cles shall be got approved	d from the Engineer - in Chanrge before they are used.				
4) The work shall be supe	ervised by the qualified s	upervisor from the contractor's side.				
5) Any damage done o th	ne building / equipment of	the department shall be made good by the contractor without any extra cost.				

6) No T & P shall be issued to the contractor by the department.

7) Testing shall be done in the pres4nce of the Engineering - in - Change or his duly authorized representative.

- 8) The contract shall stand for guarantee against defective materials of manufacturering defects and workmanship for the work carried out by him for the period of one year from it's commissioning & make good / repair / replace the faults during this period without any extra cost, failing which the same shall got done at the risk and cost of the contactor. This is in superseesion to the period of 6 months as mentioned in the clause-16 of this agreement.
- 9) Security deposite of the contractor shall be released only after satisfactory completion of guarantee period.
- 10) Makes of product shall be as per product directory enclosed or approved by the Engineer in Chanrge.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

## "ESSENTIAL CONDITIONS OF CONTRACT"

The firm shall read carefully the following conditions and shall quote accordingly conforming all the points in their offer. Firm should specifically note that if they do not enclose E.M.D. with their tender, their tender will not be opened at all.

- 1. TAXES AND DUTIES: The firm shall quote the rate each time on lump sum basis. The rate quoted by the agency should be exclusive of GST & other Taxes.
- 2. Loading, unloading, transportation, insurance etc. shall all be included in their offer.
- 3. All the materials will be under the charge of the contractor till it is completed and handed over . No materials will be removed from site without written permission of the Engineer in Charge.
- 4. Firm shall confirm to carry out the work as per the N.I.T. conditions.
- 6. **PAYMENTS TERMS:** No advance payments will be made. Stipulations like levy of interest if any payment is not made in specificied time is not acceptable to the department.
- 7. Offer should be clear. Any ambiguous offer is liable fo rejection by the department. There will be no negotiation with the lowest tenderer. Hence the firms are requested to quote carefully. Department's decision in this regard shall be final and binding on the tenderer. Offer with condition will be summarily rejected.
- 8. GST: The rates offered by the firm shall be exclusive of GST. The firm shall claim GST with the bill clearly furnishing the complete details of GST so included.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

## SPECIFICATION E.I & FANS :

- 1 The work is to be carried out as per CPWD specifications (External) and I.E Rule amended up to date.
- 2 Good workmanship is an essential requirement to be complied with. The entire work of manufacturer, fabrication, assembly and installation shall conform to sound engineering practice.
- 3 Rates guoted shall be inclusive of packing, forwarding, insurance, freight and delivery at site watch and ward of all marerials.
- 4 All Sundry fittings, accessories, hardware items, foundation bolts, termination lugs for electrical connection as required and all other sundry items which are useful & necessary for proper assembly and efficient working of the various components of the works shall be deemed to have included in the tender.
- 5 Following works shall be carried out by the contractor and therefore their cost shall be deemed to be included in their tendered cost.

- a) The contractor shall be responsible for repairing all damages and restoring the same to their original finish. He shall also remove at his cost all inwanted and waste materials arising out of his work from his site.
- b) All chases required in connection with the electrical works shall be provided and filled by the contractor to the original finish.
- c) Temporary shed if required over the storage space and locking arrangement, watch and ward of the materials shall be provided by firm till completion of the work and final taking over of the installation by the department.
- The contractor shall employ qualified engineer? Supervisor as required and intimate names of such persons to the Engineer- in- Charge on commencement of work. Failure to employ will attract penalty as per agreement.
- 7 If any conduit is laid before award of work recovery for the same will be made from contractor at the rate of S.R-2012 + Abatement of respective S/H of this tender.
- 8 All non- metallic conduit pipes and accessories shall be of I.S.I marked, conduit accessories shall be of grip type / threaded type.
- 9 PVC conduit to be used shall be ISI marked heavy gauge and fire retardant quality.
- 10 The switch box shll be made of mild steel of size 16 / 18 SWG as per CPWD specification except the fromt side. The clear depth of MS switch shall not be less than 60 mm. Phenolic laminated sheet cover of 3 mm thick shall be provided in the front side of box.
- 11 Earthing shall be carried out in presence of representative of the department.
- 12 Numbering and sign writing of entire installation shall be carried out by the contractor as per instructions of the Engineering in- Charge for which nothing extra shall be paid.
- 13 On completion of installation following tests shall be carried out:;-
- A) Insulation resistance test. B) Polarity test. C) Earth continuity test. D) Earth eletrode resistance test.
- On completion of electrical instalation a certificate shall be furnished by the contractor in prescribed proforma, this certificate shall be in addition to the certificiate required by local electric supply company.
- 15 Breaking capacity of MCBs should be 10 KA.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

## List of Approved makes for Sub Station Works

### List of Approved makes for Sub Station Works

1	HV SWITCHGEAR	SOUTHERN SWITCHGEAR/ BIECCO LAWRIE/CROMPTON/ JYOTI/ MEI/ KIRLOSKAR/ VOLTAS/NGEF/ ALSTOM/ SIEMENS (Note: Make of the accessories like meters, CTs PTs etc. shall be as provided by the manufacturer of the HT panel.)
2		ABOVE 400 KVA: KIRLOSKAR/ NGEF/ CROMPTON/ SIEMENS/ ABB/ VOLTAS/ BHARAT BIJLEE/ ANDREW YULE/ EMCO/ GE UPTO 400 KVA: IN ADDITION TO ABOVE MAKES PATSON/ ETE/ KANOHAR (MEERUT)/ ITL RAJASTHAN TRANSFORMER & SWITCHGEAR JAIPUR
3	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
4	мссв	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
5	TPN SWITCH AND HRC FUSES	L&T/ SIEMENS/ HAVELLS/ HH ELCON/ SCHNEIDER/ STANDARD (UPTO 400A)/ GE POWER CONTROLS

6	CONTACTORS AUXILIARY	L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/		
7	IDMT RELAY	AVKC-SEGC		
8	APFC RELAY	SYNTRON/ SCHNEIDER/ TRINITY ELECTRONICS		
9	СТ	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/		
10	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON		
11	SELECTOR SWITCH	L&T/ AE/ IMP/ RASS CONTROL/ THAKOOR/ KAYCEE/ RECO/ VAISHNO/ SALZER		
12	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE		
13	PF METER	AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON		
14	CAPACITORS (APP TYPE)	KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE		
15	CABLES			
	A. UPTO 1.1 KV GRADE	ISI MARK		
	B. ABOVE 1.1 KV GRADE	ISI MARK		
16	AIR BREAK SWITCH	NATIONAL/ KIRAN/ PACTIL/ ATLAS		
17	PIN INSULATOR	JAYSHREE/ WS/ IEC/ PCL/ BHEL		
18	LIGHTENING ARRESTOR	ELARO/ LAMCO/ INTERNATIONAL/ GE/ ATLAS		
19	DROPOUT FUSES	NATIONAL/ KIRAN/ PACTIL		
20	FIRE EXTINGUISHER	ISI MARK		
21	RUBBER MATTING	ISI MARK		
22	CABLE JOINT KIT	RACHEM/ M-SEAL/ DENSONE		
23	VACUUM CIRCUIT BREAKER	ALSTOM/ SIEMENS		
ist of A	Approved makes for EA Set Works			
1	ENGINE	CUMMINS/ RUSTON/ ESCORTS/ KEOL/ CATER PILLAR/ ASHOK LEYLAND/ GREAVES/VOLVO PENTA (200-500 KVA)		
		KIRLOSKAR/ NGEF/ LEROY SOMER/ JYOTI FRAME SIZE PTG (62.5 KVA-500 KVA) STAMFORD/ CROMPTON GREAVE (SLIP RING/BRUSHLESS, 6-200 KVA)/ AVK-SEG (UPTO 250 KVA)/ ELECTRODYNE (UPTO 100 KVA)/ CROMPTON		
2	ALTERNATOR	GREAVES AL SERIES (15 TO 100 KVA)/ ELGI (20 TO 380 KVA) / KEL (BRUSHLESS UPTO 1000 KVA)		
3	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS		

4	MCCB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS			
5	CONTACTORS AUXILIARY	L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/			
6	IDMT RELAY	AVKC-SEGC			
7	ст	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/			
8	PF METER	AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON			
9	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON			
10	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL			
11	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE			
12	FREQUENCY METER	DIGITRON/ RISHABH/ MECO/ KELTRON/ IMP AE			
13	LEAD ACID BATTERY	EXIDE/ STANFORD/ FURUKAWA/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/STANDARD/ CROMPTON GREAVES/ HITACHI			
14	GI / MS PIPE	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JST/ ITS/JINDAL/ ZENITH/ GSI/ TTA			
15	AVM PADS	DUNLOP/ POLYBOND			
16	FIRE EXTINGUISHER	ISI MARK			
17	RUBBER MATTING	ISI MARK			
18	CABLES				
	A. UPTO 1.1 KV GRADE	ISI MARK			
	B. ABOVE 1.1 KV GRADE	ISI MARK			
19	GM VALVE	FOUNTAIN/ TRISHUL/ LEADER/ KIRLOSKAR			
20	TRIVECTOR METER	SUNCO/ JAIPUR/ IMP			
21	KWH METER	SIMCO/ JAIPUR/ IMP/ AE/ UNIVERSAL/RISHABH			
	List of Approved makes for EI and fans, P	ump sets and Compound Light Works			
1	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS			
2	MCCB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS			
3	TPN SWITCH AND HRC FUSES	L&T/ SIEMENS/ HAVELLS/ HH ELCON/SCHNEIDER/ STANDARD (UPTO 400A) GE POWER CONTROLS			
4	СТ	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/			
5	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON			

6	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL			
7	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE			
8	CAPACITORS (APP TYPE)	KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE			
9	CABLES				
	A. UPTO 1.1 KV GRADE	ISI MARK			
	B. ABOVE 1.1 KV GRADE	ISI MARK			
10	PVC INSULATED COPPER CONDUCTOR WIRE	ISI MARK			
11	FIRE EXTINGUISHER	ISI MARK			
12	RUBBER MATTING	ISI MARK			
13	CABLE JOINTS	RACHEM/ M-SEAL/ DENSONE			
14	SINGLE PHASING PREVENTOR	L&T/ MINILEC/ ZEROTRIP/ SIEMENS			
15	TIMER	L&T/ SIEMENS/ MINILEC/ TELEMECHANIQUE/ AE			
16	MCB, ISOLATOR AND DISTRIBUTION BOARD	BENTEX/ CLARITON/ HAVELLS/ INDO-KOPP/STANDARD/ SCHNEIDER/ MDS/SIEMENS			
17	CHANGEOVER SWITCH	STANDARD/ HAVELLS/ CONTROL & SWITCHGEAR HH ELCON			
18	PIANO SWITCH	ISI MARK			
19	MONOBLOCK PUMP SET	KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/BE/ CROMPTON/ PEC/ MATHER&PLATT/WASP			
20	STARTER	L&T/ SIEMENS/ BCH/ ABB/ MEI/ GE POWER CONTROLS			
21	GI / MS PIPE	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA			
22	FOOT VALVE	ISI MARK			
23	GATE VALVE	FOUNTAIN/ TRISHUL/ SANT/ ANNPURNA LEADER			
24	MS CONDUIT	ISI MARK			
25	SUBMERSIBLE PUMP	KSB/ KALAMA/ AMRUT/ KIRLOSKAR/ PEC BE			
26	ELCB	STANDARD/ MDS/ HAVELLS/ DATAR/SIEMENS/ GE POWER CONTROLS			
27	CONTACTOR	SIEMENS/ L&T/ SCHNEIDER/ MEI/ LAXMI GE POWER CONTROLS			
List of Approved makes for Fire Detection Works					
1	HEAT DETECTORS	NITTON/ APPOLLO/ CHEMTRON/ HOCHIKI/EDWARD/ WORMALD/ FENWAL/			
2	SMOKE DETECTOR IONIZATION TYPE	VIJAY/ APPOLLO/ CEREBRUS/ HOCHIKI/EDWARD/ WORMALD/ FENWAL/ NITTON			

3	SMOKE DETECTOR PHOTOELECTRIC TYPE	NITTON/ APPOLLO/ CEREBRUS/ HOCHIKI EDWARD/ WORMALD/ FENWAL/ VIJAY					
		MATHER & PLATT/ M	IFI TRON/ STEFLA	GE INDUSTRIES (M	IINIMAX)/ VI.IAY/ SA	FEWAY SECURITY SYSTE	M MUMBAI/
4	FIRE PANELS	MATHER & PLATT/ MELTRON/ STEELAGE INDUSTRIES (MINIMAX)/ VIJAY/ SAFEWAY SECURITY SYSTEM MUMBAI/ CARMEL AND RAVAL ELECTRONICS CO. CHENNAI/ NAVEEN SYSTEM CHENNAI/ ALERT FIRE SERVICE BANGALORE					
5	P A SYSTEM	AHUJA/ PHILIPS/ MO	TWANI/ AKG				
6	HOOTER	VAISHNO/ AHUJA/ AG	GNI/ PHILIPS/ MOT	WANI			
7	PVC INSULATED COPPER CONDUCTOR CABLE	ISI MARK					
8	BATTERY (LEAD ACID SEALED	EXIDE/ STANFORD/ I	FURUKAWA/ AMCC	)/ PACE			
	AND MAINTENANCE FREE)	SETTER/ NICCO/ PRI	ESTOLITE/ AMAR F	RAJA/STANDARD/ (	CROMPTON GREAN	/ES/ HITACHI	
9	CONDUIT	ISI MARK				T	
List of A	Approved makes for Fire Fighting Wet Riser Works						
1	HOSE REEL	ISI MARK					
2	HOSE PIPE	ISI MARK					
3	DIESEL ENGINE FOR FIRE PUMP	CUMMINS/ ESCORTS/ KEOL/ CATERPILLAR/ ASHOK LEYLAND/ GREAVES/ VOLVO PENTA (200-500 KVA)/ RUSTON				)/ RUSTON	
4	FIRE EXTINGUISHERS	ISI MARK					
5	MOTORS	GE/ SIEMENS/ CROMPTON/ HBB/ KEC/ BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEF (ENERGY EFFICIENT MOTORS AS PER IS 12615/1984 FOR MOTORS BELOW 37KW)					
6	STARTER	SIEMENS/ L&T/ BCH/	ABB/ MEI/ GE POV	VER CONTROL			
7	TPN SWITCHES AND HRC FUSES	L&T/ SIEMENS/ HAVE	ELLS/ HH ELCON/S	TANDARD / SCHNE	EIDER/ GE POWER	CONTROLS	
8	мссв	SIEMENS/ L&T/ CON	TROL & SWITHGE	R SCHNEIDER/ GE	POWER CONTRO	LS	
9	INDICATING LAMPS	VAISHNO/ SIEMENS/	L&T/ AE/ IMP/ RAS	S CONTROL/ TEK	NIC/ SCHNEIDER/ K	AYCEE	
10	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL	/ RISHABH/ KAYCE	E/ MECO ENERCO	N		
11	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IN	MP/ THAKOOR/ RE	CO/VAISHNO/ SALZ	OR/ RASS CONTR	OL	
12	СТ	AE/ IMP/ MARSHAL/ I	PACTIL/ KAPPA/ L&	T/ASHMOR/ INDO	COIL/ WACO/ MECO	)	
13	LEAD ACID BATTERY	EXIDE/ STANDARD/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/					
		CROMPTON GREAVES/ HITACHI/ STANFORD/					
14	GI / MS PIPE	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA					
15	AVM PADS	DUNLOP/ POLYBONI	)				

16	RUBBER MATTING	ISI MARK		
17	CABLES			
	A. UPTO 1.1 KV GRADE	ISI MARK		
	B. ABOVE 1.1 KV GRADE	ISI MARK		
18	SINGLE PHASING PREVENTOR	L&T/ MINILEC/ ZEROTRIP/ SIEMENS		
19	GM VALVE	FOUNTAIN- ISI MARK/ TRISHUL/LEADER/ SANT/ ANNPURNA		
20	GAUGES	FIEBIG/ H-GURU/ PRICOL		
21	PUMPS	KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/WASP/ BE/ CROMPTON/ PEC/ MATHER&PLATT		
22	SPRINKLER	ISI MARK		
List of A	Approved makes for Air Conditioning Works			
1 MOTOR SIEMENS/ CROMPTON GREAVES/ HBB/ KEC/BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEFGE		SIEMENS/ CROMPTON GREAVES/ HBB/ KEC/BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEFGE		
2	COMPRESSOR	VOLTAS/ KIRLOSKAR COPELAND/ BATLIBOI/ CARRIER/ KPC CARRIER/ COPELAND/ ACCEL/BLUE STAR/ TRANE		
3	STARTER	SIEMENS/ L&T/ BCH/ ABB/ MEI GE POWER CONTROLS		
4	MCB, ISOLATOR AND DISTRIBUTION	BENTEX/ CLARITON/ HAVELLS/ INDO-KOPP/		
	BOARD	SIEMENS/ STANDARD/ SCHNEIDER/ MDS		
5	GI / MS PIPE	TATA/ ATL/ ITC/ ATC/ IIA/ JST/ ITS/ JINDAL ZENITH/ GSI/ TTA/ BST		
6	CABLES			
	A. UPTO 1.1 KV GRADE	ISI MARK		
	B. ABOVE 1.1 KV GRADE	ISI MARK		
7	GM VALVE	FOUNTAIN/ TRISHUL/ ANNPURNA/LEADER/ SANT		
8	SPP / OVERLOAD UNIT	L&T/ MINILEC/ ZEROTRIP/ SIEMENS		
9	RESIN BOND GLASS WOOL	FIBRE GLASS/ PILKINGTON/ UPTWIGA		
10	EXPANDED POLYSTERENE	BASE (INDIA) LTD.		
11	GAUGES	FIEBIG/ H-GURU/ PRICOL		
12	CONTROLS	INDFOSS/ HONEYWELL/ SPORLAN/ RANCO/RANUTROL/ PENN/ DANFOSS/ FLICA		
13	FRESH AIR FAN	GE/ KHAITAN		

14	FILTER, EFFICIENCY 90% DOWN TO 20 MICRONS) AND EU-3 (FINE FILTER, EFFICIENCY 95% DOWN TO 5 MICRONS)	DYNA/ TENACITY/ KIRLOSKAR/ PUROMATIC/AITECH/ FURAFILL/ ARW/ ATHLETE/ PUROLATOR/ ANFILTRA EFFULENT		
15	GI SHEETS	TATA/ SAIL/ NIPPON/ DENRO/ HSL/ JINDAL/ NATIONAL		
16	INDICATING LAMPS	/AISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE		
17	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON		
18	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/ VAISHNO/ SALZOR/ RASS CONTROL		
19	СТ	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/		

## **PROFORMA OF SCHEDULES**

(Operative Schedules to be supplied separately to each intending tenderer)

# **SCHEDULE 'B'**

Schedule of materials to be issued to the contractor.

Sr. No.	Description of item	Quantity	Rates in figures and words at which the material will be	Place of Issue		
1	2	3	4	5		
	As mentioned in the Schedule of work					

SCHEDULE 'F'
Reference to General Conditions of contract.

	Emergency Construction of DP Struc Transformer damaged by Sever cyclo Puri District.	
Estimated cost of work:	199223.00	
Earnest money:	3984	•

Performance guarantee	5% of the tendered value of the work in the form of Bank Guarantee from Scheduled Bank in respect of works
	with estimated cost put to tender exceeding Rs6 lacs.

## GENERAL RULES and DIRECTIONS:

Officer inviting tender: Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.
---

## **Definitions:**

2(v) Engineer-in-Charge	Executive Engineer (E), BSNL Electrica	l Division, Bhubaneswar.
2(vi) Accepting Authority	Executive Engineer (E), BSNL Electrica	l Division, Bhubaneswar.
2(x) Percentage on cost of materials and labour to cover all overheads and profits.	10%	

## Clause 5

Time allowed for execution of work.	7 days		
	<del>_</del>	7	
Authority to give fair and reasonable extension of	SE(E)		
time for completion of work.			
Clause 12	NA		
<b>12.1.2</b> (iii) Schedule of rates for determining	± the % over the rate ente	red in the schedule of rates	
rates for additional, altered or, substituted items			
that cannot be determined under 12.1.2 (i)and(ii)			

# Clause.25

Authority competemt for conciliation	S.E(E) not in charge
--------------------------------------	----------------------

# Schedule-A

Name of work: Emergency Construction of DP Structure & Repairing of 25 KVA Transformer damaged by Sever cyclone FANI at TE Kalyanpur under Puri District.

SI. no.	Description of Items	Quantity	Rate (`)	Unit	Amount (`)
1	Dismantalling of damaged 25 KVA Transformer,AB Switch,HG Fuse,LA, Insulators,MS Channel & MS angle etc from the broken DP Structure,making the site ready by removing the branches of trees & other debries & keeping all the materials in a safe place as per the direction of Engineer-in-charge etc as reqd.			job	
2	Supplying of R.S. joist pole of size not less than 100 mm X 116 mm ( flange and web thickness - 8 mm and 8 mm , 23.00 Kg. per mtr. run ) with ms base plate of size 300 mm x 300 mm x 10 mm including cutting, drilling and painting with one coat of red oxide and two coats of silver oxide paint of approved quality etc. as reqd.			job	
3	Erection of metallic pole of following length in cement concrete 1:3:6(1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation & refilling etc as reqd.			job	
	a) Above 10.0 mtr & up to 12.0 mtr	2		,	
4	S/F of following sizes GI Channel/Angle/Flat with nuts,bolt & washer etc complete as reqd.				
	a) 100 mm x 50 mm x 6 mm GI Channel	15		mtr	
	b) 75 mm x 40 mm x 6 mm Gl Channel	15		mtr	
	c) 50 mm x 50 mm x 6 mm GI angle.	6		mtr	

5	Supply & fixing of 11 KV, off load, single break, triple pole, horizontal type, gang operated 200 Amp air break switch having 2 nos. 11 KV post type insulator per phase complete with galvanised channel iron base, arcing horns, 25 mm dia. 6 mtr. long GI pipe, tinned copper wire braided flexible earthing & operating handle with locking arrangement etc. complete as required.		job	
6	Supply & fixing of 3 phase, 11 KV outdoor type horn gap/drop out fuse unit having 2 nos. 11 KV post type insulator per phase complete with channel, cu-wire etc. as required. (one set comprising 3 units).	1	job	
7	Supplying & fixing of non-linear resistor type distribution class lightning arrestor suitable for 3 wire, 11 KV supply system with rated voltage of 9 KV (rms) with a nominal discharge current rating of 5 KA and complete with galvanised clamping arrangement etc. complete as required.		job	
8	Supply & fixing of 11 KV pin insulator with large steel head G.l. pin, nuts, washers on existing HT pole/ DP structure etc. complete as required.		each	
9	Supply & fixing of 11 KV disc insulator with galvanised insulator fittings, ball and socket type and complete with galvanised strain clamps, bolts, nuts, washers etc. as required.		each	
10	S/F galvanised stay set for 11 KV over head lines complete with 19/20 mm dia x 1.8 mtrs long stay rod,anchor plate of size 30 cm x 30 cm x 6 mm thick,thimble stay clamps,turn buckle(20 mm x 600 mm),7/4.00 mm dia GI stay wire & 11 KV strain insulator etc as reqd.	2	set	
11	Supply & drawing of 55 sqmm. AAA overhead conductor etc. complete as required.	30	Mtr	
12	Supply & drawing of 50 sqmm. XLPE insulated overhead conductor etc. complete as required.	50	Mtr	
13	P/F 25 mm x 5 mm GI Strip in 40 mm dia GI Pipe from earth electrode etc as reqd.	5	Mtr	
14	P/F 25 mm x 5 mm GI Strip on surface or in recess for connection etc as reqd	55	Mtr	

15	S/F of shock proof, rust,Fire retardant 3phase outdoor PVC distribution box of size 750 mmx 480mmx210mm (HxWxD) suitable for accomodation of 63 Amp TPN SDFU etc as reqd. (Make M/s SINTEX of Model-GSDB-7450/Similar superior make)		Job	
			305	
16	S/F 63 Amp TPN SDFU with HRC Fuse without enclosure in existing box suitable for operation on 415 V,50 HZ AC supply etc as reqd.		Job	
47	Transaction of the second OF 10/A Transfer or 11/2			
17	Transportation of damaged 25 KVA Transformer from site to factory at BBSR i/c loading & unloading etc as reqd.			
		1	Job	
40	Densiring of OF IO/A Transferred by real-content of			
18	Repairing of 25 KVA Transformer by replacement of gaskets,oil,HT bushing & stud,LT bushing & stud,keeping the same in the heat chamber for 24 hours to improve the insulation resistance,box up the same & painting etc as			
	reqd.	1	job	
19	Transportation of repaired 25 KVA Transformer from factory at BBSR to site i/c loading & unloading etc as reqd.		job	
20	ITC of above Transformer on the DP Structure i/c connection of body earth strip,neutral earth strip & LT Cable etc as reqd.	1	job	
21	Liasioning with CESU authority in various stages from execution of work to charging the 11 KV line etc as reqd.	1	iob	

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.