BHARAT SANCHAR NIGAM LIMITED (NOTICE INVITING TENDER)

SI No.	. Name of work	Estimated cost.(Rs.)	EMD (Rs).	Time	NIT No.	₹ 3G
1	Attending day to day faults and repairing & maintenance of DG sets for various TE/ BTS sites under Koraput SSA (For 2019-20)		3879	06 months	N.I.T No 206/BSNL-BSR/19-20.	BSNL Connecting India

A/A & E/S Reference	ARMO	
T/S No.	64/BSNL-EDB/19-20	

Tender paper cost (Non refundable) Rs.	590.00	
Last Date of receipt of application:-	10.01.2020	(upto 4.00PM)
Last Date of tender paper sale:-	10.01.2020	(upto 5.30PM)
Last Date of tender paper receipt:	13.01.2020	(upto 3.00PM)
Date of opening:-	13.01.2020	(after 3.30 PM)

Eligibility Criteria :-

Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

AND

The manufacturer/authorised dealer/OEM of EA Set approved by BSNL.The letter of authorization from manufacturer in original/photo copy attested by BSNLexecutive will be submitted.

OR

Experience of having successfully completed similar works in BSNL during last 7 years ending last day of month previous to the one in which applications are invited should either of the following

Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

OR

Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

OF

One similar successfully completed works costing not less than the amount equal to 80% of the estimated cost put to tender. Current certificate of having completed the work in the satisfactory manner with the requisite infracture/set up relevant to the work under NIT shall be furnished.

OR

BSNL enlisted contractors in Electrical category of respective class with valid electrical licence as per their tendering limits.

2 All other terms & conditions as per BSNL EW-6 and BSNL EW-8 form.

The tenderer shall submit the tender in 2 sealed covers marked as cover 1 st and 2nd inscribing the name of work. Both should be separate & they should not be enclosed in common third cover. The first cover should contain the earnest money deposited in the shape of demand draft /pay order of a schedule bank/nationalised bank/state bank guarranted by reserve bank of India drawn in favour of A.O(CASH), BSNL,GMTD, Bhubaneswar. In case submitting tender down loading from web site, the 1 st cover should contain DD towards cost of tender document and EMD drawn in favour of A.O(CASH), BSNL,GMTD, Bhubaneswar along with attested copy of eligible criteria. The second cover contains the tender documents, if the 1 st cover is not annexed in proper form, the second form containing tender will not be opened at all.

Note :- I) The company or firm or any other person is not permitted to tender for work in BSNL unit in which his/her near relative(s) is(are) posted .

- 4 If the date of opening is declared as holiday, then the tender shall be opened on next working day.
- 5 The tender documents shall not be sent through courier /post. The tender documents received through courier/ post shall not be opened / considered at all.

No:-PLG-04/BSNL-EDB/19/513

Dt.03/01/2020

- 1) The C.E(E), BSNL Electrical Odisha Zone, Bhubaneswar
- 2) The Executive Engineer(E) BSNL Electrical Division, Sambalpur.
- 3) The Executive Engineer(E) BSNL Electrical Division, Cuttack
- 4) The Vigilance Officer O/o the CGMT Orissa Circle, Bhubaneswar.
- 5) The Accounts Officer, BSNL Electrical Division, Bhubaneswar.
- 6) The Notice Board.
- 7) Contractors

	EXCOUNT	Linginical	(L), DOITE LICCUITOUT	Division, Dirabanes war.	į.

Executive Engineer (E) RSNI Electrical Division Bhubaneswar

NOTICE INVITING TENDER CPWD - 6

BHARAT SANCHAR NIGAM LIMITED

			(A Govt. of India E	Enteprise)		
Item rat	e tenders are invited on behalf of the BSNL from elegible co Attending day to day faults and repairing & maintena SSA (For 2019-20)			es under Koraput		
The wo	rk is estimated to cost Rs.	193950.00	This estimate howe	ver is given merely as a roug	h guide.	
1)	Tender will be issued to	Please refer to eligibil	ity criteria			
	completed work of magnitude as specificied in press notifi	cation at page No. 4.				
2).	Agreement shall be drawn with the successful tenderer or his rates as per various tems and conditions of the said for			s a Govt. of India publication	tender shall quote	
3).	The time allowed for carrying out the work will be		06 months			
4).	The availablity of individual site will be specified in the awa	ard letter.				
5).	Receipt of applications for issue of forms will be stopped will be stopped two days before the date fixed for opening		s before the date fixe	d for opening of tenders. Issu	e of tender forms	
	Tender documents consists of plans , specifications, the s conditions of contract to be complied with by the whose te Engineer (E),BSNL ELECTRICAL DIVISION , Bhubanesw excluding standard form, will be issued from his office , du	nder may be accepted ar between 11.00 AM	d and other necessar & 04.00 PM every da	y document can be seen in th ay except on Sunday and pub	e office of the Executive	
6).	The tender must produce an Cartered Accountant certific 02.07.1970 as amended from time to time before tender p			Inistry of Finance O.M. No. 6	67/30/69/ITAL dated	
7).	Tenders, which should always be in sealed envelope, with	the name of work an	d due date written on	the envelope, will be receive	d by	
Executi	ve Engineer (E), BSNL Electrical Division,Bhubaneswar. on the same day at 03.30 PM.	up to 03.00 PM on	13.01.2020	and will be opened by him o	r his suthorized representative in his	office
8)	The tender shall be accompanied by earnest money of Re Accounts Officer(CASH), BSNL, GMTD, BHUBANESWA		3879 credited to Nationalization		uled Bank issued in favour of	
9).	The description of the work is a follows:-					

Name of the work :-

Attending day to day faults and repairing & maintenance of DG sets for various TE/ BTS sites under Koraput SSA (For 2019-20)

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer. Tenderers are advised to inspect and exmine the site and its suttoundings and satisty themselves before submitting eheir tenders as to the ground and sub - soil.(so far as is practicaable), the form and nature of the site , the means of access to the site , the accomodation they may require and in general shall themselves obtain all necessary information as to tisks , contingencies and other circumstances which may influence or affect their tender . A tenderer shall be responsible for arranging and maintaining at his own cost all materials , tools [;ants, water , electricity access, facilities for workers and all other service required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer ijplies that he has read this notice and all other contract documents and has made himself aware of the scope and s conditions and ates at which stores, tools and plants, etc. will be issued to him by the department and local conditions and other factors having a bearing on the execution, of the work.

1. The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenderers in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the renderer shall be summarily rejected.

The public enterprises that avail benefits of the purchase preference should be subjected to adequate penalties for cost overruns etc.

- 2. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibied and the tenders submitted by the contractors who restore to canvassing will be liable to rejection.
- 3. The competent authority on hehalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer whall be bound to perform the same at the rate quoted.
- 4. The contractor shall not be permitted to tender for work in the BSNL (responsible for award and execution of contracts) in which his near relative is posted as divisional accoun tant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer(both inclusive). He shall also intomate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the BSNL or in the Ministry of communication. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 5. No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of he Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had abtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

The tender for the works shall remain open for acceptance for a period of ninety days from the date o opening of tenders. If any tender withdraws his tender before the said period or makes any notifications in the tems and condition of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfit 50 % of the earnest money as aforesaid.

- 6. This Notice Inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Acepting Authority, shall , within 15 days from the stipulated date of start of the work sign the contract consisting of :
 - a) The Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading there to.
 - b) Standard C.P.W.D. form 8.

Executive	Engineer (E), BSNL Electrical	Division,Bhubaneswar.

Near relative(s) of BSNL employee not permitted to tender :

The company or firm or any other person is not permitted to tende for works in BSNL unit in which his near relative(s) is (are) posted . The unit is defined as SSA/ Circle / Chief Engineer / Chief Arch / Corporate office for non- executive employees and all SSA in a circle including circle office / Chief Eng. / Chief Arch. / Corporate office for executive employees (including those called as Gazetted officers at present). Therefore, it has been decided by the competent authority that a clause must be added in the tender and other related documents that the tenderer should give a certificatethat none of his / her such near relatives isn working in the units as defined above where he is going to apply for tender work .In case of proprietorship form certificate will be given by the proprietor , for partnership firm certificate will be given by the partners and in case of limited campany by all the directors of the company.

Any breach of these conditions by the company or firm or any other person, the tender / work will be cancelled and earnest money / security deposite will be forfeited any stage whenever it is so notices. The department will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

FORMAT OF THE CERTIFICATE TO BE GIVEN BY THE FIRM/ PERSON:

I	\$/0 R/0
	here by certify that none ofmy relative(S) as defined below is/ are employed in BSNL unit as per details given in the tender documents. In case at any
	stage, it is found that the information given by me is false / incorect, BSNL shall have absolute right to take any action as deemed fit / without any
	prior intimation to me.

- a) Members of Hindu Undivided family,
- b) They are husband and wife,
- c) The one is related to the other in the manner as father, mother, son(s) & son's wife (daughter- in law), Daughter(s) & daughter's husband (sonin law, brother(s) & brother's wife, sister(s) & sister's husband(brother in law).

Signature of the firm / person.

DECLARATION
I
for work presently prevailing in the Civil Wing of BSNL . I also declare that, I have thoroughly gone through the terms and agreements as contained in various clauses
clausesand Sub - Clauses of terms P.W.D 8 l/c up to date amendments therein . I
further declare that while submitting the tender for
(full name of work
I fully agree to abide by the aforesaid terms and conditions of the contract and shall be bound to enter into the agreement in case my tender is accepted.

I undertake to bear all liablities I.e. duties etc. arising out of 46th amendments of constitution of India.

(Full singnature of the tenderer)

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

Date :-

GENERAL SPECIFICATIONS.

- 1) The work shall be carried out as per current department / CPWD specificiations.
- 2) Layout of the work shall be given at site of work by the Engineering in Charge or his duty authorized representative.
- 3) Samples of the all articles shall be got approved from the Engineer in Chanrge before they are used.
- 4) The work shall be supervised by the qualified supervisor from the contractor's side.
- 5) Any damage done o the building / equipment of the department shall be made good by the contractor without any extra cost.
- 6) No T & P shall be issued to the contractor by the department.
- 7) Testing shall be done in the pres4nce of the Engineering in Change or his duly authorized representative.
- 8) The contract shall stand for guarantee against defective materials of manufacturering defects and workmanship for the work carried out by him for the period of one year from it's commissioning & make good / repair / replace the faults during this period without any extra cost, failing which the same shall got done at the risk and cost of the contactor. This is in superseesion to the period of 6 months as mentioned in the clause-16 of this agreement.
- 9) Security deposite of the contractor shall be released only after satisfactory completion of guarantee period.
- 10) Makes of product shall be as per product directory enclosed or approved by the Engineer in Chanrge.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

"ESSENTIAL CONDITIONS OF CONTRACT"

The firm shall read carefully the following conditions and shall quote accordingly conforming all the points in their offer. Firm should specifically note that if they do not enclose E.M.D. with their tender, their tender will not be opened at all.

- 1. TAXES AND DUTIES: The firm shall quote the rate each time on lump sum basis . The rate quoted by the agency should be exclusive of GST & other Taxes.
- 2. Loading, unloading, transportation, insurance etc. shall all be included in their offer.
- 3. All the materials will be under the charge of the contractor till it is completed and handed over . No materials will be removed from site without written permission of the Engineer in Charge.
- 4. Firm shall confirm to carry out the work as per the N.I.T. conditions.
- 6. PAYMENTS TERMS: No advance payments will be made. Stipulations like levy of interest if any payment is not made in specificied time is not acceptable to the department.
- 7. Offer should be clear. Any ambiguous offer is liable fo rejection by the department. There will be no negotiation with the lowest tenderer. Hence the firms are requested to quote carefully. Department's decision in this regard shall be final and binding on the tenderer. Offer with condition will be summarily rejected.
- 8. GST: The rates offered by the firm shall be exclusive of GST. The firm shall claim GST with the bill clearly furnishing the complete details of GST so included.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

SPECIFICATION E.I & FANS :

- 1 The work is to be carried out as per CPWD specifications (External) and I.E Rule amended up to date.
- 2 Good workmanship is an essential requirement to be complied with. The entire work of manufacturer, fabrication, assembly and installation shall conform to sound engineering practice.
- Rates quoted shall be inclusive of packing, forwarding, insurance, freight and delivery at site watch and ward of all marerials.
- 4 All Sundry fittings, accessories, hardware items, foundation bolts, termination lugs for electrical connection as required and all other sundry items which are useful & necessary for proper assembly and efficient working of the various components of the works shall be deemed to have included in the tender.
- 5 Following works shall be carried out by the contractor and therefore their cost shall be deemed to be included in their tendered cost.
- a) The contractor shall be responsible for repairing all damages and restoring the same to their original finish. He shall also remove at his cost all inwanted and waste materials arising out of his work from his site.
- b) All chases required in connection with the electrical works shall be provided and filled by the contractor to the original finish.
- c) Temporary shed if required over the storage space and locking arrangement, watch and ward of the materials shall be provided by firm till completion of the work and final taking over of the installation by the department.
- The contractor shall employ qualified engineer? Supervisor as required and intimate names of such persons to the Engineer- in- Charge on commencement of work. Failure to employ will attract penalty as per agreement.
- 7 If any conduit is laid before award of work recovery for the same will be made from contractor at the rate of S.R-2012 + Abatement of respective S/H of this tender.
- 8 All non- metallic conduit pipes and accessories shall be of I.S.I marked, conduit accessories shall be of grip type / threaded type.
- 9 PVC conduit to be used shall be ISI marked heavy gauge and fire retardant quality.
- 10 The switch box shll be made of mild steel of size 16 / 18 SWG as per CPWD specification except the fromt side. The clear depth of MS switch shall not be less than 60 mm. Phenolic laminated sheet cover of 3 mm thick shall be provided in the front side of box.
- 11 Earthing shall be carried out in presence of representative of the department.
- 12 Numbering and sign writing of entire installation shall be carried out by the contractor as per instructions of the Engineering in- Charge for which nothing extra shall be paid.
- 13 On completion of installation following tests shall be carried out::-
- A) Insulation resistance test. B) Polarity test. C) Earth continuity test. D) Earth eletrode resistance test.
- 14 On completion of electrical instalation a certificate shall be furnished by the contractor in prescribed proforma, this certificate shall be in addition to the certificiate required by local electric supply company.
- 15 Breaking capacity of MCBs should be 10 KA.

Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.

List of Approved makes for Sub Station Works

List of Approved makes for Sub Station Works

List of Ap	pproved makes for Sub Station Works	
1	HV SWITCHGEAR	SOUTHERN SWITCHGEAR/ BIECCO LAWRIE/CROMPTON/ JYOTI/ MEI/ KIRLOSKAR/ VOLTAS/NGEF/ ALSTOM/ SIEMENS (Note: Make of the accessories like meters, CTs PTs etc. shall be as provided by the manufacturer of the HT panel.)
2	TRANSFORMER	ABOVE 400 KVA: KIRLOSKAR/ NGEF/ CROMPTON/ SIEMENS/ ABB/ VOLTAS/ BHARAT BIJLEE/ ANDREW YULE/ EMCO/ GE UPTO 400 KVA: IN ADDITION TO ABOVE MAKES PATSON/ ETE/ KANOHAR (MEERUT)/ ITL RAJASTHAN TRANSFORMER & SWITCHGEAR JAIPUR
3	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
4	мссв	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
5	TPN SWITCH AND HRC FUSES	L&T/ SIEMENS/ HAVELLS/ HH ELCON/ SCHNEIDER/ STANDARD (UPTO 400A)/ GE POWER CONTROLS
6	CONTACTORS AUXILIARY	L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/
7	IDMT RELAY	AVKC-SEGC
8	APFC RELAY	SYNTRON/ SCHNEIDER/ TRINITY ELECTRONICS
9	ст	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/
10	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON
11	SELECTOR SWITCH	L&T/ AE/ IMP/ RASS CONTROL/ THAKOOR/ KAYCEE/ RECO/ VAISHNO/ SALZER
12	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE
13	PF METER	AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON
14	CAPACITORS (APP TYPE)	KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE
15	CABLES	
	A. UPTO 1.1 KV GRADE	ISI MARK
	B. ABOVE 1.1 KV GRADE	ISI MARK
16	AIR BREAK SWITCH	NATIONAL/ KIRAN/ PACTIL/ ATLAS
17	PIN INSULATOR	JAYSHREE/ WS/ IEC/ PCL/ BHEL
18	LIGHTENING ARRESTOR	ELARO/ LAMCO/ INTERNATIONAL/ GE/ ATLAS
19	DROPOUT FUSES	NATIONAL/ KIRAN/ PACTIL
20	FIRE EXTINGUISHER	ISI MARK
21	RUBBER MATTING	ISI MARK

22	CABLE JOINT KIT	RACHEM/ M-SEAL/ DENSONE
23	VACUUM CIRCUIT BREAKER	ALSTOM/ SIEMENS
List of	Approved makes for EA Set Works	
1	ENGINE	CUMMINS/ RUSTON/ ESCORTS/ KEOL/ CATER PILLAR/ ASHOK LEYLAND/ GREAVES/VOLVO PENTA (200-500 KVA)
2	ALTERNATOR	KIRLOSKAR/ NGEF/ LEROY SOMER/ JYOTI FRAME SIZE PTG (62.5 KVA-500 KVA) STAMFORD/ CROMPTON GREAVES (SLIP RING/BRUSHLESS, 6-200 KVA)/ AVK-SEG (UPTO 250 KVA)/ ELECTRODYNE (UPTO 100 KVA)/ CROMPTON GREAVES AL SERIES (15 TO 100 KVA)/ ELGI (20 TO 380 KVA) / KEL (BRUSHLESS UPTO 1000 KVA)
3	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
4	мссв	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
5	CONTACTORS AUXILIARY	L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/
6	IDMT RELAY	AVKC-SEGC
7	СТ	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/
8	PF METER	AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON
9	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON
10	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL
11	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE
12	FREQUENCY METER	DIGITRON/ RISHABH/ MECO/ KELTRON/ IMP AE
13	LEAD ACID BATTERY	EXIDE/ STANFORD/ FURUKAWA/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/STANDARD/ CROMPTON GREAVES/ HITACHI
14	GI / MS PIPE	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JST/ ITS/JINDAL/ ZENITH/ GSI/ TTA
15	AVM PADS	DUNLOP/ POLYBOND
16	FIRE EXTINGUISHER	ISI MARK
17	RUBBER MATTING	ISI MARK
18	CABLES	
	A. UPTO 1.1 KV GRADE	ISI MARK
	B. ABOVE 1.1 KV GRADE	ISI MARK
19	GM VALVE	FOUNTAIN/ TRISHUL/ LEADER/ KIRLOSKAR

20	TRIVECTOR METER	SUNCO/ JAIPUR/ IMP
21	KWH METER	SIMCO/ JAIPUR/ IMP/ AE/ UNIVERSAL/RISHABH
	List of Approved makes for El and fans, Pu	mp sets and Compound Light Works
1	ACB	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
2	мссв	L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS
3	TPN SWITCH AND HRC FUSES	L&T/ SIEMENS/ HAVELLS/ HH ELCON/SCHNEIDER/ STANDARD (UPTO 400A) GE POWER CONTROLS
4	ст	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/
5	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON
6	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL
7	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE
8	CAPACITORS (APP TYPE)	KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE
9	CABLES	
	A. UPTO 1.1 KV GRADE	ISI MARK
	B. ABOVE 1.1 KV GRADE	ISI MARK
10	PVC INSULATED COPPER CONDUCTOR WIRE	ISI MARK
11	FIRE EXTINGUISHER	ISI MARK
12	RUBBER MATTING	ISI MARK
13	CABLE JOINTS	RACHEM/ M-SEAL/ DENSONE
14	SINGLE PHASING PREVENTOR	L&T/ MINILEC/ ZEROTRIP/ SIEMENS
15	TIMER	L&T/ SIEMENS/ MINILEC/ TELEMECHANIQUE/ AE
16	MCB, ISOLATOR AND DISTRIBUTION BOARD	BENTEX/ CLARITON/ HAVELLS/ INDO-KOPP/STANDARD/ SCHNEIDER/ MDS/SIEMENS
17	CHANGEOVER SWITCH	STANDARD/ HAVELLS/ CONTROL & SWITCHGEAR HH ELCON
18	PIANO SWITCH	ISI MARK
19	MONOBLOCK PUMP SET	KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/BE/ CROMPTON/ PEC/ MATHER&PLATT/WASP
20	STARTER	L&T/ SIEMENS/ BCH/ ABB/ MEI/ GE POWER CONTROLS
21	GI / MS PIPE	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA
22	FOOT VALVE	ISI MARK

		501 IN IT A IN I/ TRIOL II II	/ O A N I T / A N I N I D I I D N					
23	GATE VALVE	FOUNTAIN/ TRISHUL/ SANT/ ANNPURNA LEADER						
24	MS CONDUIT	ISI MARK						
25	SUBMERSIBLE PUMP	KSB/ KALAMA/ AMRUT/ KIRLOSKAR/ PEC BE						
26	ELCB	STANDARD/ MDS/ H	TANDARD/ MDS/ HAVELLS/ DATAR/SIEMENS/ GE POWER CONTROLS					
27	CONTACTOR	SIEMENS/ L&T/ SCH	NEIDER/ MEI/ LAXI	II GE POWER CON	TROLS			
List of A	approved makes for Fire Detection Works							
1	HEAT DETECTORS	NITTON/ APPOLLO/	CHEMTRON/ HOCH	IIKI/EDWARD/ WOI	RMALD/ FENWAL/			
2	SMOKE DETECTOR IONIZATION TYPE	VIJAY/ APPOLLO/ CE	VIJAY/ APPOLLO/ CEREBRUS/ HOCHIKI/EDWARD/ WORMALD/ FENWAL/ NITTON					
3	SMOKE DETECTOR PHOTOELECTRIC TYPE	NITTON/ APPOLLO/	NITTON/ APPOLLO/ CEREBRUS/ HOCHIKI EDWARD/ WORMALD/ FENWAL/ VIJAY					
4	FIRE PANELS		MATHER & PLATT/ MELTRON/ STEELAGE INDUSTRIES (MINIMAX)/ VIJAY/ SAFEWAY SECURITY SYSTEM MUMBAI/ CARMEL AND RAVAL ELECTRONICS CO. CHENNAI/ NAVEEN SYSTEM CHENNAI/ ALERT FIRE SERVICE BANGALORE					
5	P A SYSTEM	AHUJA/ PHILIPS/ MC	TWANI/ AKG					
6	HOOTER	VAISHNO/ AHUJA/ A	GNI/ PHILIPS/ MOT	WANI				
7	PVC INSULATED COPPER CONDUCTOR CABLE	ISI MARK						
8	BATTERY (LEAD ACID SEALED	EXIDE/ STANFORD/	FURUKAWA/ AMCC	D/ PACE				
	AND MAINTENANCE FREE)	SETTER/ NICCO/ PR	SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/STANDARD/ CROMPTON GREAVES/ HITACHI					
9	CONDUIT	ISI MARK	ISI MARK					
List of A	approved makes for Fire Fighting Wet Riser Works							
1	HOSE REEL	ISI MARK						
2	HOSE PIPE	ISI MARK						
3	DIESEL ENGINE FOR FIRE PUMP	CUMMINS/ ESCORT	S/ KEOL/ CATERPIL	LAR/ ASHOK LEYL	AND/ GREAVES/ V	OLVO PENTA (200	-500 KVA)/ I	RUSTON
4	FIRE EXTINGUISHERS	ISI MARK						
5	MOTORS		GE/ SIEMENS/ CROMPTON/ HBB/ KEC/ BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEF (ENERGY EFFICIENT MOTORS AS PER IS 12615/1984 FOR MOTORS BELOW 37KW)					
6	STARTER	SIEMENS/ L&T/ BCH/	/ ABB/ MEI/ GE POV	VER CONTROL				
7	TPN SWITCHES AND HRC FUSES	L&T/ SIEMENS/ HAVI	L&T/ SIEMENS/ HAVELLS/ HH ELCON/STANDARD / SCHNEIDER/ GE POWER CONTROLS					
8	MCCB	SIEMENS/ L&T/ CON	SIEMENS/ L&T/ CONTROL & SWITHGEAR SCHNEIDER/ GE POWER CONTROLS					

9 11	NDICATING LAMPS	VAISHNO/ SIEMENS	S/ L&T/ AE/ IMP/ RAS	S CONTROL/ TEKN	NIC/ SCHNEIDER/ K	AYCEE		
10 A	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON						
11 S	SELECTOR SWITCH	L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL						
12 C	ст	AE/ IMP/ MARSHAL/	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ASHMOR/ INDOCOIL/ WACO/ MECO					
13 L	EAD ACID BATTERY	EXIDE/ STANDARD/	IDE/ STANDARD/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/					
		CROMPTON GREAV	/ES/ HITACHI/ STAN	IFORD/				
14 G	GI / MS PIPE	BST/ TATA/ ATL/ ITC	BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA					
15 A	AVM PADS	DUNLOP/ POLYBON	ID					
16 R	RUBBER MATTING	ISI MARK						
17 C	CABLES							
А	A. UPTO 1.1 KV GRADE	ISI MARK						
В	B. ABOVE 1.1 KV GRADE	ISI MARK						
18 S	SINGLE PHASING PREVENTOR	L&T/ MINILEC/ ZEROTRIP/ SIEMENS						
19 G	GM VALVE	FOUNTAIN- ISI MARK/ TRISHUL/LEADER/ SANT/ ANNPURNA						
20 G	GAUGES	FIEBIG/ H-GURU/ PRICOL						
21 P	PUMPS	KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/WASP/ BE/ CROMPTON/ PEC/ MATHER&PLATT						
22 S	SPRINKLER	ISI MARK						
List of App	proved makes for Air Conditioning Works							
1 M	MOTOR	SIEMENS/ CROMPT	ON GREAVES/ HBB	/ KEC/BHARAT BIJI	LEE/ ABB/ MEI/ SPA	RTON/ NGEFGE		
2 0	COMPRESSOR	VOLTAS/ KIRLOSKA	R COPELAND/ BAT	LIBOI/ CARRIER/ KI	PC CARRIER/ COPE	ELAND/ ACCEL/BL	UE STAR/ T	RANE
3 S	STARTER	SIEMENS/ L&T/ BCH	I/ ABB/ MEI GE POW	/ER CONTROLS				
4 N	MCB, ISOLATOR AND DISTRIBUTION	BENTEX/ CLARITON	N/ HAVELLS/ INDO-K	(OPP/				
В	BOARD	SIEMENS/ STANDAF	RD/ SCHNEIDER/ MI	DS				
5 G	GI / MS PIPE	TATA/ ATL/ ITC/ ATC	C/ IIA/ JST/ ITS/ JIND	AL ZENITH/ GSI/ TT	TA/ BST			
6 C	CABLES							
А	A. UPTO 1.1 KV GRADE	ISI MARK						
В	3. ABOVE 1.1 KV GRADE	ISI MARK						

7	GM VALVE	FOUNTAIN/ TRISHUL/ ANNPURNA/LEADER/ SANT			
8	SPP / OVERLOAD UNIT	L&T/ MINILEC/ ZEROTRIP/ SIEMENS			
9	RESIN BOND GLASS WOOL	FIBRE GLASS/ PILKINGTON/ UPTWIGA			
10	EXPANDED POLYSTERENE	BASE (INDIA) LTD.			
11	GAUGES	FIEBIG/ H-GURU/ PRICOL			
12	CONTROLS	INDFOSS/ HONEYWELL/ SPORLAN/ RANCO/RANUTROL/ PENN/ DANFOSS/ FLICA			
13	FRESH AIR FAN	KHAITAN			
14	FILTER, EFFICIENCY 90% DOWN TO 20 MICRONS) AND EU-3 (FINE FILTER, EFFICIENCY 95% DOWN TO 5 MICRONS)	DYNA/ TENACITY/ KIRLOSKAR/ PUROMATIC/AITECH/ FURAFILL/ ARW/ ATHLETE/ PUROLATOR/ ANFILTRA EFFULENT			
15	GI SHEETS	TATA/ SAIL/ NIPPON/ DENRO/ HSL/ JINDAL/ NATIONAL			
16	INDICATING LAMPS	VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE			
17	AMMETER / VOLTMETER	AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON			
18	SELECTOR SWITCH	kT/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/ VAISHNO/ SALZOR/ RASS CONTROL			
19	СТ	AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/			

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'B' Schedule of materials to be issued to the contractor.

Sr.			Rates in figures and words at	
No.	Description of item	Quantity	which the material will be	Place of Issue
1	2	3	4	5
	As mentioned in the Schedule	e of work		

SCHI Refer

Name of work:	Attending day to day faults and repairing & maintenance of DG sets
	for various TE/ BTS sites under Koraput SSA (For 2019-20)
Estimated cost of work:	193950.00
Earnest money:	3879
Oorformance quarantee	5% of the tendered value of the work in the form of Bank Guarantee from Scheduled Bank in respect of works
Performance guarantee	with estimated cost put to tender exceeding Rs6 lacs.
	with estimated cost put to tender exceeding riso lacs.
CENEDAL DULEC and DIDECTIONS.	
GENERAL RULES and DIRECTIONS: Officer inviting tender:	Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.
onicer inviding tender.	Executive Engineer (E), BSNE Electrical Division, Birubaneswar.
Definitions:	
2(v) Engineer-in-Charge	Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.
2(vi) Accepting Authority	Executive Engineer (E), BSNL Electrical Division, Bhubaneswar.
2(x) Percentage on cost of materials and	10%
labour to cover all overheads and profits.	1070
Clause 5	
ime allowed for execution of work.	06 months
Authority to give fair and reasonable extension of	SE(E)
ime for completion of work.	
Clause 12	NA
L2.1.2 (iii) Schedule of rates for determining	± the % over the rate entered in the schedule of rates
ates for additional, altered or, substituted items	
hat cannot be determined under 12.1.2 (i)and(ii)	
(/ (/	
Clause.25	
Authority competemt for conciliation	S.E(E) not in charge
tationty competent for continuation	5.2/2/

Schedule-A

	Name of work:	Attending day to da Koraput SSA (For 2		ring & maintenan	ce of DG sets for var	ious TE/ BTS sites under
SI. no.	Description of Items	Quantity	Unit Price excluding GST (Rs)	Unit	Total Amount excluding GST (Rs`)	
1	Attending to break down call, physical inspection of DG sets at site, checking of lube oil sump, lube oil & lube oil filter, Radiator & coolant, Fans & fan belts, Fuel tank, Fuel, fuel filters & fuel lines, status of starting batteries, Battery charger, self starter, DG foundation bolts, DA leternator coupling, exhaust pipes, AMF/conventional DG control panel, Alternator terminals, Alternator AVR, starting system etc., fault finding, top up of coolant, lube oil, Diesel, distilled water in battery etc. if required, rectification of other minor faults, make the DG set suitable for starting, trial run, load testing, checking of Engine & Alternator parameters, working of charging dynamo, etc. complete as required.(Supply of materials are not in the scope of this item)					
2	Servicing of different capacity & make DG sets i/c drain out of old deteriorated lube oil from lube oil sump, dismantling of old oil & fuel filter elements, supply and pouring of suitable grade lube oil, supply & fixing of genuine fuel & oil filter elements, cleaning of fuel lines, air filters, radiator coils, cleaning of DG inside canopy, AMF/conventional control panel, tightening all electrical connections, trial run of DG set, load testing etc. complete as required.			Job		
Note:	1) Typical makes of DG sets: Kirloskar / Mahindra / Eicher / Escorts / Ashok leyland/Greaves/ Cummins etc. (2) All the materials should be got verified from the SDE (E)/JTO (E) and to the satisfaction of Engineer in charge before using at site.					
	a) 15 KVA to 20 KVA Air / Water cooled DG set	8		Job		
	b) 25 KVA to 30 KVA Air / Water cooled DG sets	4		Job		
3	c) 40 KVA to 63 KVA Air / Water cooled DG sets Supplying and fixing/fitting, connection of the following spare parts / components/accessories of the DG sets i/c dismantling/disconnecting the faulty /defective ones, functional testing of new ones etc. complete as required.			Job		

Note: 1) The make & specifications of the new	w I	
spares/components/accessories should be same as that		
original ones or as per the recommendations of the Engine		
manufacturer / OEM		
2) Typical makes of DG sets : Kirloskar / Mahindra / Eicher /	/	
Escorts / Ashok leyland/Greaves/ Cummins		
a) For 15 to 30 KVA DG sets		
i) Steel wire Braided fuel pipes (Supply/ return) (Approx	х-	
1700mm)		
	2	Each
ii) Radiator hoses and clamps		_
1113 A. A. A. B.	1	Set
iii) V- Velts	4	Set
iv) Tappet cover gaskets		
	1	Set
v) Steel wire braided lub oil pressure pipe		
	1	Set
vi) Banjo bolts with washer	2	Each
vii) Steel wire braided fuel short piece pipe with banzo bolt		Lacii
and washers from Feed pump to Fuel Filter	.]	
and washers from reed pump to rue rinter	1	Set
viii) Steel wire braided fuel short piece pipe with banzo bolt	ts	
and washers from Filter to Fuel pump		
· ·	1	Set
ix) Feed Pump assembly		_
	1	Set
b) For 40 to 63 KVA DG sets		
 i) Steel wire Braided fuel pipes (Supply/ return) (Approx 1700mm) 	x- 1	
1700mm)	·	Each
ii) Radiator hoses and clamps		
iii) V- Velts	1	Set
iii) v- veits	1	Set
iv) Tappet cover gaskets	1	Set
1v) Tappet cover gaskets	1	Set
v) Steel wire braided lub oil pressure pipe	 	Oet .
Ty steet time branded rab on pressure pipe	1	Set
vi) Banjo bolts with washer		
W Could be heated for the action of the state of the stat	1	Each
vii) Steel wire braided fuel short piece pipe with banzo bolt	is	
and washers from Feed pump to Fuel Filter		0.4
wiii) Stool wire braided fuel short piece pine with bears helt	1	Set
viii) Steel wire braided fuel short piece pipe with banzo bolt	.5	
and washers from Filter to Fuel pump	1	Set
ix) Feed Pump assembly	<u> </u>	
,,	1	Set

a) Lube oil 15W/40	20	Ltr
b) Coolant	5	Ltr
c) Diesel for Testing wherever required	5	Ltr
	5	Ltr
d) Distilled water for DG Starting battery		
Supply and fixing/connection, testing of the following	10	Ltr
accessories of DG sets i/c dismantling and disconnection of the		
new ones etc. complete as required. (Make and Specification		
should be as per recommendations of the manufacturer / OEM		
/Engineer in charge)		
a) 10 Amps, 12 volts DC O/P & 170 to 270 Volts AC input,		
SMPS type Panel mounting Battery charger for charging of DG		
set starting battery	1	Each
b) Automatic Electronic voltage Regulator for 15 to 63 KVA		
brushless type 3 phase, 415 volts Alternator (for excitation		
circuit) (BSNL Approved make)	2	Each
c) Dial type Hour cum RPM meter (Mechanical type)		
d) Digital hour meter (Electronic & panel mounted type)	1	Each
a) Digital flour fricter (Electroffic & paner flourited type)	1	Each
e) Stop solenoid assembly suitable for operation on 12 volts DC		
	1	Set
f) Starting Key set		_
g) Battery charging Leads made of PVC insulated stranded	1	Set
copper conductor cable with clamps (not less than 35sqmm)		
	1	Set
h) Brass Battery clamps with nuts and bolts	·	
	1	Set
i) 63Amps, 415 volts , 50 Hz 4 pole MCCB (Not less than 25 KA)		
	1	Each
j) 40Amps, 415 volts , 50 Hz, 4 pole contactor with 2NO+2 NC		
(AC3 duty)	1	Each
k) Contactor Coil for power Contactors in AMF Panel		E-0011
	1	Each

epairing of Self starter (12 volts) of the DG sets i/c ismantling from DG set, transportation to workshop and back, eplacement of solenoid coil, carbon brushes, springs, washers, earings, refitting with DG set, testing etc. complete as equired. For 15 to 63 KVA DG set xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set	1	Job	
eplacement of solenoid coil, carbon brushes, springs, washers, earings, refitting with DG set, testing etc. complete as equired. For 15 to 63 KVA DG set xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set	1	Job	
earings, refitting with DG set, testing etc. complete as equired. For 15 to 63 KVA DG set xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set	1	Job	
equired. For 15 to 63 KVA DG set xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set	1	Job	
cor 15 to 63 KVA DG set xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. complete as required. or 15 to 63 KVA DG set	1	Job	
xtra for winding of self sarter (12 volts) coil by superior uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set	1	Job	
uality and size enamel copper wire, heat varnishing etc. omplete as required. or 15 to 63 KVA DG set			
omplete as required. or 15 to 63 KVA DG set			
or 15 to 63 KVA DG set			
	1	Job	
epairing of Battery charging Dynamo (12 volts) of the DG			
ets i/c dismantling from DG set, transportation to workshop			
nd back, replacement of carbon brushes, springs, washers,			
earings, refitting with DG set, testing etc. complete as			
equired. or 15 to 63 KVA DG set			
DI 15 to 63 KVA DG Set	1	Job	
xtra for winding of Battery charging Dynamo (12 volts) coil	·	332	
y superior quality and size enamel copper wire, heat			
arnishing etc. complete as required.			
or 15 to 63 KVA DG set			
	1	Job	
Making arrangements for charging of starting Battery of the			
G set at workshop, replacement of electrolyte, servicing i/c			
·			
omplete as required.	_	1-6	
ervicing & Renairing of the fuel nump injector & nozzles 1/c	1	Job	
asket, "o"ring etc., complete as required.			
	1	Job	
·			
	1	Joh	
) For 04 Cylinder Engine	1	300	
. , .	1	Job	
hecking and cleaning of Engine Radiator after drainage of coolant			
ak testing etc. complete as required.			
	1	Job	
necking and cleaning of Engine Diesel tank after drainage of Diesel			
eak testing etc. complete as required.		1	
Making arrangements for charging of starting Battery of the G set at workshop, replacement of electrolyte, servicing i/c ransportation from site to nearest workshop and back etc. omplete as required. ervicing & Repairing of the fuel pump, injector & nozzles I/c ismantling ,decarbonising, replacement of minor worn out spare like asket, "o"ring etc., complete as required. extra for calibration of above mentioned fuel pump in authorised yorkshop i/c transportation from site to workshop and back etc. as equired. For 02 Cylinder Engine For 04 Cylinder Engine	1	Job Job	

Total Value in Rs