BHARAT SANCHAR NIGAM LIMITED (NOTICE INVITING TENDER)

| SI N | o. Name of work | Estimated cost.(Rs.) | EMD (Rs). | Time | NIT No. | |
|------|--|----------------------|-----------|--------|--------------------------|---------------------------------------|
| 1 | Repairing of Burnt out 63 KVA AL Wound Transformer at NBSNL BTS at Nayagarh-V. | 47217.00 | 944 | 5 days | NIT No-80/BSNL-BSR/18-19 | BSNL ⁵ Connecting India |

Date-17/07/2018

| A/A & E/S Reference | ARMO |
|---------------------|-------------------------|
| T/S No. | 17/TS/ESD-I-BBSR/18-19. |

| Tender paper cost (Non refundable) | | |
|---------------------------------------|-------------------|-----------------|
| Rs. | 177.00 | |
| Last Date of receipt of application:- | 24.07.2018 | (upto 4.00PM) |
| Last Date of tender paper sale:- | 24.07.2018 | (upto 5.30PM) |
| Last Date of tender paper receipt: | 25.07.2018 | (upto 3.00PM) |
| Date of opening:- | 25.07.2018 | (after 3.30 PM) |
| Eligibility Criteria :- | | |

¹ Enlisted contractor of BSNL with valid MV Licence.

- 2 All other terms & conditions as per BSNL EW-6 and BSNL EW-8 form.
- 3 The tenderer shall submit the tender in 2 sealed covers marked as cover 1 st and 2nd inscribing the name of work. Both should be separate & they should not be enclosed in common third cover. The first cover should contain the earnest money deposited in the shape of demand draft /pay order of a schedule bank/nationalised bank/state bank guarranted by reserve bank of India drawn in favour of A.O(CASH). BSNL ,GMTD, Bhubaneswar. In case submitting tender down loading from web site , the 1 st cover should contain DD towards cost of tender document and EMD drawn in favour of A.O(CASH), BSNL ,GMTD,BSNR Bhubaneswar along with attested copy of eligible criteria. The second cover contains the tender documents, if the 1 st cover is not annexed in proper form, the second form containing tender will not be opened at all.

Note :- I) The company or firm or any other person is not permitted to tender for work in BSNL unit in which his/her near relative(s) is(are) posted .

- If the date of opening is declared as holiday, then the tender shall be opened on next working day.
- 5 The tender documents shall not be sent through courier /post. The tender documents received through courier/ post shall not be opened / considered at all.

No-28/BSNL-ESDB-I/NIT/50

- 1) The C.E(E), BSNL Electrical Odisha Zone, Bhubaneswar
- 2) The Executive Engineer(E) BSNL Electrical Division, Sambalpur.
- 3) The Executive Engineer(E) BSNL Electrical Division,Cuttack
- 4) The Vigilance Officer O/o the CGMT Orissa Circle, Bhubaneswar.
- 5) The Accounts Officer, BSNL Electrical Division, Bhubaneswar.
- 6) The Notice Board.
- 7) Contractors

4

BHARAT SANCHAR NIGAM LIMITED

(A Govt. of India Enteprise)

| Item rate tende | rs are invited on behalf of the BSNL from ele | egible contractors for t | he work of :- | | | |
|---------------------------------|---|---|---|---------------------------------|----------------------|---------------------------------------|
| Rep | pairing of Burnt out 63 KVA AL Wound Tr | ansformer at NBSNL | BTS at Nayagarh | -V. | | |
| | | | | | | |
| | | | | | | |
| The work is es | stimated to cost Rs. | 47217.00 | This estimate how | wever is given m | nerely as a rough g | uide. |
| , - | der will be issued to of magnitude as specificied in press notifica | Enlisted contractor of B tion at page No. 4. | SNL with valid MV L | icence. | | |
| , 0 | shall be drawn with the successful tenderer r various tems and conditions of the said for | • | | ole as a Govt. of | India publication, t | tender shall quote |
| 3). The time al | lowed for carrying out the work will be | | 5 days | | | |
| 4). The availa | blity of individual site will be specified in the | award letter. | | | | |
| , , | applications for issue of forms will be stoppe two days before the date fixed for opening of | | ys before the date | fixed for openin | g of tenders. Issue | of tender forms |
| conditions of co BSNL ELECTR | ents consists of plans , specifications, the sc ontract to be complied with and other neces RICAL SUB DIVISION , Bhubaneswar betwe dard form, will be issued from this office , du | sary documents can be een 11.00 AM & 04.00 | e seen in the office PM every day exce | of the Sub Divisept on Sunday a | sional Engineer (E) |) |
| | r must produce an Chartered Accountant ce amended from time to time before tender pa | | | nder Ministry of I | Finance O.M. No. 6 | 67/30/69/ITAL dated |
| 7). Tenders, wł | nich should always be in sealed envelope, w | ith the name of work a | nd due date writter | n on the envelop | e, will be received | by |
| I, Bhubaneswa | | up to 03.00 PM on | 25.07.2018 | and will be oper | ned by him or his a | uthorized representative in his offic |
| on the same da | ay at 03.30 PM. | | | | | |
| , | hall be accompanied by earnest money of F er (CASH),BSNL, O/o The GMTD, BHUBAN | | | | | ank issued in favour of |

9). The description of the work is a follows :-

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer. Tenderers are advised to inspect and exmine the site and its suttoundings and satisty themselves before submitting eheir tenders as to the ground and sub - soil.(so far as is practicaable), the form and nature of the site , the means of access to the site , the accomodation they may require and in general shal themselves obtain all necessary information as to tisks , contingencies and other circumstances which may influence or affect their tender . A tenderer shall be responsible for arranging and maintaining at his own cost all materials , tools [;ants, water , electricity access, facilities for workers and all other service required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer ijplies that he has read this notice and all other contract documents and has made himself aware of the sc

conditions and ates at which stores, tools and plants, etc. will be issued to him by the department and local conditions and other factors having a bearing on the execution, of the work.

1. The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenderers in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the renderer shall be summarily rejected.

The public enterprises that avail benefits of the purchase preference should be subjected to adequate penalties for cost overruns etc. 2. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibied and the tenders submitted by the contractors who restore to canvassing will be liable to rejection.

3. The competent authority on hehalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer whall be bound to perform the same at the rate quoted.

4. The contractor shall not be permitted to tender for work in the BSNL (responsible for award and execution of contracts) in which his near relative is posted as divisional account tant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer(both inclusive). He shall also intomate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the BSNL or in the Ministry of communication. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

5. No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of he Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had abtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

The tender for the works shall remain open for acceptance for a period of ninety days from the date o opening of tenders. If any tender withdraws his tender before the said period or makes any notifications in the tems and condition of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfit 50 % of the earnest money as aforesaid. 6. This Notice Inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the

Acepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of :a) The Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued

at the time of invitation of tender and acceptance thereof together with any correspondence leading there to.

b) Standard C.P.W.D. form 8.

Near relative(s) of BSNL employee not permitted to tender :

The company or firm or any other person is not permitted to tende for works in BSNL unit in which his near relative(s) is (are) posted . The unit is defined as SSA/ Circle / Chief Engineer / Chief Arch / Corporate office for non- executive employees and all SSA in a circle including circle office / Chief Eng. / Chief Arch. / Corporate office for executive employees (including those called as Gazetted officers at present).

Therefore, it has been decided by the competent authority that a clause must be added in the tender and other related documents that the tenderer should give a certificatethat none of his / her such near relatives isn working in the units as defined above where he is going to apply for tender work. In case of proprietorship form certificate will be given by the proprietor, for partnership firm certificate will be given by the partners and in case of limited campany by all the directors of the company.

Any breach of these conditions by the company or firm or any other person, the tender / work will be cancelled and earnest money / security deposite will be forfeited any stage whenever it is so notices. The department will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

FORMAT OF THE CERTIFICATE TO BE GIVEN BY THE FIRM/ PERSON:

I ______ S/O _____ R/O ______ here by certify that none ofmy relative(S) as defined below is/ are employed in BSNL unit as per details given in the tender documents. In case at any stage, it is found that the information given by me is false / incorect, BSNL shall have absolute right to take any action as deemed fit / without any prior intimation to me.

a) Members of Hindu Undivided family,

b) They are husband and wife,

c) The one is related to the other in the manner as father, mother, son(s) & son's wife (daughter- in - law), Daughter(s) & daughter's husband (sonin law, brother(s) & brother's wife, sister(s) & sister's husband(brother in law).

Signature of the firm / person.

DECLARATION

| I (full name of Tenderer) hereby eclare that I am fully aware of the terms and conditions of contracts |
|--|
| for work presently prevailing in the Civil Wing of BSNL . I also declare that, I have thoroughly gone through the terms and agreements as contained in various clauses |
| clausesand Sub - Clauses of terms P.W.D 8 I/c up to date amendments therein . I |
| further declare that while submitting the tender for |
| |
| (full name of work). |
| I fully agree to abide by the aforesaid terms and conditions of the contract and shall be bound to enter into the agreement in case my tender is accepted. |

I undertake to bear all liablities I.e. duties etc. arising out of 46th amendments of constitution of India.

Date :-

(Full singnature of the tenderer)

GENERAL SPECIFICATIONS.

1) The work shall be carried out as per current department / CPWD specificiations.

2) Layout of the work shall be given at site of work by the Engineering - in Charge or his duty authorized representative.

3) Samples of the all articles shall be got approved from the Engineer - in Chanrge before they are used.

4) The work shall be supervised by the qualified supervisor from the contractor's side.

5) Any damage done o the building / equipment of the department shall be made good by the contractor without any extra cost.

6) No T & P shall be issued to the contractor by the department.

7) Testing shall be done in the pres4nce of the Engineering - in - Change or his duly authorized representative.

8) The contract shall stand for guarantee against defective materials of manufacturering defects and workmanship for the work carried out by him for the period of one year from it's commissioning & make good / repair / replace the faults during this period without any extra cost , failing which the same shall got done at the risk and cost of the contactor. This is in superseesion to the period of 6 months as mentioned in the clause-16 of this agreement.

9) Security deposite of the contractor shall be released only after satisfactory completion of guarantee period.

10) Makes of product shall be as per product directory enclosed or approved by the Engineer - in - Chanrge.

Sub Divisional Engineer (E), BSNL Electrical Sub Division-I, Bhubaneswar.

"ESSENTIAL CONDITIONS OF CONTRACT "

The firm shall read care3fully the following conditions and shall quote accordingly conforming all the points in their offer. Firm should specifically note that if they do not enclose E.M.D. with their tender , their tender will not be opened at all.

1. Loading , unloading , transportation, insurance etc. shall all be included in their offer.

2. All the materials will be under the charge of the contractor till it is completed and handed over . No materials will be removed from site without written permission of the Engineer - in Charge.

3. Firm shall confirm to carry out the work as per the N.I.T. conditions.

4. **PAYMENTS TERMS**: No advance payments will be made. Stipulations like levy of interest if any payment is not made in specificied time is not acceptable to the department.

5. Offer should be clear. Any ambiguous offer is liable fo rejection by the department. There will be no negotiation with the lowest tenderer. Hence the firms are requested to quote carefully. Department's decision in this regard shall be final and binding on the tenderer. Offer with condition will be summarily rejected.

6. GST: The rates offered by the firm shall be exclusive of GST. The firm shall claim GST with the bill clearly furnishing the complete details of GST so included.

SPECIFICATION E.I & FANS :

- 1 The work is to be carried out as per CPWD specifications (External) and I.E Rule amended up to date.
- 2 Good workmanship is an essential requirement to be complied with. The entire work of manufacturer, fabrication, assembly and installation shall conform to sound engineering practice.
- 3 Rates quoted shall be inclusive of packing, forwarding, insurance, freight and delivery at site watch and ward of all marerials.
- 4 All Sundry fittings, accessories, hardware items, foundation bolts, termination lugs for electrical connection as required and all other sundry items which are useful & necessary for proper assembly and efficient working of the various components of the works shall be deemed to have included in the tender.
- 5 Following works shall be carried out by the contractor and therefore their cost shall be deemed to be included in their tendered cost.
- a) The contractor shall be responsible for repairing all damages and restoring the same to their original finish. He shall also remove at his cost all inwanted and waste materials arising out of his work from his site.
- b) All chases required in connection with the electrical works shall be provided and filled by the contractor to the original finish.
- c) Temporary shed if required over the storage space and locking arrangement, watch and ward of the materials shall be provided by firm till completion of the work and final taking over of the installation by the department.
- 6 The contractor shall employ qualified engineer, Supervisor as required and intimate names of such persons to the Engineer- in- Charge on commencement of work. Failure to complay will attract penalty as per agreement.
- 7 If any conduit is laid before award of work recovery for the same will be made from contractor at the rate of S.R-2007 + Abatement of respective S/H of this tender.
- 8 All non- metallic conduit pipes and accessories shall be of I.S.I marked , conduit accessories shall be of grip type / threaded type.
- 9 PVC conduit to be used shall be ISI marked heavy gauge and fire retardant quality.
- 10 The switch box shll be made of mild steel of size 16 / 18 SWG as per CPWD specification except the fromt side. The clear depth of MS switch shall not be less than 60 mm. Phenolic laminated sheet cover of 3 mm thick shall be provided in the front side of box.
- 11 Earthing shall be carried out in presence of representative of the department.
- 12 Numbering and sign writing of entire installation shall be carried out by the contractor as per instructions of the Engineering in- Charge for which nothing extra shall be paid.
- 13 On completion of installation following tests shall be carried out:;-
- A) Insulation resistance test. B) Polarity test. C) Earth continuity test. D) Earth eletrode resistance test.
- 14 On completion of electrical instalation a certificate shall be furnished by the contractor in prescribed proforma, this certificate shall be in addition to the certificiate required by local electric supply company.
- 15 Breaking capacity of MCBs should be 10 KA.

| 1 | HV SWITCHGEAR | SOUTHERN SWITCHGEAR/ BIECCO LAWRIE/CROMPTON/ JYOTI/ MEI/ KIRLOSKAR/ VOLTAS/NGEF/ ALSTOM/ SIEMENS (Note: Make of the accessories like meters, CTs PTs etc. shall be as provided by the manufacturer of the HT panel.) | |
|----|--------------------------|--|--|
| | | ABOVE 400 KVA: KIRLOSKAR/ NGEF/ CROMPTON/ SIEMENS/ ABB/ VOLTAS/ BHARAT BIJLEE/ ANDREW YULE/ EMCO/ GE UPTO 400 KVA: IN ADDITION TO ABOVE MAKES PATSON/ ETE/ KANOHAR (MEERUT)/ ITL RAJASTHAN TRANSFORMER & SWITCHGEAR JAIPUR | |
| 2 | TRANSFORMER | | |
| 3 | ACB | L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS | |
| 4 | МССВ | L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS | |
| 5 | TPN SWITCH AND HRC FUSES | L&T/ SIEMENS/ HAVELLS/ HH ELCON/ SCHNEIDER/ STANDARD (UPTO 400A)/ GE POWER CONTROLS | |
| 6 | CONTACTORS AUXILIARY | L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/ | |
| 7 | IDMT RELAY | AVKC-SEGC | |
| 8 | APFC RELAY | SYNTRON/ SCHNEIDER/ TRINITY ELECTRONICS | |
| 9 | СТ | AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/ | |
| 10 | AMMETER / VOLTMETER | AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON | |
| 11 | SELECTOR SWITCH | L&T/ AE/ IMP/ RASS CONTROL/ THAKOOR/ KAYCEE/ RECO/ VAISHNO/ SALZER | |
| 12 | INDICATING LAMPS | VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE | |
| 13 | PF METER | AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON | |
| 14 | CAPACITORS (APP TYPE) | KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE | |
| 15 | CABLES | | |
| | A. UPTO 1.1 KV GRADE | ISI MARK | |
| | B. ABOVE 1.1 KV GRADE | ISI MARK | |
| 16 | AIR BREAK SWITCH | NATIONAL/ KIRAN/ PACTIL/ ATLAS | |
| 17 | PIN INSULATOR | JAYSHREE/ WS/ IEC/ PCL/ BHEL | |
| 18 | LIGHTENING ARRESTOR | ELARO/ LAMCO/ INTERNATIONAL/ GE/ ATLAS | |
| 19 | DROPOUT FUSES | NATIONAL/ KIRAN/ PACTIL | |
| 20 | FIRE EXTINGUISHER | ISI MARK | |
| 21 | RUBBER MATTING | ISI MARK | |
| | | | |

23 VACUUM CIRCUIT BREAKER

ALSTOM/ SIEMENS

| ist of A | Approved makes for EA Set Wo | rks |
|----------|--|--|
| 1 | ENGINE | CUMMINS/ RUSTON/ ESCORTS/ KEOL/ CATER PILLAR/ ASHOK LEYLAND/ GREAVES/VOLVO PENTA (200-500 KVA) |
| 2 | ALTERNATOR | KIRLOSKAR/ NGEF/ LEROY SOMER/ JYOTI FRAME SIZE PTG (62.5 KVA-500 KVA) STAMFORD/ CROMPTON GREAVES (SLIP RING/BRUSHLESS, 6-200 KVA)/ AVK-SEG (UPTO 250 KVA)/ ELECTRODYNE (UPTO 100 KVA)/ CROMPTON GREAVES AL SERIES (15 TO 100 KVA)/ ELGI (20 TO 380 KVA) / KEL (BRUSHLESS UPTO 1000 KV/ |
| 3 | ACB | CONTROL & SWITCHGEAR |
| 4 | МССВ | L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS |
| 5 | CONTACTORS AUXILIARY | L&T/ LAXMI/ GE POWER CONTROLS SIEMENS/ SCHNEIDER/ MEI/ |
| 6 | IDMT RELAY | AVKC-SEGC |
| 7 | СТ | AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/ |
| 8 | PF METER | AE/ IMP/ RISHABH/ MECO/ UNIVERSAL/ DIGITRON |
| 9 | AMMETER / VOLTMETER | AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON |
| 10 | SELECTOR SWITCH | L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL |
| 11 | INDICATING LAMPS | VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE |
| 12 | FREQUENCY METER | DIGITRON/ RISHABH/ MECO/ KELTRON/ IMP AE |
| 13 | LEAD ACID BATTERY | EXIDE/ STANFORD/ FURUKAWA/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/STANDARD/ CROMPTON GREAVES/ HITACHI |
| 14 | GI / MS PIPE | BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JST/ ITS/JINDAL/ ZENITH/ GSI/ TTA |
| 15 | AVM PADS | DUNLOP/ POLYBOND |
| 16 | FIRE EXTINGUISHER | ISI MARK |
| 17 | RUBBER MATTING | ISI MARK |
| 18 | CABLES | |
| | A. UPTO 1.1 KV GRADE | ISI MARK |
| | B. ABOVE 1.1 KV GRADE | ISI MARK |
| | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |

| 20 | TRIVECTOR METER | SUNCO/ JAIPUR/ IMP | | | |
|-----------|---|---|--|--|--|
| 21 | KWH METER | SIMCO/ JAIPUR/ IMP/ AE/ UNIVERSAL/RISHABH | | | |
| List of A | t of Approved makes for EI and fans, Pump sets and Compound Light Works | | | | |
| 1 | АСВ | L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS | | | |
| 2 | МССВ | L&T/ SIEMENS/ CONTROL & SWITCHGEAR SCHNEIDER/ GE POWER CONTROLS | | | |
| 3 | TPN SWITCH AND HRC FUSES | L&T/ SIEMENS/ HAVELLS/ HH ELCON/SCHNEIDER/ STANDARD (UPTO 400A) GE POWER CONTROLS | | | |
| 4 | СТ | AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/ | | | |
| 5 | AMMETER / VOLTMETER | AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON | | | |
| 6 | SELECTOR SWITCH | L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL | | | |
| 7 | INDICATING LAMPS | VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE | | | |
| 8 | CAPACITORS (APP TYPE) | KHATAU JUNKER/ SCHNEIDER/ L&T/ IMP UNIVERSAL ELECTRIC/ USHA/ ASIAN/ AE | | | |
| 9 | CABLES | | | | |
| | A. UPTO 1.1 KV GRADE | ISI MARK | | | |
| | B. ABOVE 1.1 KV GRADE | ISI MARK | | | |
| 10 | PVC INSULATED COPPER CONDUCTOR WIRE | ISI MARK | | | |
| 11 | FIRE EXTINGUISHER | ISI MARK | | | |
| 12 | RUBBER MATTING | ISI MARK | | | |
| 13 | CABLE JOINTS | RACHEM/ M-SEAL/ DENSONE | | | |
| 14 | SINGLE PHASING PREVENTOR | L&T/ MINILEC/ ZEROTRIP/ SIEMENS | | | |
| 15 | TIMER | L&T/ SIEMENS/ MINILEC/ TELEMECHANIQUE/ AE | | | |
| 16 | MCB, ISOLATOR AND DISTRIBUTION BOARD | BENTEX/ CLARITON/ HAVELLS/ INDO-KOPP/STANDARD/ SCHNEIDER/ MDS/SIEMENS | | | |
| 17 | CHANGEOVER SWITCH | STANDARD/ HAVELLS/ CONTROL & SWITCHGEAR HH ELCON | | | |
| 18 | PIANO SWITCH | ISI MARK | | | |
| 19 | MONOBLOCK PUMP SET | KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/BE/ CROMPTON/ PEC/ MATHER&PLATT/WASP | | | |
| 20 | STARTER | L&T/ SIEMENS/ BCH/ ABB/ MEI/ GE POWER CONTROLS | | | |
| 21 | GI / MS PIPE | BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA | | | |

| 00 | | | |
|-----------|--|--|--|
| 22 | FOOT VALVE | ISI MARK | |
| 23 | GATE VALVE | FOUNTAIN/ TRISHUL/ SANT/ ANNPURNA LEADER | |
| 24 | MS CONDUIT | SI MARK | |
| 25 | SUBMERSIBLE PUMP | KSB/ KALAMA/ AMRUT/ KIRLOSKAR/ PEC BE | |
| 26 | ELCB | STANDARD/ MDS/ HAVELLS/ DATAR/SIEMENS/ GE POWER CONTROLS | |
| 27 | CONTACTOR | SIEMENS/ L&T/ SCHNEIDER/ MEI/ LAXMI GE POWER CONTROLS | |
| ist of A | Approved makes for Fire Detection W | lorks | |
| 1 | HEAT DETECTORS | NITTON/ APPOLLO/ CHEMTRON/ HOCHIKI/EDWARD/ WORMALD/ FENWAL/ | |
| 2 | SMOKE DETECTOR IONIZATION TYPE | VIJAY/ APPOLLO/ CEREBRUS/ HOCHIKI/EDWARD/ WORMALD/ FENWAL/ NITTON | |
| 3 | SMOKE DETECTOR PHOTOELECTRIC TYPE | NITTON/ APPOLLO/ CEREBRUS/ HOCHIKI EDWARD/ WORMALD/ FENWAL/ VIJAY | |
| 4 | FIRE PANELS | MATHER & PLATT/ MELTRON/ STEELAGE INDUSTRIES (MINIMAX)/ VIJAY/ SAFEWAY SECURITY SYSTEM MUMBAI/ CARMEL AND RAVAL ELECTRONICS CO. CHENNAI/ NAVEEN SYSTEM CHENNAI/ ALERT FIRE SERVICE BANGALORE | |
| 5 | P A SYSTEM | AHUJA/ PHILIPS/ MOTWANI/ AKG | |
| 6 | HOOTER | VAISHNO/ AHUJA/ AGNI/ PHILIPS/ MOTWANI | |
| 7 | PVC INSULATED COPPER CONDUCTOR CABLE | ISI MARK | |
| 8 | BATTERY (LEAD ACID SEALED | EXIDE/ STANFORD/ FURUKAWA/ AMCO/ PACE | |
| | AND MAINTENANCE FREE) | SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/STANDARD/ CROMPTON GREAVES/ HITACHI | |
| 9 | CONDUIT | ISI MARK | |
| ist of Ap | proved makes for Fire Fighting Wet Riser W | /orks | |
| 1 | HOSE REEL | ISI MARK | |
| 2 | HOSE PIPE | ISI MARK | |
| 3 | DIESEL ENGINE FOR FIRE PUMP | CUMMINS/ ESCORTS/ KEOL/ CATERPILLAR/ ASHOK LEYLAND/ GREAVES/ VOLVO PENTA (200-500 KVA)/ RUSTON | |
| 4 | FIRE EXTINGUISHERS | ISI MARK | |
| r | | GE/ SIEMENS/ CROMPTON/ HBB/ KEC/ BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEF (ENERGY EFFICIENT MOTORS AS PER IS 12615/1984 FOR MOTORS BELOW 37KW) | |

| - | | | |
|-----------|-------------------------------------|---|--|
| 7 | TPN SWITCHES AND HRC FUSES | L&T/ SIEMENS/ HAVELLS/ HH ELCON/STANDARD / SCHNEIDER/ GE POWER CONTROLS | |
| 8 | МССВ | SIEMENS/ L&T/ CONTROL & SWITHGEAR SCHNEIDER/ GE POWER CONTROLS | |
| 9 | INDICATING LAMPS | VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE | |
| 10 | AMMETER / VOLTMETER | AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON | |
| 11 | SELECTOR SWITCH | L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/VAISHNO/ SALZOR/ RASS CONTROL | |
| 12 | ст | AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ASHMOR/ INDOCOIL/ WACO/ MECO | |
| 13 | LEAD ACID BATTERY | EXIDE/ STANDARD/ AMCO/ PACE SETTER/ NICCO/ PRESTOLITE/ AMAR RAJA/ | |
| | | CROMPTON GREAVES/ HITACHI/ STANFORD/ | |
| 14 | GI / MS PIPE | BST/ TATA/ ATL/ ITC/ ATC/ IIA/ JUST/ ITS/JINDAL/ ZENITH/ GSI/ TTA | |
| 15 | AVM PADS | DUNLOP/ POLYBOND | |
| 16 | RUBBER MATTING | ISI MARK | |
| 17 | CABLES | | |
| | A. UPTO 1.1 KV GRADE | ISI MARK | |
| | B. ABOVE 1.1 KV GRADE | ISI MARK | |
| 18 | SINGLE PHASING PREVENTOR | L&T/ MINILEC/ ZEROTRIP/ SIEMENS | |
| 19 | GM VALVE | FOUNTAIN- ISI MARK/ TRISHUL/LEADER/ SANT/ ANNPURNA | |
| 20 | GAUGES | FIEBIG/ H-GURU/ PRICOL | |
| 21 | PUMPS | KSB/ BEACON/ KIRLOSKAR/ BATLIBOI/ JYOTI/WASP/ BE/ CROMPTON/ PEC/ MATHER&PLATT | |
| 22 | SPRINKLER | ISI MARK | |
| List of A | Approved makes for Air Conditioning | y Works | |
| 1 | MOTOR | SIEMENS/ CROMPTON GREAVES/ HBB/ KEC/BHARAT BIJLEE/ ABB/ MEI/ SPARTON/ NGEFGE | |
| 2 | COMPRESSOR | VOLTAS/ KIRLOSKAR COPELAND/ BATLIBOI/ CARRIER/ KPC CARRIER/ COPELAND/ ACCEL/BLUE STAR/ TRANE | |
| 3 | STARTER | SIEMENS/ L&T/ BCH/ ABB/ MEI GE POWER CONTROLS | |
| 4 | MCB, ISOLATOR AND DISTRIBUTION | BENTEX/ CLARITON/ HAVELLS/ INDO-KOPP/ | |
| | BOARD | SIEMENS/ STANDARD/ SCHNEIDER/ MDS | |
| 5 | GI / MS PIPE | TATA/ ATL/ ITC/ ATC/ IIA/ JST/ ITS/ JINDAL ZENITH/ GSI/ TTA/ BST | |
| | | | |

| 6 | CABLES | | | |
|----|--|--|--|--|
| | A. UPTO 1.1 KV GRADE | ISI MARK | | |
| | B. ABOVE 1.1 KV GRADE | ISI MARK | | |
| 7 | GM VALVE | FOUNTAIN/ TRISHUL/ ANNPURNA/LEADER/ SANT | | |
| 8 | SPP / OVERLOAD UNIT | L&T/ MINILEC/ ZEROTRIP/ SIEMENS | | |
| 9 | RESIN BOND GLASS WOOL | FIBRE GLASS/ PILKINGTON/ UPTWIGA | | |
| 10 | EXPANDED POLYSTERENE | BASE (INDIA) LTD. | | |
| 11 | GAUGES | FIEBIG/ H-GURU/ PRICOL | | |
| 12 | CONTROLS | INDFOSS/ HONEYWELL/ SPORLAN/ RANCO/RANUTROL/ PENN/ DANFOSS/ FLICA | | |
| 13 | FRESH AIR FAN | GE/ KHAITAN | | |
| 14 | FINE FILTERS FOR FRESH AIR EU-2 (COARSE FILTER, EFFICIENCY 90% DOWN TO 20 MICRONS) AND EU-3 (FINE FILTER, EFFICIENCY 95% DOWN TO 5 MICRONS) | DYNA/ TENACITY/ KIRLOSKAR/ PUROMATIC/AITECH/ FURAFILL/ ARW/ ATHLETE/ PUROLATOR/ ANFILTRA EFFULENT | | |
| 15 | GI SHEETS | TATA/ SAIL/ NIPPON/ DENRO/ HSL/ JINDAL/ NATIONAL | | |
| 16 | INDICATING LAMPS | VAISHNO/ SIEMENS/ L&T/ AE/ IMP/ RASS CONTROL/ TEKNIC/ SCHNEIDER/ KAYCEE | | |
| 17 | AMMETER / VOLTMETER | AE/ IMP/ UNIVERSAL/ RISHABH/ KAYCEE/ MECO ENERCON | | |
| 18 | SELECTOR SWITCH | L&T/ KAYCEE/ AE / IMP/ THAKOOR/ RECO/ VAISHNO/ SALZOR/ RASS CONTROL | | |
| 19 | ст | AE/ IMP/ MARSHAL/ PACTIL/ KAPPA/ L&T/ ASHMOR/ INDOCOIL/ WACO/ MECO/ | | |
| | | | | |

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

| Sr. No. | Description of item | Quantity | Rates in figures and | Place of Issue |
|---------|--------------------------|----------|----------------------|----------------|
| 1 | 2 | 3 | 4 | 5 |
| | As mentioned in the Sche | | | |

SCHEDULE 'F'

Reference to General Conditions of contract.

Name of work:

Repairing of Burnt out 63 KVA AL Wound Transformer at NBSNL

| | BTS at Nayagarh-V. | BTS at Nayagarh-V. | | | |
|-------------------------|--------------------|--------------------|--|--|--|
| | | | | | |
| Estimated cost of work: | 47217.00 | | | | |
| Earnest money: | 944 | | | | |

| Performance guarantee | 5% of the tendered value of the work in the form of Bank Guarantee from Scheduled Bank in respect of works with |
|-----------------------|---|
| | estimated cost put to tender exceeding Rs6 lacs. |

GENERAL RULES and DIRECTIONS:

Definitions:

| 2(v) Engineer-in-Charge | Sub Divisional Engineer (E), BSNL Electrical Sub Division-I, Bhubaneswar. |
|---|---|
| 2(vi) Accepting Authority | Sub Divisional Engineer (E), BSNL Electrical Sub Division-I, Bhubaneswar. |
| 2(x) Percentage on cost of | |
| materials and labour to cover all | 10% |
| overheads and profits. | |
| Clause 5 | |
| Time allowed for execution of work. | 5 days |
| | |
| Authority to give fair and reasonable | SE(E) |
| extension of time for completion of | |
| work. | |
| Clause 12 | _NA |
| 12.1.2 (iii) Schedule of rates for | ± the % over the rate entered in the schedule of rates |
| determining rates for additional, altered | |
| or, substituted items that cannot be | |
| determined under 12.1.2 (i)and(ii) | |
| | |
| | |

Clause.25

Authority competemt for conciliation S.E(E) not in charge

Schedule-A

| | Name of work: | Repairing of Burnt out 63 KVA AL Wound Transformer at NBSNL BTS at Nayagarh-V. | | | | |
|---------|--|--|----------|------|------------|--|
| SI. no. | Description of Items | Quantity | Rate (`) | Unit | Amount (`) | |
| 1 | Dismantalling the burntout aluminium conductors from H.T sides , cleaning of tank & draining of burntout oils , changing the HV winding (Aluminium) ,Re-insulating of LV AL. flat, HV-LV bushings with complete brass terminals, filling with new EHV grade transformer oil of required quantity (shall not be less than the minimum level in conservator) and other accessories like silicagel breather etc and spray painting with good quality super enamel gray paint of approved shed etc as reqd. | | | job | | |
| 2 | Less credit for dismantalled materials. | 1 | 1000.00 | job | -1000 | |