O/o Executive Engineer (E), BSNL Electrical Division 3rd Floor, Door Sanchar Bhawan Unit-IX, Janpath, Bhubaneswar - 751022 Phone – (0674) -2544902, FAX- 2540617 Email – eeebsnlbbsr@gmail.com





E-TENDER DOCUMENT

NIT No: 08 /BSNL/BSR/2020-21

Name of work: Immediate Replacement and Rewinding of 25/63 KVA,

11KV/0.415KV Aluminium wound oil cooled Transformers with

associated works under Bhubaneswar SSA (2020-21, Ph-I)



BHARAT SANCHAR NIGAM LIMITED (A GOVT OF INDIA ENTERPRISE)

O/o Executive Engineer (E), BSNL Electrical Division 3rd Floor, Door Sanchar Bhawan, Unit-IX, Janpath, Bhubaneswar - 751022 Phone – (0674) -2544902, FAX- 2540617, Email – eeebsnlbbsr@gmail.com

NIT NO- 08/BSNL/BSR/2020-21

NAME OF WORK: Immediate Replacement and Rewinding of 25/63 KVA, 11KV/0.415KV Aluminium wound oil cooled Transformers with associated works under Bhubaneswar SSA (2020-21, Ph-I)

INDEX

S.No	Item	Page No.
1	Cover page	1
2	Index	2
3	SECTION-1, Part-A: Detailed Notice Inviting e-tender (DNIT)	3-9
4	SECTION- 2: Tender Information	10
5	SECTION- 3 Part A & B: Scope of work & Technical Specifications	11-19
6	Section - 3 –Part C: Schedule of Requirements	20-21
7	SECTION- 4 Part A: General Instructions to Bidders (GIB)	22-35
8	SECTION- 4 Part B: Special Instructions to Bidders	36-38
9	SECTION- 4 Part C: E Tendering Instructions to bidders	39-42
10	SECTION-5 Part A: General (Commercial) Conditions of Contract	43-57
11	SECTION-5 Part B: Special (Commercial) Conditions of Contract	58-65
12	SECTION- 6: Undertaking & Declaration	66-68
13	SECTION- 7: Proformas for the Bid Security/EMD	69-75
14	SECTION- 8: Bidder's profile & Questionnaire.	76-77
15	SECTION-9 Part-A: BID FORM	78
16	SECTION-9 Part-B: Priced Schedule & List of BSNL Approved makes	79-82
17	Appendix-1 to Section 4 Part A of Chapter 4 (Standard Tender Enquiry Document)	83-88

This Tender Document contains 88 pages



BHARAT SANCHAR NIGAM LIMITED

(A GOVT OF INDIA ENTERPRISE)

O/o Executive Engineer (E), BSNL Electrical Division, Bhubaneswar 3rd Floor, Door Sanchar Bhawan, Unit-IX, Janpath, Bhubaneswar - 751022 Phone – (0674) -2544902, FAX- 2540617, Email – eeebsnlbbsr@gmail.com

SECTION-1

DETAILED NOTICE INVITING TENDER (DNIT)

NIT NO- 08/BSNL/BSR/2020-21

E- Tender is hereby invited by the Executive Engineer (E), BSNL Electrical Division, Bhubaneswar, on behalf of CMD, Bharat Sanchar Nigam Limited (*A Government of India Enterprise*) on item rate basis for the following work:

SI. no	Name of the Work	Estimated Cost i/c GST	Bid Security / Earnest Money Deposit	Period of Contract
1.	Immediate Replacement and Rewinding of 25/63 KVA, 11KV/0.415KV Aluminium wound oil cooled Transformers with associated works under Bhubaneswar SSA (2020-21, Ph-I)	₹ 5,81,026/-	₹ 11,621/-	06 months

2.0: PURCHASE OF TENDER DOCUMENT:

- (i) Tender document can be free viewed by logging into the website, www.odisha.bsnl.co.in/tender OR https://etenders.gov.in/eprocure/app.
- (ii) The official copy of tender document for participating in E-tendering shall be available for downloading from the e tendering portal: https://etenders.gov.in/eprocure/app.
- 2.1. Payment of Tender Cost: Not Applicable
- **3.0 AVAILABILITY OF TENDER DOCUMENT**: The tender document shall be available for downloading from the e-tendering portal https://etenders.gov.in/eprocure/app from 30-Jun-2020, 10:00 AM and up to 13-July-2020, 03:00 PM.
- 3.1 In e-tendering process, physical copy of the tender document would not be available for sale.

4. **ELIGIBILITY CRITERIA**: - The bidder should have

a) Financial Norms:

Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender i.e. ₹ 1,74,308/-

AND

b) Physical Norms:

The manufacturer/authorized dealer /OEM of any of the makes of major equipment included in the NIT. The letter of authorization from manufacturer in original/ photocopy attested by BSNL Executive will be submitted.

OR

Experience of having successfully completed similar works in BSNL during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:

i. Three similar successfully completed works costing not less than the amount equal to 40% of the Estimated Cost put to tender i.e. ₹ 2,32,410/- each.

OR

ii. Two similar successfully completed works costing not less than the amount equal to 60% of the Estimated Cost put to tender i.e. ₹ 3,48,616/- each.

OR

iii. One similar successfully completed works costing not less than the amount equal to 80% of the Estimated Cost put to tender i.e. ₹ 4,64,821/- each.

OR

- c) BSNL enlisted contractors of Class-III & above in Electrical category
- d) Valid PAN
- e) Valid GST Registration no. or exemption certificate no.
- f) Valid Electrical License of appropriate voltage (in this case HT) issued by any state Govt incase of Electrical Contractors.

Note-1: Similar work stands for "Rewinding of Transformers / Repairing & Maintenance of Transformer Sub Stations."

4.1. The bidders shall submit necessary documentary proof showing that they meet the eligibility criteria along with their tender bid. All documents submitted will also be self-attested by the bidder.

5. BID SECURITY/EMD:

- **5.1** The bidder shall furnish the bid EMD in one of the following ways:
 - a) Demand Draft/ Banker's cheque drawn in favour of "A.O. (Cash), BSNL, O/o GMTD, Bhubaneswar "and payable at "Bhubaneswar". OR
- b) Bank Guarantee from a scheduled bank drawn in favour of "A.O. (Cash), BSNL, O/o GMTD, Bhubaneswar" which should be valid for 120 days from the tender opening date.
- c) Alternative method for Submission of Bid Security / EMD:

The Bid Security / EMD can also be submitted online through internet banking / RTGS / NEFT etc. to BSNL account as per the details given below:

Name of the Bank and Branch	UNION BANK OF INDIA, BHUBANEWAR
Accounts Name	A.O(Cash), BSNL, O/o GMTD Bhubaneswar
Account Number	380801010035275
IFC Code	UBIN0538086
Address of the Bank	Ashok Nagar Branch, Bhubaneswar-
	751009, Odisha
MICR Code	751026002
Contact No	Tel.No.0674-2541969

The scanned copies of the E-Payment receipt / Transaction slip towards Bid Security / EMD paid through online is to be uploaded in the e-Tendering Portal along with other requisite documents.

5.2 The MSE units shall be exempted from submission of Bid Security deposit/EMD on production of requisite proof in respect of valid certification from MSME for the tendered item.

(The MSE units are advised to check their eligibility for availing exemption from submission of Bid Security deposit/EMD with reference to the nature of activities / business / items & materials mentioned in their MSE certificate issued by competent authority)

5.3 Validity period of Bid Security / EMD:

The validity period of the EMD should be 30days beyond the Bid validity i.e. 90 days + 30 days= 120 days (bid validity period is 90 days).

6.0 END DATE & TIME OF ONLINE SUBMISSION OF TENDER BIDS: ON OR BEFORE 13-JULY-2020, 3.00 PM.

6.1 Submission of Tender Documents:

Tender Documents (Techno commercial bid, Financial bid, scan copy EMD instrument and certificates, declarations, undertakings and forms etc. to establish their eligibility for the tender) are to be submitted online by uploading in the e tendering portal https://etenders.gov.in/eprocure/app within the date and time as specified in Clause 13.0 without any modifications and changing the name of the downloaded file.

6.2 ONLINE SUBMISSION OF SELF ATTESTED COPIES OF DOCUMENTS BY UPLOADING IN THE ETENDERING PORTAL: (Non compliance will entail rejection of bids)

SI. No	Description of Documents		
1	Demand Draft/Banker's Cheque/ FDR / TDR /Bank Guarantee of any		
	Nationalized/scheduled bank in favour of ""Accounts Officer Cash, BSNL, O/o the GMTD,		
	BHUBANESWAR"" towards Bid Security / EMD.		
2	Documentary proof of satisfying eligibility conditions against clause 4 a), 4b) & 4		
	"Eligibility Criteria" of the NIT , as follows.		
a)	Turn Over Certificate of the firm from Chartered Accountant for last 03 years.		
	AND		
b)	Manufacturer Registration Certificate/ Memorandum of Association in case of		
	original Manufacturer of letter of authorization from manufacturer in original/		
	photocopy attested by BSNL Executive.		
	OR		
c)	Work Completion / Experience certificate (s) of BSNL since last 07 years, issued not below		
	the rank of Executive Engineer /AGM.		
-1\	OR Valid Enlistment Memorandum of BSNL of Class-III and above in Electrical category.		
d)			
	AND		
3	PAN card issued by Income Tax Department, Govt. of India.		
4	Valid GST Registration Certificate issued by statutory authority.		
5	Valid Electrical License of appropriate voltage issued by any State Govt.		
6	MSME registration certificate for the tendered items/ works, if applicable		
7	Undertaking & declaration duly filled & signed (section-6A & 6B)		
8	Non-Relation Certificate duly filled & signed as per Section 6(C)		
9	Bidder's Profile & Questionnaire as per Section-8		
10	Tender/ Bid form- Section 9 , Part A		
11	Power of Attorney & authorization for signing tender documents. (If applicable)		
12	Integrity pact (if applicable)		
13	Technical Leaflets/Manuals/Specifications if any		

Note-2: In case of mismatch between uploaded documents and hard copies submitted by the supplier /contractor, the documents uploaded in e-tendering portal will prevail and bids will be evaluated accordingly.

6.3 OFFLINE SUBMISSION OF ORIGINAL EMD AND HARD COPIES OF SELF ATTESTED DOCUMENTS BY THE BIDDER (S):-

The ORIGINAL EMD along with self attested copies of requisite documents as mentioned in clause 7.0 above should be submitted to <u>The Executive Engineer (E)</u>, <u>BSNL Electrical Division Bhubaneswar</u> <u>before 13-July-2020, 05.00 PM</u>, failing which the bids will be treated as non responsive and the bids will not be opened.

- **6.4** The original financial instrument like Demand Draft/Banker's cheque/Bank Guarantee towards EMD and self attested copies of the valid credentials, registration certificates, declarations, undertakings and other requisite documents as mentioned in clause 6.2 above shall be submitted by the intending bidders <u>in a sealed envelope with due mention of name of work, date of opening of tenders, name of the tenderder, in the office of the Executive Engineer (E), BSNL Electrical Division, Bhubaneswar before the <u>stipulated date & timeas specified in clause 13.0</u>. The envelope shall bear the phrase: "Do Not Open Before (due date & time of opening of tender)".</u>
- **6.5** If the tenderer is a firm in partnership / Limited company or Corporation, then the hard copies of "FORM-A" and partnership deed / Memorandum of Articles of Association and power of attorney / Authorisation to the person who signs the tender in case of companies etc. shall also be submitted along with hard copies of **other documents** as above.

7.0 OPENING OF TENDER BIDS:

Techno commercial bids of responsive bidders will be opened first online on 14-July-2020 03:30 PM. Thereafter financial bids of only technically qualified bidders will be opened on 15-July-2020, 11:30 AM or as will be notified after opening of Techno commercial bids.

8.0 PLACE OF OPENING OF TENDER BIDS:

The tenders shall be opened through "Public Online Tender Opening Event (POTOE). BSNL's Tender Opening Officers as well as authorized representatives of bidders can attend the Public Online Tender Opening Event (TOE) from the comfort of their offices. Kindly refer clause 8 of Section-4 Part C of Tender document for further instructions.

Note 3: In case the date of opening of bid is declared to be a holiday, the date of opening of bid will get shifted automatically to next working day at the same scheduled time. Any change in bid opening date due to any other unavoidable reason will be intimated through the e tendering portal online / BSNL website.

- **8.1** Technical bids of the participating bidders will be opened first. EMD instruments and documents satisfying the eligibility, physical & financial criteria along with declarations, under takings, registrations certificates etc. will be verified and Technical bids will be evaluated.
- **9.0** Thereafter, the Price bids of those bidders will be opened only who are technically qualified in their technical bids and whose EMD and documents are found in order.
- **10.0** Incomplete, ambiguous, Conditional, unsealed (in case of manual tender) tender bids are liable to be rejected.
- **11.0** The Tender accepting authority of BSNL reserves the right to accept or reject any or all tender bids without assigning any reason. He is not bound to accept the lowest tender.
- **12.0** The bidder shall furnish a declaration in his tender bid that no addition / deletion / corrections have been made in the downloaded tender document being submitted and it is identical to the tender document appearing on the website.
- **12.1** In case of any correction/addition/ alteration/ omission in the tender document, the tender bid shall be treated as non-responsive and shall be rejected summarily.
 - **Note 4**: All documents submitted in the bid offer should be preferably in English. In case the certificate viz. experience, registration etc. is issued in any other language other than English, the bidder shall attach an English translation of the same duly attested by the bidder & the translator to be true copy in addition to the relevant certificate.
 - **Note 5**: All computer generated documents should be duly signed/ attested by the bidder / vendor organization.

13.0. IMPORTANT DATES FOR E-TENDER EVENTS:

CRITICAL DATES			
S.NO	EVENT	DATE & TIME	
1	Document Download Start Date from E-tender Portal: https://etenders.gov.in/eprocure/app	30-Jun-2020, 10:00 AM	
2	Document Download End Date	13-July-2020, 03:00 PM	
3	Clarification Start Date	30-Jun-2020, 10:00 AM	
4	Clarification End Date	08-July-2020, 05:00 PM	
5	Bid Submission Start Date	30-Jun-2020, 10:00 AM	
6	Bid Submission End Date	13-July-2020, 03:00 PM	

7	Original EMD, self attested hard copies of Credentials,		
	Undertakings, Declarations and other Documents as per	30-Jun-2020, 11:00 AM	
	Clause 6.2 of Sec-1 (DNIT) submission Start Date		
8	Original EMD, self attested hard copies of Credentials,		
	Undertakings, Declarations and other Documents as per	13-July-2020, 05:00 PM	
	Clause 6.2 of Sec-1 (DNIT) submission End Date		
9	Techno commercial Bid Opening Date (online)	14-July-2020, 03:30 PM	
10	Financial (Price) Bid Opening Date (online)	15-July-2020, 11:30 AM	
	E-Tender Portal site address: https://etenders.gov.in/eprocure/app		

14.0 The tender opening committee (TOC) may ask the tenderers to produce the original documents for verification if required. In case the tenderer fails to furnish the same, they are likely to be disqualified and their price bids will not be opened.

Executive Engineer (E)
BSNL Electrical Division,
Bhubaneswar

Date: 26.06.2020

No- Plg-04/BSNL-EDB/110

Copy to-

- 1) Chief Engineer (E), BSNL Electrical Odisha Zone, BBSR for kind information.
- 2-3) E.E (E), BSNL Electrical Division, Cuttack / Sambalpur.
- 4) The A.O (Cash), BSNL, O/o the GMTD, Bhubaneswar.
- 5) Notice Board/BSNL Web site/e tendering portal: https://eprocure.gov.in/eprocure/app

Executive Engineer (E)

SECTION-2

TENDER INFORMATION

1. Type of tender-:

a) No. of Bid Submission Stages : Two Bid and single stage

b) **No. of Envelopes for offline submission** : One number

Note 1:- The bidder has to submit Techno-commercial & Financial bid simultaneously online.

Note 2:- Techno commercial bids will be opened and evaluated first and thereafter financial bids of only techno-commercially compliant bidders will be opened.

- **2. Bid Validity Period / Validity of bid offer**: 90 days from the tender opening date.
- 3. Payment terms:

Payments will be regulated as per clause.16 of SECTION – 5 Part B "SPECIAL (COMMERCIAL) CONDITIONS OF CONTRACT (SCC)"

- **4. Time allowed for completion of works:** 06 months for the Contract and 10/03 days for rewinding/replacement of Transformer for individual site. (Please refer to clause-14 of Section-5, Part-B "SPECIAL (COMMERCIAL) CONDITIONS OF CONTRACT (SCC)"
- 5. Engineer In charge: Executive Engineer (E)

BSNL Electrical Division, Bhubaneswar

SECTION-3 Part A

SCOPE OF WORK

A. General:

This work broadly consists of Immediate Replacement and Rewinding of 25/63 KVA, 11KV/0.415KV Aluminium wound oil cooled Transformers with associated works under Bhubaneswar SSA (2020-21, Ph-I)

B. Scope of work:

The repair works should be done as per the schedule of work in the NIT. The scope of works shall cover replacement / re-insulation of HV/LV coils, filtration, replacement / top up of transformer oil, insulation Gaskets, Bolts and Nuts, Breather, Bushings ,Studs, etc. by new ones. The transformers shall be reinstalled after complete repair with first filling of transformer oil confirming to relevant ISS and necessary factory testing including inspection by supply authority (wherever required). The scope of work also covers dismantling of faulty transformer from DP structure/plinth, transportation of repaired/spared/faulty transformers from BSNL office/workshop to site and back i/c loading, unloading, reinstallation, re energisation, testing and commissioning etc. If desired by the department then, arrangement of transformer on hiring basis, installation, testing and commissioning shall be done by the agency.

- (i) For individual work, removal of the faulty Transformer, transportation to workshop, rewinding/repairing, transport back to site, reinstallation, re-energisation, testing and commissioning etc. should be done within the stipulated time as per clause-14 (i) of Sec.5 Part B.
- (ii) In case of spare/new/repaired Transformer supplied to the Contractor by BSNL, then replacement of the faulty Transformer, re energisation, testing and commissioning should be done within the stipulated time as per clause. 14 (ii) of Sec. 5 Part B.

SECTION- 3 Part B TECHNICAL SPECIFICATIONS

A. GENERAL

- 1. The works shall be done as per current BSNL/CPWD specifications for Electrical works as amended from time to time & Indian Electricity Rules as amended up to date.
- 2. The work shall be carried out under the supervision of qualified and Electrical license holder (HT) Supervisor.
- 3. The layout of the work will be given by Engineer-in-charge or his duly authorized representative at site of work.
- 4. All materials to be used on this work by the suppliers /contactors shall be got approved from the Engineer in charge before installation at site/use at factory or workshop.
- 5. Any damages done to the building by the suppliers /contractors during the execution of works shall have to be made good at his cost & risk. If he does not do himself within a reasonable time determined by the Executive Engineer (E), then the same will be got done at his risk & cost departmentally after giving notice to him.
- 6. Bad workmanship will not be accepted and defects shall be rectified at contractor's cost to the satisfaction of the Engineer—in—charge. The progress of electrical works is to be coordinated in accordance with the availability and clearance of sites, no claim for idle staff / labour will be entertained by the department.
- 7. All the debris of the electrical works should be removed and the site should be cleared by the suppliers /contractors immediately after the occurring of debris, similarly any rejected materials should be immediately cleared-off from the site by the supplier/contractor.
- 8. The supplier /contractor shall make his own arrangement at his own cost for electrical / general tools and plants required for the work.
- 9. The entire installation/equipments shall be at the risk & responsibility of the supplier / contactor until these are tested and handed over to the department. However if there is any delay from the department side, the installation may be taken over in parts but the decision on the same shall rests with Engineer in charge which shall be binding on the supplier /contractor.
- 10. Notwithstanding the schedule of quantities, all items of interrelated works considered necessary to execute and complete the works are deemed to be included, shall be provided by the contractor at no extra cost.
- 11. The connections & inter-connections shall be done by the contractor wherever required for energization of the installation/equipment/machineries and nothing extra shall be paid on this account.

- 12. In case some items/ part of the items have already been executed, the successful tenderer shall have to bear the cost of the same for completing the work. The recovery for such items/part of the items shall be made at the rates tendered by the contractor for the particular item if existing in the agreement. If the item does not exist in the agreement, then the recovery rate shall be prevailing market rates for the items plus/minus enhancement/reduction.
- 13. Acceptable make of the materials shall be as per the makes and models mentioned in the schedule of work /Technical Specifications or as per the latest product directory of BSNL OR as per the direction of Engineer in charge.
- 14. The contractor shall have to obtain prior approval from Engineer in charge before placing order for any specific materials. The Engineer in charge may approve any of the makers of brands out of the above list.
- 15. All tools and plants, testing, Personal Protective Equipments (PPE) and Safety equipment/accessories required to carry out the works shall have to be arranged by the supplier / contractor at its own cost.

B. TECHNICAL

1. The rewinding & repairing of transformer shall cover complete replacement of all H.V. coils by new ones, filtration and top up of transformer oil, replacement of insulation Gaskets, Bolts and Nuts, Breather, Bushings, Studs etc. by new ones. The old HV coils should not be used in the transformer in any manner or shape.

The transformers shall be repaired confirming to relevant ISS. The transformer oil should be complied with latest version of IS: 335-1983. The routine tests shall be carried out in accordance with IS:2026

The oil filtration sets shall conform to the latest version of IS: 6034 & oil testing kit shall comply with the requirements of IS:6792-1992 of its latest version. Measurement of test voltage as per IS: 6792.

2. System Particulars:

The repaired transformers shall be suitable for outdoor installation with following system particulars and they should be suitable for service under fluctuations in supply voltage as permissible under Indian Electricity Rules.

Nominal System voltage : 11 KV Corresponding Highest system voltage : 12 KV

Neutral Earthing : Solidly Earthed Frequency : 50 Hz ±5%

No of phases : 3

3. Service Conditions:

3.1 Transformer rewinding done shall be suitable for satisfactory operation under the following tropical conditions:-

(i) Max. Ambient air temperature : 50° c
 (ii) Max. Relative humidity : 100%
 (iii) Max. Annual rainfall : 1450mm
 (iv) Max. Wind pressure : 150 Kg/Sq.m
 (v) Max. Altitude above mean sea level : 1000 mtrs

(vi) Isoceraunic level : 50

(vii) Seismic level (Horizontal

Acceleration : 0.3g

(viii) Climatic Condition : Moderately hot and humid tropical climate

conducive to rust and fungus growth

(ix) Reference Ambient Temperature for

Temperature rise : 50° c

3.2 The climatic conditions are prone to wide variations in ambient conditions and hence the equipment shall be of suitable design to work satisfactorily under these conditions.

4. Applicable Standards:

The design, manufacture and performance of the equipment shall comply with all currently applicable statutes, regulations and safety codes

The Distribution Transformers shall conform to IS: 2026 as amended up to date or other International Standards for equal or better performance

Unless otherwise specified, the equipment shall conform to latest applicable Indian, IEC, British or U.S.A. Standards and in particular, to the following:-

IS 2026 (part I,II,IV)/1997, (Part-III)/1981,	Power & Distribution Transformer
(Part-V)/1994	
IS: 1180 / 1989 (part-1)	Outdoor Distribution type Transformer up to and including 100 KVA 11KV
IS: 335 / 1993	New insulating oil – Specification (fourth
	revision)
IS:2099/ 1986, IS:7421 – 1988, IS:3347	Bushing
(Part-I/Sec-2)-1979, IS:3347 (part-I/Sec-I) –	
1982 Amended up to date	
IS 5	Colours for ready mixed paints and enamels.
IS 13730 (part – 27) 1996	Specification for particular types of winding
	wires
IS: 3073 / 1974, IS: 3070 (part – II)	Specifications for Lighting Arrestors

In case of conflict arising out due to variations between the applicable standard and the standards specified herein the provisions of this specification should prevail.

5. Winding:

- (i) Materials: Double paper covered Aluminium conductor shall be used for HV and LV winding.
- (ii) Current Density: Current density for HV and LV winding or any part should not be more than **1.4 A/sq.mm**
- (iii) L.V. Neutral formation shall be at top
- (iv) Vertical ducts & sufficient spacers should be provided between HV & LV windings.
- (v) The current density of delta lead shall not exceed 0.8 A/mm²

6. Breather:

Breather joints will be screwed type. It shall have die-cast aluminium body or of Poly propylene materials and inside container for silica gel shall be of tin sheet, in case of aluminium die cast breather. Makes of the Breather shall be subject to purchaser's approval. Volume of breathers shall be suitable for required quantity of Silica Gel for the transformers.

7. Losses:

The losses of Transformer shall not be increased beyond the given values.

KVA	NO LOAD LOSS (W) (Max)	LOAD LOSSES (W) at 750C (Max)
25	100	685

In case the actual loss values exceed the above guaranteed values, the transformers shall be rejected at the risk, cost and responsibility of the supplier/contractor.

8. Insulation material & clearances:

- (i) Materials Makes of Electrical grade insulating craft paper, press Board, Parma wood/ Haldi wood insulation shall be intimated by the supplier/contractor. The test reports for all properties as per relevant I.S. amended up to date shall be submitted during inspection.
- (ii) The electrical clearance between the winding and body of the tank (between inside surface of the tank and outside edge of the windings) should not be less than 25 mm for 11 KV class.

Minimum external clearances of bushing terminals

HV	Ph to PH	255mm
	Ph to E	140mm
LV	Ph –to-Ph	75mm.
	Ph to E	40mm

- (iii) The clearance between HV coil & Top/Bottom yoke shall be 21 mm (min).
- (iv) Inter coil insulation shall not be less than 6 mm.
- (v) The insulation between core & LV shall be 2.5 mm (min).
- (vi) The insulation between HV coil & LV coil shall be 10 mm (min).
- (vii) Minimum 6 nos. of wedges to be provided

9. Impedance Value -

- (i) The percentage impedance at 75° C. shall be **4%** for 25 KVA transformers with positive tolerance of 10%. No negative tolerance on % impedance is allowed.
- (ii) Vertical clearance: The height of the tank shall be such that minimum vertical clearance up to the top cover plate of **90** mm is achieved from the top of yoke for both transformers.

10. Painting

- 10.1 All paints shall be applied in accordance with the paint manufacturer's recommendations. Particular attention shall be paid to the following:
 - (i) Proper storage to avoid exposure as well as extremes of temperature.
 - (ii) Surface preparation prior to painting.
 - (iii) Mixing and thinning
 - (iv) Application of paints and the recommended limit on time intervals between coats.
 - (v) Shelf life for storage.
- 10.2 All paints, when applied in normal full coat, shall be free from runs, sags, wrinkles, patchiness, brush marks or other defects.
- 10.3 All primers shall be well marked into the surface, particularly in areas where painting is evident, and the first priming coat shall be applied as soon as possible after cleaning. The paint shall be applied by airless spray according to the manufacturer's recommendations. However, wherever airless spray is not possible, conventional spray be used with prior approval of purchaser.
- 10.4 The supplier/contractor shall, prior to painting protect nameplates, lettering gauges, sight glasses, light" fittings and similar such items.

11.0 Heat Dissipation:

Heat dissipation by tank walls excluding top and bottom should be 500W / sq, m.

12.0 Mounting Arrangement:

The transformers shall be provided with two mounting lugs suitable for fixing the transformer to a single pole by means of 2 bolts of 20 mm dia. The transformer shall also be provided with base plates of 50x8 mm thickness for fixing the transformer on a platform.

13.0 Terminals:

Brass terminal stud of suitable size to carry 250 AMP for HT with necessary nuts, checknuts and plain thick tinned washer. Each HT bushing shall be provided with a bi-metallic terminal connector to receive 25-100 sq mm AAAC. Brass terminal stud of suitable size to carry 250 A for LT with necessary nuts, check-nuts and plain thick tinned washer.

14.0 Bushings & Connections:

- 14.1 For 11 KV class 12KV bushing, shall be used and for 433 volts 1.1 KV bushing shall be used. Bushings of the same voltage class shall be interchangeable. Bushings with plain shed shall be as per relevant IS: 3347 amended up to date. HV bushings shall not be mounted directly on the top cover of transformer tank & LV bushings shall be mounted onside of the transformer tank.
 - 14.2 The minimum creep age distance for both HV & LV Bushings shall not be less than 25mm per KV.

15.0 Internal Connections:

15.1 H.V. Winding:

- (i) In case of HV winding all jumpers from winding to bushing shall have cross section larger than winding conductor.
- (ii) Inter coil connection shall be by crimping and brazing.
- (iii) Lead from series joint shall be connected to bushing rod by brazing only. The current density in series lead shall be less than 1.4 A/mm²

16.0 L.V. Winding:

- (i) L.T. Series/parallel point shall be formed of Aluminum/Copper flat of sufficient length & size. Lead from winding shall be connected to the flat by crimping and brazing.
- (ii) For Aluminum windings, L&T Alkapee aluminum brazing rods with suitable flux shall be used.

17.0 Transformer Oil:

(i) Oil should be filled up to 50 mm above yoke & dry air shall be filled after oil filling to give cushion for **oil expansion.**

- (ii) Transformer oil to be used in all the Distribution transformers shall comply with the requirements of latest IS 335/1983 amended up to date thereof. In addition the oil should conform to 'Ageing Characteristics' specified below for New Oil and Oil in Transformers. Type test certificates of oil being used shall be produced to at the time of stage inspection.
- (iii) New Oil-Ageing characteristics after accelerated ageing test 96 hrs. at 115 °C (open beaker method with copper catalyst):
- (iv) The important characteristics of Transformer oil after it is filled in the Transformer (within 3 months of its filling) should be as follows:

Sr.	Characteristics	Specifications
No.		
1	Electric Strength (Breakdown	20 (4/ / / / / / / / / / / /
1.	voltage)	30 kV (Min)
2.	Dielectric dissipation factor (Tan Delta) at 90 deg.C.)	0.01 (Max)
3.	Specific Resistance (Resistivity) at 27 deg. C (ohm-cm)	10x10 ¹²
4.	Flash Point, P.M. (Closed)	140° C (Min)
5.	Inter facial tension at 27°c	0.03 N/M (Min)
6.	Neutralization value (total acidity)	0.05 Mg. KOH/gm (Max.)
7	Water content PPM	35 (Max.)

18.0 Test & Inspection:

18.1 **Testing Facility:**

The repairing workshops / factories should have adequate testing facility for all routine and acceptance tests and also arrangement for measurement of losses, resistance, etc.

The inspector of the supply authority / BSNL will witness routine, Acceptance & type tests. The material shall be dispatched only after conduct of such tests and issue of clearances by the inspector.

However the purchaser reserves the right to retest the transformers after delivery at any National Accredited Testing Laboratory in case of any disputes regarding guaranteed specifications of supplied transformers at a later date during guarantee period. The cost of such retesting shall be borne by the contractor.

18.2 Routine & Acceptance Tests:-

All transformers shall be subjected to the following tests at the workshop / factory. The tests are to be carried out in accordance with the details specified in IS 2026 or as agreed upon between the purchaser and the manufacturer.

- a) Measurement of winding resistance.
- b) Ratio, polarity and phase relationship.
- c) Impedance voltage.
- d) Load losses.

- e) No-load losses and No-load current.
- f) Insulation Resistance
- g) BDV test of Transformer oil.
- 18.3 All the routine tests shall be conducted at the cost of the contractor.

18.4 Stage Test

The inspection may be carried out by the purchaser at any stage of rewinding/repairing. The successful bidder shall grant free access to the purchaser's representatives at a reasonable time when the work is in progress. Inspection and acceptance of any equipment under this specification by the purchaser shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications and shall not prevent subsequent rejection if the equipment is found to be defective.

19.0 Before energisation and commissioning of spare/new/repaired transformer, availability and condition of Lightening arrestors should be ensured.

SECTION- 3 Part C SCHEDULE OF REQUIREMENTS

NIT NO- 08/BSNL/BSR/2020-21

NAME OF WORK: Immediate Replacement and Rewinding of 25/63 KVA, 11KV/0.415KV Aluminium wound oil cooled Transformers with associated works under Bhubaneswar SSA (2020-21, Ph-I)

SI No	Description of items	Quantity
1	Dismantling the following ratings faulty transformer from the existing D.P. structure/Plinth & installation of standby/repaired transformer i/c testing and commissioning, recording the required parameters etc. by engagement of experienced & qualified staff, arranging required tools & plant with proper precautionary measures etc. as required.	
	i) 25 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	8 jobs
	ii) 63 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	2 jobs
2	Rewinding of the HT windings of following ratings Oil immersed Distribution Transformer with superior grade and suitable size Double paper covered Transformer winding conductor, providing re-insulation of LT winding etc. including dismantling the transformer parts i.e. conservator tank, terminal boxes, bushings, removing the core and windings from the tank, draining of transformer oil, cleaning of tank etc. reassembling the core & windings and all the aforesaid parts after rewinding/repairing, pouring of superior quality and grade Transformer oil (supply of Transformer oil is not included in this item), replacement of breather, providing new silica gel, replacement of gaskets, worn out nuts, bolts and washers/cork washers etc, HV/ LV bushings and arcing horns if required, painting of the transformer body with two coats of synthetic enamel paints, heating in heat chamber, carry out factory tests as per technical specifications and submission of test certificates etc. complete as required. (The dismantled aluminium winding and other materials can be retained by the agency and credit for the same to be given in the quoted rate of this item)	
	i) 25 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	8 jobs
	ii) 63 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	2 jobs
3	Supplying and pouring of transformer oil (IS:325) of suitable make & grade for topping up/replacement of old deteriorated oil etc. complete as required.	150 ltrs
4	Filtration and de hydration of existing Transformer oil at factory / work shop , testing of BDV etc. as required.	900 ltrs
5	Transportation of spare/new/Repaired 25/63 KVA transformer from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only).	

	i) Distance up to and including 50 KMs	03 jobs
	ii) Distance above 50 KM and up to and including 100 KMs	03 jobs
	iii) Distance above 100 KM and up to and including 150 KMs	02 jobs
	iv) Distance above 150 KM and up to and including 200 KMs	02 jobs
6	Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only).	
	i) Distance up to and including 50 KMs	03 jobs
	ii) Distance above 50 KM and up to and including 100 KMs	03 jobs
	iii) Distance above 100 KM and up to and including 150 KMs	02 jobs
	iv) Distance above 150 KM and up to and including 200 KMs	02 jobs
7	Providing 25 KVA/63 KVA 11KV/0.415 KV Distribution Transformer on hiring basis as a stop gap arrangements etc. as required. (BSNL will not be held responsible for occurrence of any faults in the hired Transformer while working at site or any damage or loss occurred to the said Transformer during transportation, loading, unloading and negligence of the agency etc.). (Commencement date shall be the date of energisation and commissioning at site)	12 days
8	Replacement of faulty Lightening arrestors by new three piece (one set)nonlinear resistor type distribution class lightning arrestor suitable for operation on nominal system voltage of 11 KV and highest system voltage of 12 KV for transformer Substation, complete with galvanized clamping arrangement, G.I. bolts, nuts, washers, connection of earth strips etc. as required. (BSNL approved make)	03 sets
9	Liasoning with supply authority for inspection of site by their maintenance / MRT personnel and taking shut down of 11KV line to carry out the repairing and maintenance works of the substation and re-energisation etc. complete as required.	08 jobs
10	Making arrangements for inspection and testing of the rewinded transformer by the designated inspector of supply company at workshop and obtaining test certificates and clearance for re installation and energisation of the re winded transformer etc. complete as required.	02 jobs

SECTION-4 Part A GENERAL INSTRUCTIONS TO BIDDERS (GIB)

(Special Instruction to Bidders in Section -4 Part B will supersede the instructions in this section in case of any conflict)

1.0 DEFINITIONS

- (a) "The Purchaser" means the Bharat Sanchar Nigam Ltd.(BSNL), New Delhi
- (b) "The Bidder" means the individual or firm who participates in this tender and submits its bid. (Tenderers)
- (c) "The Supplier/Contractor" means the individual or firm supplying the goods / Services or to execute the works under the contract.
- (d) "The Goods" means all the equipment, machinery, and/or other materials which the Supplier/Contractor is required to supply to the purchaser under the contract.
- (e) "The Advance Purchase Order" or "Letter of Intent" means the intention of Purchaser to place the Purchase Order on the bidder. (Acceptance letter or LOI).
- (f) "The Purchase Order" means the order placed by the purchaser on the Supplier/Contractor signed by the purchaser including all attachments and appendices thereto and all documents incorporated by reference therein. The purchase order shall be deemed as "Contract" appearing in the document. (Award letter/Work Order).
- (g) "The Contract Price" means the price payable to the Supplier/Contractor under the purchase order for the full and proper performance of its contractual obligations.
- (h) "Successful Bidder(s)" means the bidder(s) to whom work in this tender is awarded.

2.0 ELIGIBILITY CONDITIONS:

2.1 Kindly refer to clause 4 of Section – 1 i.e. Detailed NIT.

3.0 COST OF BIDDING

3.1 The bidder shall bear all costs associated with the preparation and submission of the bid. The purchaser will, in no case, be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

4.0 DOCUMENTS REQUIRED

- 4.1 The goods/services required to be supplied/ provided, bidding procedures and contract terms and conditions are prescribed in the Bid Documents. The contents of the Bid documents are specified in the covering letter.
- 4.2 The Bidder is expected to examine all instructions, forms, terms and specifications in the Bid Documents and clarifications/ amendments/ addenda, if any. Failure to furnish all information required as per the Bid Documents or submission of the bids not substantially responsive to the Bid Documents in every respect will be at the bidder's risk and may result in rejection of the bid.

5.0 CLARIFICATION OF BID DOCUMENTS

- 5.1. A prospective bidder, requiring any clarification on the Bid Documents shall notify BSNL in writing by FAX or by E-mail of the purchaser as indicated in the invitation of Bid. The purchaser shall respond in writing to any request for the clarification of the Bid Documents, which it receives 05 days prior to the date of opening of the Tenders. Copies of the query (without identifying the source) and clarifications by the purchaser shall be uploaded on the BSNL Tender website.
- 5.2 Any clarification issued by BSNL in response to query raised by prospective bidders shall form an integral part of bid documents and shall amount to an amendment of the relevant clauses of the bid documents.

6.0 AMENDMENT OF BID DOCUMENTS

- 6.1 The purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, may modify bid documents by amendments prior to the date of submission of Bids with due notification to prospective bidders on BSNL tender website.
- 6.2 The amendments shall be notified in by Addendum through BSNL Tender website and these amendments will be binding on the prospective bidders.
- 6.3 In order to afford prospective bidders a reasonable time to take the amendment into account in preparing their bids, the purchaser may, at its discretion, extend the deadline for the submission of bids suitably.

7.0 DOCUMENTS COMPRISING THE BID

The bid prepared by the bidder shall ensure availability of the following components:

- a) Documentary evidence establishing that the bidder is eligible to bid and is qualified to perform the contract if its bid is accepted in accordance with the clause 2 &10.
- b) Bid Security furnished in accordance with clause12.
- c) A Clause by Clause compliance as per clause 11.2(c)
- d) A Bid form and price schedule completed in accordance with clause 8 & 9.
- e) Tender Cost in accordance with Clause.2.2 of Section-1 (Detailed NIT)

8.0 BID FORM

8.1 The bidder shall complete the bid form and appropriate Price Schedule furnished in the Bid Documents, indicating the goods to be supplied/Services to be provided, brief description of the goods/Services, quantity and prices as per section-9.

9.0 BID PRICES

9.1 The bidder shall give the total composite price inclusive of all Levies, packing, forwarding, freight and insurance etc but excluding GST and octroi / entry tax which will be paid extra at actual wherever applicable. The basic unit price and all other components of the price need to be individually indicated up to two decimal points only against the goods it proposes to supply under the contract as per the price schedule given in Section 9 Part-B .

- The offer shall be firm in Indian Rupees. No Foreign exchange will be made available by the purchaser.
- 9.2 Prices indicated in the Price Schedule shall be entered in the following manner:
 - (a) The Basic Unit price (Ex-Factory Price) of the goods, GST and other applicable taxes, Freight, Forwarding, Packing, Insurance and any other Levies/ Charges already paid or payable by the Supplier/Contractor shall be quoted separately item wise if applicable.
 - (b) The Supplier/Contractor shall quote as per price schedule given in Section 9 part B for all the items given in schedule of requirement at Section 3 part C.
- 9.3 A bid submitted with an adjustable price quotation will be treated as non- responsive and rejected.
- 9.4 The prices quoted by the bidder shall be in sufficient detail to enable the purchaser to arrive at the price of equipment/ system offered.
- 9.5 "DISCOUNT if any, offered by the bidders shall not be considered unless specifically indicated in the price schedule. Bidders desiring to offer discount shall therefore modify their offers suitably while quoting and shall quote clearly net price taking all such factors like Discount, free supply, etc. into account".
- 9.6 The price approved by BSNL for procurement will be inclusive of levies and taxes, packing, forwarding, freight and insurance as mentioned in clause 9.1 subject to other terms and condition as stipulated in clause 22.2 of Section 4 Part A. and clause 11of Sec-5 Part A of Bid-document. Unloading charges at the consignee end shall be borne by the Supplier/Contractor and no separate charges shall be paid for transportation to individual sites for installation.
- 9.7 The freight by sea for transportation of equipment/Stores from the nearest port in the mainland to Andaman & Nicobar Islands will be reimbursed to the Supplier/Contractor at the concessional rates levied by Ministry of Water and Surface Transport on production of proof.

10.0 DOCUMENTS ESTABLISHING BIDDER'S ELIGIBILITY AND QUALIFICATION

- 10.1. The bidder shall furnish, as part of the bid documents establishing the bidder's eligibility, the documents as per clause-6.1 to 6.3 of Section-1 (DNIT) or whichever is required as per terms and conditions of Bid Documents (i.e. only those documents to prove eligibility and qualification of specific bidder)
- 10.2 Documentary evidence for financial and technical capability
 - a) The bidder shall furnish audited Annual Report and/or a Turn over certificate from its Chattered Accountants showing the Turn over for last 3 years.
 - b) The bidder shall furnish documentary evidence about technical and production capability necessary to perform the contract.
- 10.3 In order to enable the purchaser to assess the proven-ness of the system offered, the bidder shall provide documentary evidence regarding the system being offered by him.

11.0 DOCUMENTS ESTABLISHING GOODS' / SERVICES CONFORMITY TO BID DOCUMENTS

- 11.1 Pursuant to clause 7, the bidder shall furnish, as part of its bid, documents establishing the conformity of its bid to the Bid Documents of all goods and services which he proposes to supply under the contract.
- 11.2 The documentary evidences of the "goods and services" conformity to the Bid Documents may be, in the form of literature, drawings, data etc. and the bidder shall furnish:
- (a) a detailed description of goods with essential technical and performance characteristics;
- (b) a list, giving full particulars including available sources and current prices of all spare parts, special tools, etc., necessary for the proper and continuous functioning of the goods for a period of three years following commencement of use of the goods by the purchaser and
- (c) a clause-by-clause compliance on the Technical Specifications and Commercial Conditions demonstrating substantial responsiveness to the Technical Specifications and Commercial Conditions. A bid without clause-by-clause compliance of the Scope of Work, Technical Specifications, SOR (Section-3 Part A, B & C), General (Commercial) Conditions & Special (Commercial) Conditions (Section- 5 Part A & B), shall not be considered.
- 11.3 For the purpose of compliance to be furnished pursuant to the clause11.2(c) above, the bidder shall note that the standards for the workmanship, material and equipment and reference to the brand names or catalogue number, designated by the purchaser in its Technical specifications are intended to be descriptive only and not restrictive.

12.0 BID SECURITY /EMD

12.1 The bidder shall furnish, as part of its bid, a bid security as mentioned in Section-1 (DNIT).

12.2 THE MSE BIDDERS ARE EXEMPTED FROM PAYMENT OF BID SECURITY:

- a) A proof regarding valid registration with body specified by Ministry of Micro, Small & Medium Enterprise for the tendered items will have to be attached along with the bid.
- b) The enlistment certificate issued by MSME should be valid on the date of opening of tender.
- c) If a vendor registered with body specified by Ministry of Micro, Small & Medium Enterprise claiming concessional benefits is awarded work by BSNL and subsequently fails to obey any of the contractual obligations, He will be debarred from any further work/ contract by BSNL for one year from the date of issue of such order.

- 12.3 The bid security is required to protect the purchaser against the risk of bidder's conduct, which would warrant the forfeiture of bid security pursuant to Para12.7.
- 12.4. A bid not secured in accordance with Para 12.1 & 12.2 shall be rejected being non-responsive at the bid opening stage and shall be returned to the bidder.
- 12.5 The bid security of the unsuccessful bidder will be discharged /returned as promptly as possible and within 30 days of finalization of the tender or expiry of the period of the bid validity period prescribed by the purchaser pursuant to clause13.
- 12.6 The successful bidder's bid security will be discharged upon the bidder's acceptance of the purchase order satisfactorily in accordance with clause 27 and furnishing the performance security.

12.7 THE BID SECURITY MAY BE FORFEITED:

- If the bidder withdraws or amends its bid or impairs or derogates from the bid in any respect during the period of bid validity specified by the bidder in the bid form or extended subsequently, or
- b) If the bidder does not accept the PO/ AWO and/ or does not submit PBG & sign the contract/ agreement in accordance with clause 28.

Note:-The bidder shall mean individual company/ firm or the front bidder and its technology/ consortium partner, as applicable.

13.0 PERIOD OF VALIDITY OF BIDS

- 13 .1 Bid shall remain valid for period specified in clause 2 of Tender Information. A bid valid for a shorter period shall be rejected being non- responsive.
- 13.2 In exceptional circumstances, BSNL may request the consent of the bidder for an extension to the period of bid validity. The request and the response thereto shall be made in writing. The bid security provided under clause 12 shall also be suitably extended. The bidder may refuse the request without forfeiting its bid security. A bidder accepting the request and granting extension will not be permitted to modify its bid.

14.0 FORMAT AND SIGNING OF BID

- 14.1. The bidder shall submit his bid, through sealed envelopes physically complying all eligibility conditions, other terms and conditions of tender document to be read along with the clarifications and amendments issued in this respect. All the documents must be authenticated by hand signatures by the authorized person. The letter of authorization shall be indicated by written power-of-attorney accompanying the bid.
- Note:- The purchaser may ask the bidder(s) to supply, besides original bid, additional copy of bids as required by him.
- 14.2. The bid shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by the bidder in which case such corrections shall be signed by the person or persons signing the bid. All pages of the original bid, except for un-amended printed literatures, shall be signed by the person or persons signing the bid.

14.3 Power of Attorney

- (a) The power of Attorney should be submitted and executed on the non-judicial stamp paper of appropriate value as prevailing in the concerned states(s) and the same be attested by a Notary public or registered before Sub-registrar of the state(s)concerned.
- (b) The power of Attorney be executed by a person who has been authorized by the Board of Directors of the bidder in this regard, on behalf of the Company/ institution/ Body corporate.
- (c) In case of the bidder being a firm, the said Power of Attorney should be executed by all the partner(s)in favour of the said Attorney.
- (d) Attestation of the specimen signatures of authorized signatory by the Company's/ firm's bankers shall be furnished. Name, designation, Phone number, mobile number, email address and postal address of the authorized signatory shall be provided.

15.0 SEALING AND MARKING OF BIDS

- 15.1 The bid should be submitted as per Clause 6 of Detailed NIT (Section-1)
- 15.2 The envelope will contain documents of bidder's satisfying the eligibility/Technical & commercial conditions as per clause 2&10 with bid security & Tender cost as per clause and bid containing Price Schedules as per Section 9 Part B.
- 15.2 If the envelope not sealed and marked as required at para 15.1 and 15.2, the bid shall be rejected.

16. 0 SUBMISSION OF BIDS

- 16.1. Bids must be submitted by the bidders on or before the specified date & time indicated in Clause 6.4 of Section-I i.e. DNIT.
- 16.2 The Purchaser may, at its discretion, extend this deadline for the submission of bids by amending the Bid Documents in accordance with clause 6 in which case all rights and obligations of the purchaser and bidders previously subject to the deadline will thereafter be subjected to the extended deadline.
- 16.3 The bidder shall submit its bid offer against a set of bid documents purchased by him for all or some of the systems/ equipment as per requirement of the Bid Documents. He may include alternate offer, if permissible as per the bid. However, not more than one independent and complete offer shall be permitted from the bidder.

17.0 LATE BIDS

17.1 No bid shall be accepted after the specified deadline for submission of bids prescribed by the purchaser.

18.0 MODIFICATION AND WITHDRAWAL OF BIDS

18.1 The bidder will not be allowed to modify, revise or withdraw his bid after submission prescribed for submission of bid.

19.0 OPENING OF BIDS

- 19.1 The purchaser shall open bids physically in the presence of the authorized representatives of bidders present who chose to attend, at time & date specified in Clause-7 of DNIT (Section-1) on due date. The bidder's representatives, who are present, shall sign the tender register. Authority letter to this effect shall be submitted by the authorized representatives of bidders before they are allowed to participate in bid opening.(A Format is given in enclosed Section 7 C).
- 19.2 A maximum of two representatives of any bidder shall be authorized and permitted to attend the bid opening.
- 19.3 Name of envelopes to be opened & information to be read out by Bid Opening authority
- (i) In Single stage bidding & single envelope system; techno-commercial bid & financial Bid will be opened on the date of tender opening given in NIT.
- (ii) The following information should be read out at the time of bid opening:
 - a) Name of the Bidder
 - b) Name of the item
 - c) EMD amount & validity and acceptability
 - d) Information in respect of eligibility of the bidder.
 - e) Details of bid modification/ withdrawal, if applicable.
 - f) Name of the item
 - g) Quantities/prices quoted in the bid
 - h) Discount, if offered
 - Taxes & levies
- 19.4 The date fixed for opening of bids, if subsequently declared as holiday by BSNL, the revised date of schedule will be notified. However, in absence of such notification, the bids will be opened on next working day, time and venue remaining unaltered.

20.0 CLARIFICATION OF BIDS

- 20.1 To assist in the examination, evaluation and comparison of bids, the purchaser may, at its discretion ask the bidder for the clarification of its bid. The request for the clarification and the response shall be in writing. However, no post bid clarification at the initiative of the bidder shall be entertained.
- 20.2 If any of the documents, required to be submitted along with the technical bid is found wanting, the offer is liable to be rejected at that stage. However the purchaser at its discretion may call for any clarification regarding the bid document within a stipulated time period. In case of non-compliance to such Queries, the bid will be out rightly rejected without entertaining further correspondence in this regard.

21.0 PRELIMINARY EVALUATION

21.1 Purchaser shall evaluate the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed and whether the bids are generally in order.

- 21.2 Arithmetical errors shall be rectified on the following basis. Based on the quoted percentage of duties and taxes, Freight etc. the amounts quoted thereof shall be worked out and rounded off to 2 decimal points. In case the unit price quoted does not tally with its breakup, the same shall be corrected by summing up the breakups. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser.
- 21.3 If there is a discrepancy between words and figures, the amount in words shall prevail. If the Supplier/Contractor / Contractor does not accept the correction of the errors, its bid shall be rejected.
- 21.4 Prior to the detailed evaluation pursuant to clause 22, BSNL will determine the substantial responsiveness of each bid to the Bid Document. For purposes of these clauses, a substantially responsive bid is one which confirms to all the terms and conditions of the Bid Documents without material deviations. Purchaser's determination of bid's responsiveness shall be based on the contents of the bid itself without recourse to extrinsic evidence.
- 21.5 A bid, determined as substantially non-responsive will be rejected by purchaser and shall not subsequent to the bid opening be made responsive by the bidder by correction of then non-conformity.
- 21.6 The purchaser may waive any minor infirmity or non-conformity or irregularity in a bid which doesn't constitute a material deviation, provided such waiver doesn't prejudice or affect the relative ranking of any bidder.

22 EVALUATION AND COMPARISON OF SUBSTANTIALLY RESPONSIVE BIDS

- The Purchaser shall evaluate in detail and compare the bids previously determined to be substantially responsive pursuant to clause21.
- 22.2 The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL (excluding GST) on the prices of the goods offered along with all applicable taxes, packing, Forwarding, Freight & Insurance charges etc. of the Biddocument after arithmetical correction in the manner laid down in clause 21.2 above but excluding taxes which are creditable to BSNL. Further, the bidder is also required to mention the taxes (if any) applicable on the movement of Goods.
- (a) Duties, Taxes & Cesses for which the firm has to furnish GST Challans/Tax Invoices will be indicated separately in the PO.
- (b) Vendors should furnish the correct HSN/SAC classification/Customs tariff Head in the price Schedule. If the credit for the Duties, Taxes and Cesses under provision/rules under GST law is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff Head, then the Supplier/Contractors will be liable to refund such non admissible amount, if already paid, along with penalty and interest if charged by the concerned authority.
- (c) In case the Duties & Taxes which are non eligible for Input tax credit as per the quotes indicated in the price schedule by the Supplier/Contractors and subsequently at any stage it is found that Credit for such duties, Taxes and Cesses is admissible as per provision of GST law, then the Supplier/Contractors will be liable to refund the amount equivalent to such Duties, Taxes and Cesses if already paid to them provided

the credit can be claimed within the time prescribed under the applicable legislation and BSNL has all documents to claim such credit. The refund is also subject to the bidder performing necessary act for enabling BSNL to claim the credit viz. upload the information on GSTN. However the purchaser may allow the Supplier/Contractor to submit necessary documents in this regard which may enable the purchaser to avail the input tax credit provided such credit is still available for the amount so paid as per provision of GST law.

- (d) The purchaser reserves the right to ask the bidders to submit documentary proof confirming the correct HSN or SAC classification/Customs Tariff Head from the CGST/SGST/IGST officer or Customs authority where the HSN or SAC classification/Custom Tariff Head furnished against the particular tendered item by different bidders differs from each other or the same is found apparently not furnished in accordance with GST Act/ Customs Tariff notifications.
- (e) If the Supplier/Contractor fails to furnish necessary supporting documents i.e. Tax invoices / Customs invoices etc. in respect of the Duties, taxes and Cesses which are eligible for input tax credit, the amount pertaining to such Duties, Taxes and Cesses will be deducted from the payment due to the firm.
- (f) If the Supplier/Contractor fails to perform necessary compliances which would any manner restrict BSNL to claim input tax credit, then the amount pertaining to such Duties, Taxes and Cesses will be deducted from the payment due to the Supplier/Contractor.
- (g) If the Supplier/Contractor does not disclose the correct details on the invoice or on the GSTN viz. GSTIN, place of supply etc. which restricts BSNL to claim input tax credit then the amount pertaining to such Duties, Taxes and Cesses will be deducted from the payment due to the Supplier/Contractor.

23.0 CONTACTING THE PURCHASER

- 23.1 Subject to Clause 20, no bidder shall try to influence the Purchaser on any matter relating to its bid, from the time of the bid opening till the time the contract is awarded.
- 23.2 Any effort by a bidder to modify its bid or influence the purchaser in the purchaser's bid evaluation, bid comparison or contract award decision shall result in the rejection of the bid.

24.0 PLACEMENT OF ORDER

- 24.1. The Purchaser shall consider placement of orders for commercial supplies/services only on those eligible bidders whose offers have been found technically, commercially and financially acceptable and whose goods/services have been type approved/ validated by the purchaser. The Purchaser reserves the right to counter offer price(s) against price(s) quoted by any bidder.
- 24.2 The ordering price of any bidder shall not exceed the lowest evaluated package price. However, at a later stage if there is any increase in Govt. duties/taxes within scheduled delivery date (SDD), the unit prices with applicable revised duties/taxes will be paid to Supplier/Contractors keeping other levies & charges unchanged.

- 24.3. The purchaser reserves the right for the placement of order of entire tendered quantity on the bidder with the lowest evaluated price.
- 24.4 In the event of L2 and so on bidders refusing to accept its package de rated to the price of L1 bidder, BSNL reserves the right to place the order for entire quantity to the L1 bidder. It is mandatory for the L1 bidder to accept such an offer (second APO/PO) at evaluated L-1 price and shall perform the whole contract as envisaged in the tender document. The additional quantity, due to non-acceptance of respective quantity by L2 and/or L3 and so on bidders, as envisaged in clause3 (Distribution of Quantity) in section 4 Part B, shall be supplied/work will be carried out by the L-1 bidder as part of whole contract.

25. PURCHASER'S RIGHT TO VARY QUANTITIES

- a) BSNL reserves the right to increase or decrease up to 25% of the quantity of goods and services specified in the schedule of requirements without any change in the unit price or other terms and conditions at the time of award of work.
- b) BSNL also reserves the right for placement of additional order or up to 50% of the additional quantities of goods and services contained in the running tender/ contract within the currency of contract at the same rate or a rate negotiated (downwardly) with the existing vendors considering the reasonability of rates based on prevailing market conditions and the impact of reduction in duties and taxes etc and supplies to be obtained within delivery period scheduled afresh.
- c) In exceptional situation where the requirement is of an emergent nature and it is necessary to ensure continued supplies from the existing vendors, the purchaser reserves the right to place repeat order up to 100% of the quantities of goods and services contained in the running tender/contract at the same rate or a rate negotiated (downwardly)with the existing vendors considering the reasonability of rates based on prevailing market conditions and the impact of reduction in duties and taxes etc. Exceptional situation and emergent nature should be spelt out clearly detailing the justification as well as benefits accrued out of it and loss incurred in case this provision is not invoked and approved by the authority competent to accord administrative and financial approval for the procurement calculated on the basis of total procurement i.e. initial and proposed add-on quantity.

26. PURCHASER'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS

The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of contract without assigning any reason whatsoever and without thereby incurring any liability to the affected bidder or bidders on the grounds of purchaser's action.

27.0. ISSUE OF ADVANCE PURCHASE ORDER

27.1. The issue of an Advance Purchase Order/Acceptance letter shall constitute the intention of BSNL to enter into contract with the bidder.

- 27.2 The bidder shall within 14 days of issue of the advance purchase order/Acceptance letter, give its acceptance along with performance security in conformity with the proforma provided with the bid document at Section-7B.
- 27.3 L-1 bidder may be issued Advanced Purchase Order (APO)/Purchase Order (PO) in two stages. The first APO/PO shall be issued for L-1 quantity as defined in clause above. The second APO/PO may be issued to L-1 bidder only when BSNL exercises the right for placement of order on balance tendered quantity on the bidder with the lowest evaluated price in conformity to Clause24.3&24.4 of Section 4 Part A.

28.0 SIGNING OF CONTRACT

- 28.1 The issue of Purchase order shall constitute the award of contract on the bidder.
- 28.2 Upon the successful bidder furnishing performance security pursuant to clause 27, the Purchaser shall discharge the bid security in pursuant to clause 12, except in case of L-1 bidder, whose EMBG/EMD shall be released only after finalization of ordering of complete tendered quantity in pursuance to clause no. 24.4 & 27.3 of this section.
- 28.3 The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 07 days from the date of issue of award letter, sign the contract consisting of the notice inviting tender, all the documents including drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.

29.0 ANNULMENT OF AWARD

Failure of the successful bidder to comply with the requirement of clause 27 shall constitute sufficient ground for the annulment of the award and the forfeiture of the bid security in which event the Purchaser may make the award to any other bidder at the discretion of the purchaser or call for new bids.

30.0 QUALITY ASSURANCE REQUIREMENTS

NIT approving authority may require the Supplier/Contractor to have Quality Management System supported and evidenced by any combination of the following measures or any other measures:

- a) A Quality Policy.
- b) A management representative with authority and responsibility for fulfilling QA requirements and for interfacing with purchaser in the matters of Quality.
- c) Procedure for controlling design/ production engineering, materials, choice of components/vendors, manufacturing and packaging process for supplying quality products.
- d) System of Inward Good Inspection.
- e) System to calibrate and maintain required measuring and test equipment.
- f) System for tracing the cause for non-conformance (traceability) and segregating product which don't conform to specifications.
- g) Configuration management and change-control mechanism.

- h) A quality plan for the product.
- i) Periodical internal quality audits.
- j) A 'Quality Manual' detailing the above shall be furnished.

31.0 REJECTION OF BIDS

- 31.1 While all the conditions specified in the Bid documents are critical and are to be complied, special attention of bidder is invited to the following clauses of the bid documents. Non-compliance of any one of these shall result in outright rejection of the bid.
- a) Clauses 12.1, 12.2 & 13.1 of Section- 4 Part A: The bids will be rejected at opening stage if Bid security is not submitted as per Clauses 12.1 & 12.2 and bid validity is less than the period prescribed in Clause 13.1 mentioned above.
- b) Clause 2 & 10 of Section-4 Part A: If the eligibility condition as per clause 2 of Section 4 Part A is not met and/ or documents prescribed to establish the eligibility as per Clause 10 of section 4 Part A are not enclosed, the bids will be rejected without further evaluation.
- c) Clause 11.2 (c) of Section-4 Part A: If clause-by-clause compliance as well as deviation statements as prescribed are not given, the bid will be rejected at the stage of primary evaluation.
- d) While giving compliance to Section-5 Part A, General Commercial conditions, Section-4 Part B, Special Instructions to Bidders, Section- 5B Special (Commercial) Conditions of Contract and Section-3 Technical Specifications ambiguous words like "Noted", "Understood", "Noted & Understood" shall not be accepted as complied. Mere "Complied" will also be not sufficient, reference to the enclosed documents showing compliances must be given.
- e) Section-9 Price Schedule: Prices are not filled in as prescribed in price schedule.
- f) Section-4 Part A clause 9.5 on discount which is reproduced below: "Discount, if any, offered by the bidder shall not be considered unless specifically indicated in the price schedule. Bidders desiring to offer discount shall therefore modify their offer suitably while quoting and shall quote clearly net price taking all such factors like Discount, free supply etc. into account".
- 31.2 Before outright rejection of the Bid by Bid-opening team/ tender opening authority for non-compliance of any of the provisions mentioned in clause 31.1(a), 31.1(b) of Section-4 PartA, the bidder company is given opportunity to explain their position, however if the person representing the company is not satisfied with the decision of the Bid opening team / tender opening authority, he/they can submit the representation to the Bid opening authority immediately but in no case after closing of the tender process with full justification quoting specifically the violation of tender condition if any.
- 31.3 Bid opening authority will not return the bids submitted by the bidders on the date of tender opening even if it is liable for rejection and will preserve the bids in sealed cover as submitted by taking the signatures of some of the desirous representatives of the participating bidder/companies present on the occasion.

- 31.4 The bid opening authority will mention the number of bids with the name of the company found unsuitable for further processing on the date of tender opening and number of representations received in Bid opening Minutes and if Bid opening team is satisfied with the argument of the bidder/company mentioned in their representation and feel that there is prima-facie fact for consideration, the incharge of the bid opening team will submit the case for review to Officer competent to approve the tender as early as possible preferably on next working day and decision to this effect should be communicated to the bidder company within a week positively. Bids found liable for rejection and kept preserved on the date of tender opening will be returned to the bidders after issue of P.O. against the instant tender.
- 31.5 If the reviewing officer finds it fit to open the bid of the petitioner, this should be done by giving three (working) days notice to all the participating bidders to give opportunity to participants desirous to be present on the occasion.

32.0 ACTION BY PURCHASER AGAINST BIDDER(S)/VENDOR(S) IN CASE OF DEFAULT

In case of default by Bidder(s)/ Vendor(s) such as

- a) Does not supply the equipment in time;
- b) Equipment does not perform satisfactory in the field in accordance with the specifications;
- c) Does not start or carry out the work in time.
- d) Or any other default whose complete list is enclosed in Appendix-1.

Purchaser will take action as specified in Appendix-1 of this section.

33.0 Deleted

34.0 NEAR-RELATIONSHIP CERTIFICATE

- 34.1 The bidder should give a certificate that none of his/ her near relative, as defined below, is working in the units where he is going to apply for the tender. In case of proprietorship firm certificate will be given by the proprietor. For partnership firm certificate will be given by all the partners and in case of limited company by all the Directors of the company excluding Government of India/ Financial institution nominees and independent non-Official part time Directors appointed by Govt. of India or the Governor of the state and full time Directors of PSUs both state and central. Due to any breach of these conditions by the company or firm or any other person the tender will be cancelled and Bid Security will be forfeited at any stage whenever it is noticed and BSNL will not pay any damage to the company or firm or the concerned person.
- 34.2 The Company or firm or the person will also be debarred for further participation in the concerned unit.
- 34.3 The near relatives for this purpose are defined as:-
 - (a) Members of a Hindu undivided family.
 - (b) They are husband and wife.

- (c) The one is related to the other in them anneras father, mother, son(s)&Son's wife (daughter in law), Daughter(s) and daughter's husband (son in law), brother(s) and brother's wife, sister(s) and sister's husband (brother in law).
- (d) The format of the certificate is given in Section 6 (C).

35.0 VERIFICATION OF DOCUMENTS AND CERTIFICATES

The bidder will ensure that all the documents and certificates, including experience/performance and self certificates submitted by him are correct and genuine before enclosing them in the bid. The onus of proving genuineness of the submitted documents would rest with the bidder.

If any document/ paper/ certificate submitted by the participant bidder is found / discovered to be false / fabricated / tempered / manipulated either during bid evaluation or during award of contract or thereafter, then the Purchaser will take action as per Clause-1of Appendix-1 of this section.

SECTION-4 Part B

SPECIAL INSTRUCTIONS TO BIDDERS

Provisions in the Special Instructions to Bidders and Eligibility Conditions (SIB) (SECTION-4 Part B) shall supersede the corresponding provisions in the General Instructions to Bidders (GIB) (SECTION-4 Part A) in case of conflict.

1. **Eligibility Criteria:** As prescribed in the Detailed Notice inviting tender forming part of this document.

2. BID Security/EMD:

The bank guarantee/DD for bid security or Micro & Small Enterprise (MSE) registration certificate for claiming exemption from submission of bid security, as prescribed in clauses 12.1 & 12.2 of Section-4 A of the bid document should be submitted by the bidder in a separate cover. The bank guarantee/DD so submitted shall be as per the format given in Section-7 (A) on prescribed judicial paper with stamps of proper value and should contain full address of the issuing branch of the bank with its telephone number and FAX number.

3.0 Distribution of Quantity

3.1 The Purchaser intends to limit the number of technically and commercially responsive 02 (two) bidders from the list of such bidders arranged in increasing order of their evaluated prices starting from the lowest for the purpose of ordering against this tender. The distribution of the quantity shall be as given in Table 1 below.

Table 1(A)

No. of Bidders to be approved (Col. 1)	Quantity allotted to the respective bidder (Col. 2)	
	L1	L2
One bidder	100%	Nil
Two Bidders	60%	40%

Note: In this tender, the provisions for MSEs shall not be made.

4.0 Response time and execution of individual work:

4.1 The contractor should have round the clock Telephone / Mobile accessibility for booking of complaints and conveying information by BSNL executives/officials through Telephone/SMS/Whattsapp/email.

4.2 The Date of receiving message/information from BSNL by the Contractor or his authorized reprehensive through the above medium shall be considered for deciding the completion period and penalty amount of individual work vide clause 14 (i) & 14(ii) and clause 15 (a), 15(b) and 15(c) of Section-5 Part B.

5.0 Stores & Safety:

The contractor from his own sources shall arrange all the stores and materials required for the satisfactory completion of the work at work site. Lockable space for storing the materials may be provided by BSNL on request from the contractor/Firm. However, safe custody of material stored at site will be the responsibility of the contractor/Firm.

6.0 Packing & Forwarding

Before dispatch to site, the equipment / components / materials shall be properly packed with polythene sheet and wooden planks for protection and avoiding transit damages and damage against storage in open area at transporters premises or at work site.

7.0 Coordination at site

At the site of work as more than one agency may be working, full cooperation shall be extended to other agencies during progress of work. Further, work shall be carried out in such a way so that it may not cause abnormal noise and hindrance to the officers of the BSNL engaged in erection as well as doing normal routine work.

8.0 Extra/Substitute/Deviated items of works:

In a situation where the requirement is of an immediate nature and/or it is necessary to ensure continued supplies or substitute the items taken in running contract or addition of extra items from the existing vendors, the competent authority in BSNL (with in their delegated financial powers) may decide to place such orders with in a ceiling of maximum 100% of the contract value and at a rate negotiated with the existing vendors considering the prevailing market conditions.

9.0 Bye-laws, liabilities against damages and accidents

- a) The contractor shall comply with all bye-laws and regulations of local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving/ receiving all necessary notices and keep the Engineer-in-charge informed about the notices issued and received.
- b) **SAFETY PROCEDURES**: It is contractor's liability to follow all safety procedures in accordance with relevant I.S. amended up to date during execution of work at site.
- c) COMPLIANCE OF EPF ACT: The agency has to comply with the provision of EPF and miscellaneous provisions Act 1952 and employees Provident Fund scheme-1952 as amended up to date in respect of labourers / employees engaged by them for this work. Any consequences arising due to non-complying of provisions as specified above shall be of the sole responsibility of the firm only.

- d) **DAMAGES TO BSNL INSTALLATIONS**: Any damage to the installation(s)/building during the execution of work due to the carelessness on the part of staff shall be the responsibility of firm & shall be replaced/rectified by the firm without any extra cost.
- e) ACCIDENTS DURING EXECUTION OF WORKS: Any accident or damage during execution of work will be the responsibility of the Contractor/Firm & the Department will not entertain any claim, compensation, penalty etc. on this account or on account of non observance of any other requirement of law relevant to his work.

10. TERMINATION OF CONTRACT ON DEATH OF CONTRACTOR

Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.

11. INDULGING OF CONTRACTOR IN CRIMINAL/ANTISOCIAL ACTIVITIES AND CASES UNDER INVESTIGATION / CHARGE SHEETED BY CBI OR ANY OTHER GOVERNMENT AGENCIES ETC.:

If the CBI/Independent External Monitor (IEM) / Income Tax /Sales Tax/ Central Excise/ Custom Departments recommend such a course – Action will be taken as per the directions of CBI or concerned department.

Section- 4 Part C

E-tendering Instructions to Bidders

General

These Special Instructions (for e-Tendering) supplement 'Instruction to Bidders', as enclosed in Sec 4 Part A of the Tender Documents. Submission of Bids through online process is mandatory for this Tender.

For conducting electronic tendering, BSNL Electrical Zone, Odisha is using the portal https://etenders.gov.in/eprocure of Government of India.

1. Broad outline of activities from Bidders prospective:

- Procure a Digital Signing Certificate(DSC)
- 2. Register on Electronic Tendering System® (ETS)
- 3. Create Users and assign roles on ETS
- 4. View Notice Inviting Tender (NIT) on ETS
- 5. Download Official Copy of Tender Documents from ETS
- 6. Clarification to Tender Documents on ETS
 - Query to BSNL(Optional)
 - ☐ View response to queries posted by BSNL, as addenda.
- 7. Bid-Submission on ETS
- Attend Public Online Tender Opening Event (TOE) on ETS Opening of Technocommercial Part
- 9. View Post-TOE Clarification posted by BSNL on ETS (Optional)Respond to BSNL's Post-TOE queries
- 10. Attend Public Online Tender Opening Event (TOE) on ETS Opening of Financial-Part (Only for Technical Responsive Bidders)

2. Digital Certificates

For integrity of data and its authenticity/ non-repudiation of electronic records, and be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC). also referred to as Digital Signature Certificate (DSC), of Class 2 or above, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [referhttp://www.cca.gov.in].

3. Registration

To use the Electronic Tender portal https://etenders.gov.in/eprocure, vendor needs to register on the portal. Registration of each organization is to be done by one of its senior persons who will be the main person coordinating for the e-tendering activities. In ETS terminology, this person will be referred to as the Super User (SU) of that organization. For further details, please visit the website/portal, and click on the 'Supplier Organization' link under 'Registration' (on the Home Page), and follow further instructions as given on the site. Pay Annual Registration Fee as applicable.

Note: After successful submission of Registration details and Annual Registration Fee (as applicable). Please contact https://etenders.gov.in/eprocure ETS Helpdesk (as given below), to get your registration accepted/activated.

Tender Wizard ETS	Central Public Procurement Portal (CPPP)
Helpdesk	
Telephone	0120-4200462, 0120-4001002/005, 0120-6277787
Website	https://etenders.gov.in/eprocure/app

BSNL Contact-1	
BSNL's Contact Person	Shri.S.S. Panda, Executive Engineer(E)
Telephone/ Mobile	TELEPHONE – (0674) -2544902, FAX- 2540617
	MOBILE: 9437964001
E-mail ID	eeebsnlbbsr@gmail.com

BSNL Contact-2	
BSNL's Contact Person	Shri. S K Mohanty, SDE(E), BSNL Electrical Sub Division-II, Bhubaneswar
Telephone/ Mobile	0674-2536332 / 9437966222
E-mail ID	sdeebsnlbbsr2@gmail.com

4. Bid related Information for this Tender

The entire bid-submission would be online on ETS. Broad outline of submissions are as follows:

- ☐ Submission of Bid Security/ Earnest Money Deposit(EMD)
- ☐ Submission of digitally signed copy of Tender Documents/ Addendum /addenda
- □ Submission of self attested copies of documents as per list at Sl. no.6.2 of DNIT (Section-1, Part A).

5. Offline Submissions:

The bidder is requested to submit the following documents offline to the <u>Executive</u> <u>Engineer (E), BSNL Electrical Division, Bhubaneswar</u> on or before the date & time specified in the detailed NIT. The envelope shall bear (name of the work), the tender number and the words 'DO NOT OPEN BEFORE' (due date & time).

- 1. EMD-Bid Security in Original.
- 2. Power of attorney in accordance with clause 14.3 of Section-4 Part A.
- 3. Integrity Pact.(If applicable)
- 4. Self attested copies of documents, under takings and Declarations listed at clause 7.0 of DNIT (Section-1, Part A).
- 5. <u>Downloaded Tender document (Except PRICE BID/BOQ)</u> duly signed and sealed by the bidder or his power of attorney holder.

6. Special Note on Security of Bids

Security related functionality has been rigorously implemented in ETS in a multidimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software. Security related aspects as regard Bid Submission are outlined below:

As part of the Electronic Encrypter™ functionality, the contents of both the 'Electronic Forms' and the 'Main-Bid' are securely encrypted using a Pass- Phrase created by the Bidder himself. Unlike a 'password', a Pass-Phrase can be a multi-word sentence with spaces between words (e.g. I love this World). A Pass-Phrase is easier to remember, and more difficult to break. It is recommended that a separate Pass-Phrase be created for each Bid-Part. This method of bid-encryption does not have the security and data-integrity related vulnerabilities which are inherent in e-tendering systems which use Public-Key of the specified officer of a Buyer organization for bid-encryption. Bid-encryption in ETS is such that the Bids cannot be decrypted before the Public Online Tender Opening Event (TOE), even if there is connivance between the concerned tender-opening officers of the Buyer organization and the personnel of e-tendering service provider.

Typically, 'Pass-Phrase' of the Bid-Part to be opened during a particular Public Online Tender Opening Event (TOE) is furnished online by each bidder during the TOE itself, when demanded by the concerned Tender Opening Officers who will open the bid. Else Tender Opening Officer may authorize the bidder to open his bid himself.

There is an additional protection with SSL Encryption during transit from the client-end computer of a Supplier organization to the e-tendering server/portal.

7. Public Online Tender Opening Event(TOE)

ETS offers a unique facility for 'Public Online Tender Opening Event (TOE)'. Tender Opening Officers as well as authorized representatives of bidders

Can attend the Public Online Tender Opening Event(TOE) from the comfort of their offices. For this purpose, representatives of bidders (i.e. Supplier organization) dully authorized are requested to carry a Laptop and Wireless Connectivity to Internet.

Every legal requirement for a transparent and secure 'Public Online Tender Opening Event (TOE)' has been implemented on ETS. As soon as a Bid is decrypted with the corresponding 'Pass-Phrase' as submitted online by the bidder himself (during the TOE itself), salient points of the Bids are simultaneously made available for downloading by all participating bidders. The work of taking notes during a manual 'Tender Opening Event' is therefore replaced with this superior and convenient form of 'Public Online Tender Opening Event(TOE)'.

ETS has a unique facility of 'Online Comparison Chart' which is dynamically updated as each online bid is opened. The format of the chart is based on inputs provided by the Buyer for each Tender. The information in the Comparison Chart is based on the data submitted by the Bidders in electronic forms. A detailed Technical and/ or Financial Comparison Chart enhances Transparency. Detailed instructions are given on relevant screens. ETS has a unique facility of a detailed report titled 'Minutes of Online Tender Opening Event (TOE)' covering all important activities of 'Online Tender Opening Event (TOE)'. This is available to all participating bidders for 'Viewing/ Downloading'.

There are many more facilities and features on ETS. For a particular tender, the screens viewed by a Supplier will depend upon the options selected by the concerned Buyer.

NOTE: In case of internet related problem at a bidder's end, especially during 'critical events' such as — a short period before bid-submission deadline, during online public tender opening event, during e-auction, it is the bidder's responsibility to have backup internet connections. In case there is a problem at the e-procurement/ e-auction service-provider's end (in the server, leased line, etc) due to which all the bidders face a problem during critical events, and this is brought to the notice of BSNL by the bidders in time, then BSNL will promptly reschedule the affected event(s).

8. Other Instructions

For further instructions, the vendor should visit the home-page of the portal https://etenders.gov.in/eprocure and go to the User-Guidance Center.

The help information provided through 'ETS User-Guidance Center' is available in three categories — Users intending to Register / First-Time Users, Logged-in users of Buyer organizations, and Logged-in users of Supplier Organizations. Various links are provided under each of the three categories.

Note: It is strongly recommended that all authorized users of Supplier organizations should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups, and minimize teething problems during the use of ETS.

The following 'FOUR KEY INSTRUCTIONS for BIDDERS' must be assiduously adhered to:

- 1. Obtain individual Digital Signing Certificate (DSC or DC) well in advance of your first tender submission deadline on ETS.
- 2. Register your organization on ETS well in advance of your first tender submission deadline on ETS
- 3. Get your organization's concerned executives trained on ETS well in advance of your first tender submission deadline on ETS
- 4. Submit your bids well in advance of tender submission deadline on ETS as there could be last minute problems due to internet timeout, breakdown, etc.
 - While the first three instructions mentioned above are especially relevant to first-time users of ETS, the fourth instruction is relevant at all times.

9. Minimum Requirements at Bidders end

- i) Computer System with good configuration.
- ii) Internet connectivity.
- iii) Microsoft Internet Explorer.
- iv) Digital Certificate(s) for users.

SECTION-5 Part A GENERAL (COMMERCIAL) CONDITIONS OF CONTRACT

2. **APPLICATION**

The general condition shall apply in contracts made by the purchaser for the procurement of goods/Services.

3. **STANDARDS**

The goods/services to be supplied /work to be executed under this contract shall conform to the standards prescribed in the Technical Specifications mentioned in section -3.

4. PATENT RIGHTS

The Supplier/Contractor shall indemnify the purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the goods/services or any part thereof in Indian Telecom Network.

5. **PERFORMANCE SECURITY**

- All Supplier/Contractors (including MSEs who are registered with the designated MSME bodies, like National Small Scale Industries Corporation etc. shall furnish performance security to the purchaser for an amount equal to 5% of the value of Advance purchase order (Acceptance letter OR LOI) / Purchase Order (Award letter) within 14days from the date of issue of Advance Purchase Order (Acceptance letter OR LOI) / award letter by the Purchaser.
- 5.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier/Contractor's failure to complete its obligations under the contract.
- 5.3 The performance security Bond shall be in the form of **Bank Guarantee** issued by a scheduled Bank and in the proforma provided in **'Section-7(B)** of this Bid Document.
- 5.4 The performance security Bond will be discharged by the Purchaser after completion of the Supplier/Contractor's performance obligations including any warranty obligations under the contract.

6. **INSPECTION AND TESTS**

6.1 The Purchaser or its representative shall have the right to inspect and test the goods/materials/equipments/Apparatus & plants as per prescribed test schedules for their conformity to the specifications. Where the Purchaser decides to conduct such tests on the premises of the Supplier/Contractor or its sub contractor(s), all reasonable facilities and assistance like Testing instruments and other test gadgets including access to drawings and production data shall be furnished to the inspectors at no charge to the purchaser.

- 6.2 Should any inspected or tested goods/materials/equipments/Apparatus & plants fail to conform to the specifications the purchaser may reject them and the Supplier/Contractor shall either replace the rejected goods/materials/equipments/Apparatus & plants or make all alterations necessary to meet Specification / requirements free of cost to the purchaser.
- 6.3 Notwithstanding the pre-supply tests and inspections prescribed in clause
 - a. & 5.2 above, the goods/materials/equipments/Apparatus & plants on receipt in the Purchaser's premises will also be tested during and after installation before "take over" and if any equipment or part thereof is found defective, the same shall be replaced free of all cost to the purchaser as laid down in clause 5.4 below.
- If any equipment or any part thereof, before it is taken over under clause 5.5, is found defective or fails to fulfill the requirements of the contract, the inspector shall give the Supplier/Contractor/Contractor notice setting forth details of such defects or failure and the Supplier/Contractor/Contractor shall make the defective equipment good, or alter the same to make it comply with the requirements of the contract forthwith and in any case within a period not exceeding the contract period. These replacements shall be made by the Supplier/Contractor free of all charges at site. Should it fail to do so within this time, the purchaser reserves the discretion to reject and replace at the cost of the Supplier/Contractor/Contractor the whole or any portion of goods/materials/equipments/Apparatus & plants as the case may be, which is defective or fails to fulfill the requirements of the contract. The cost of any such replacement made by the purchaser shall be deducted from the amount payable to the Supplier/Contractor/Contractor.
- 6.5 When the performance tests called for have been successfully carried out, the inspector / ultimate consignee will forthwith issue a Taking Over Certificate. The inspector/ultimate consignee shall not delay the issue of any "taking Over Certificate" contemplated by this clause on account of minor defects in the equipment which do not materially affect the commercial use thereof provided that the Supplier/Contractor/Contractor shall undertake to make good the same in a time period not exceeding the contract period / extended contract period. The Taking Over Certificate shall be issued by the ultimate consignee within six weeks of successful completion of tests. In this case, BCPC (Bills Copy Payable Challan) shall be equivalent to "Taking Over Certificate", issuance of which shall certify receipt of goods/materials/equipments/Apparatus & plants in safe and sound condition. However, they shall not discharge the Supplier/Contractor/Contractor of their warranty obligation. BCPC in respect of last consignment against the purchase order will be equivalent to "Taking Over Certificate". This clause shall be applicable only when the material is supplied in Stores.
- 6.6 Nothing in clause 5 shall in any way release the Supplier/Contractor/Contractor from any warranty or other obligations under this contract.

7. **DELIVERY AND DOCUMENTS**

- 7.1 Delivery of the goods/materials/equipments/Apparatus & plants and documents shall be made by the Supplier/Contractor/Contractor in accordance with the terms specified by the purchaser in its schedule of requirements and special conditions of contracts, and the above shall remain at the risk of the Supplier/Contractor/Contractor until delivery/execution of works has been completed. The delivery of the equipment shall be to the ultimate consignee as given in the purchase order.
- 7.2 The delivery of the goods/services/equipments and documents or execution of works shall be completed within time frame stated in note 7 of Clause 6 of Section-2 (Tender information).
- 7.3 All Technical assistance for installation, commissioning and monitoring of the equipment shall be provided by the Supplier/Contractor at no extra cost during laboratory evaluation, validation/ type approval and field trial, if any.
- 7.4 The extension of delivery period against the purchase order, if any, should be granted subject to the condition that BSNL shall have the absolute right to revise the price(s) and also to levy penalty for the delayed supplies.

7.0 TRAINING:

- 7.1 The bidder shall provide training for installation and maintenance staff of the purchaser free of cost where required.
- 7.2 The bidder shall specify in its bid the number of trainees, quantum of proposed training, pre-training qualifications required of the trainees and duration of the proposed training.
- 7.3 The bidder shall provide all training material and documents.
- 7.4 Conduct of training of the purchaser's personnel shall be at the Supplier/Contractors' plant and/or on-site in assembly start-up operation, maintenance and/or repair of the supplied goods.

8.0 INCIDENTAL SERVICES

The Supplier/Contractor may be required to provide any or all of the following services:

- (a) Performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) Furnishing of tools required for assembly and/or maintenance of supplied Goods;
- (c) Performance of supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties provided that this service shall not relieve the Supplier/Contractor of any warranty obligations under this contract.

9.0 SPARES

- 9.1 The Supplier/Contractor shall be required to provide a list of the following material and notifications pertaining to spare parts manufactured or distributed by the Supplier/Contractor of spares including cost and quantity considered for arriving at the price of spares in Sec-4 Part A clause9.
- 9.1.1 Such spare parts as the purchaser may elect to purchase from the Supplier/Contractor provided that such purchase shall not relieve the Supplier/Contractor of any warranty obligation under the contract.
- 9.1.1.1 In the event of termination of production of the spare parts, the Supplier/Contractor shall give advance notification to the purchaser pending termination (not less than 2 years), in sufficient time to enable the purchaser to procure life time spare; and following such advance intimation of termination, furnish at no cost to the purchaser, the blue prints, drawings and specifications of spare parts, if and when requested.

10.0 WARRANTY

- 10.1 The Supplier/Contractor shall warrant that the stores /equipments / accessories to be supplied shall be new and free from all defects and faults in materials used, workmanship and manufacture and shall be of the highest grade and consistent with the established and generally accepted standards for materials of the type ordered and shall perform in full conformity with the specifications and drawings. The Supplier/Contractor shall be responsible for any defect that may develop under the conditions provided by the contract and under proper use, arising from faulty material, design or workmanship such as corrosion of the equipment, inadequate quantity of equipment requirements, inadequate contact protection, material to meet deficiencies in circuit design and/ or otherwise and shall remedy such defects at its own cost when called upon to do so by the Purchaser who shall state in writing in what respect the stores are faulty. This warranty shall survive inspection or payment for/ and acceptance of goods, but shall expire (except in respect of complaints notified prior to such date) twelve months after the stores have been taken over under clause 5.5 above or as per original manufacturer's warranty policy whichever is more.
- 10.2 If it becomes necessary for the Supplier/Contractor to replace or renew any defective portion(s) of the equipment under this clause, the provisions of the clause 10.1 shall apply to the portion(s) of the equipment so replaced or renewed or until the end of the above mentioned period, whichever may be later. If any defect is not remedied by the Supplier/Contractor within a reasonable time, the Purchaser may proceed to get the defects remedied from other Supplier/Contractor etc., at the Supplier/Contractors risk and expenses, but without prejudice to any other rights which the purchaser may have against the Supplier/Contractor in respect of such defects.
- 10.3 Replacement under warranty clause shall be made by the Supplier/Contractor free of all charges at site including freight, insurance and other incidental charges.

11.0 PAYMENT TERMS

- 11.1.1 Payment of specified percentage of the price as stated in clause 5 of Section -2 (Tender Information) shall be made on receipt of goods by consignee or after successful completion of works. For claiming this payment the following documents are to be submitted to the paying authority.
- 11.1.2 Invoice clearly indicating break up details of composite price i.e. Basic, GST, any other Duties and Taxes, Freight /Packing Charges etc.
- 11.1.3 Acknowledged Delivery Challan in original.
- 11.1.4 The sea freight receipt as per the rates approved by the Ministry of Water and Surface Transport, if applicable.
- 11.1.5 Proof of payment of Octroi/ entry tax etc., if applicable.
 - Note :-1) If the Supplier/Contractor fails to furnish necessary supporting documents i.e. GST invoice/Customs invoices etc. and also fails to upload the information on GSTN in respect of the Duties/taxes for which input tax credit is available, the amount pertaining to such Duties/Taxes will be deducted from the payment due to the Supplier/Contractor.
 - 2) Tax amount will be paid to the Supplier/Contractor only after Supplier/Contractor declares the details of the invoices in its return in GSTR 1 and GSTR -3 uploaded by the Supplier/Contractor and the same is reflected in GSTR-2A of BSNL on GSTN portal.
 - 3) TDS/TCS shall be deducted at the prescribed rate, if any(as the case maybe)
 - 4) BSNL can adjust/forfeit Bank Guarantee obtained from the Supplier/Contractor against any loss of input tax credit to BSNL on account of Supplier/Contractor's default.
 - 5) In case BSNL has to pay GST on reverse charge basis, the Supplier/Contractor would not charge GST on its invoices. Further, the Supplier/Contractor undertakes to comply with the provisions of GST law as may be applicable.
- 11.2 In those cases where such shortages/damages are intimated to the Supplier/Contractor in writing, the balance payment shall be released only after the cases are settled in accordance with the provision of the P.O.
- 11.2.1 100% Payment (in place of Payment % specified in clause 11.1 above) may be made on delivery, provided that an additional Bank Guarantee for an amount equal to Balance Payment % of the value of supplies [specified in clause 11.2 above] valid for a minimum period of seven months is furnished by the Supplier/Contractor along with an undertaking that the equipment/stores supplied shall be free from damages/shortages. In case purchaser intimates shortages/ damages in received stores to the Supplier/Contractor in writing, the Bank Guarantee shall be extended without fail by the Supplier/Contractor for a suitable period as requested by the purchaser in writing. Failure to do so shall result in forfeiture of Bank Guarantee. The Bank Guarantee shall be accepted at Circle Head Quarter and shall be released only after the cases are settled in accordance with the provisions available in the Purchase Order/ Tender document.

- Note: The actual payment conditions for new products or procurements having installation and AMC services may be decided on case to case basis and incorporated in special conditions of the contract."
- 11.3. A certificate stating that the tendered item (stores) are meant for the use of BSNL shall be provided by the purchaser on the request of the bidder as and when asked for.
- 11.4. No payment will be made for goods rejected at the site on testing.
- 11.5. The bidder has to give the mandate for receiving payment costing Rs.5 lakhs and above electronically and the charges, if any, levied by bank has to be borne by the bidder/contractor/Supplier/Contractor. The bidder company is required to give the following information for this purpose:-
 - (a) Beneficiary Bank Name:
 - (b) Beneficiary branch N
 - (c) IFSC code of beneficiary Branch
 - (d) Beneficiary account No.:
 - (e) Branch Serial No. (MICR No.):

12.0 PRICES

- 12.1.1.1 Prices charged by the Supplier/Contractor for goods delivered and services performed under the contract shall not be higher than the prices quoted by the Supplier/Contractor in its Bid except for variation caused by change in taxes/ duties as specified in Clause-12.2 mentioned below.
- 12.1.1.2 For changes in taxes/ duties during the scheduled delivery period, the unit price shall be regulated asunder:
- **12.1.1.2.1** Prices will be fixed at the time of issue of purchase order as per taxes and statutory duties applicable at that time
- 12.1.1.3 In case of reduction of taxes and other statutory duties during the scheduled delivery period, purchaser shall take the benefit of decrease in these taxes/ duties for the supplies made from the date of enactment of revised duties/taxes.
- 12.1.1.4 In case of increase in duties/taxes during the scheduled delivery period, the purchaser shall revise the prices as per new duties/ taxes for the supplies, to be made during the remaining delivery period as per terms and conditions of the purchase order.
- Any increase in taxes and other statutory duties/ levies, after the expiry of the delivery date shall be to the Supplier/Contractor's account. However, benefit of any decrease in these taxes/duties shall be passed on to the Purchaser by the Supplier/Contractor. The total price is to be adjusted (by reducing the basic price) with increased duties and taxes as per price mentioned in PO.

13.0 CHANGES IN PURCHASE ORDERS

- 13.1 The purchaser may, at any time, by a written order given to a Supplier/Contractor, make changes within the general scope of the contract in any one or more of the following:
- 13.1.1 drawings, designs or specifications, where Goods to be supplied under the contract are to be specifically manufactured for the Purchaser;
- 13.1.2 the method of transportation or packing;
- 13.1.3 the place of delivery; or
- 13.1.4 the services to be provided by the Supplier/Contractor.
- 13.2 If any such change causes an increase or decrease in the cost of, or the time required for the execution of the contract an equitable adjustment shall be made in the contract price or delivery schedule, or both, and the contract shall accordingly be amended. Any proposal by the Supplier/Contractor for adjustment under this clause must be made within thirty days from the date of the receipt of the change in order.

14.0 SUBCONTRACTS: DELETED

15.0 DELAYS IN THE SUPPLIER/CONTRACTOR'S PERFORMANCE

- 15.1 Delivery of the Goods and performance of the services shall be made by the Supplier/Contractor in accordance with the time schedule specified by the purchaser in its purchase order. In case the supply is not completed in the stipulated delivery period, as indicated in the Purchase Order, purchaser reserves the right to short-close/ cancel this purchase order and/ or recover liquidated damage charges. The cancellation/ short-closing of the order shall be at the risk and responsibility of the Supplier/Contractor and purchaser reserves the right to purchase balance unsupplied item at the risk and cost of the defaulting vendors.
- 15.2 Delay by the Supplier/Contractor in the performance of its delivery obligations shall render the Supplier/Contractor liable to any or all of the following sanctions:
- 15.2.1 forfeiture of its performance security,
- 15.2.2 imposition of liquidated damages, and/or
- 15.2.3 Short closure of the contract in part or full and/ or termination of the contract for default.
- 15.3 If at any time during the performance of the contract, the Supplier/Contractor encounters condition impending timely delivery of the goods and performance of service, the Supplier/Contractor shall:
- 15.3.1 Promptly notify to the Purchaser in writing the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier/Contractor's notice, the purchaser shall evaluate the situation and may at its discretion extend the period for performance of the contract (by not more than 20 weeks or as per provisions of clause 16.2 Section-5A as per provision given below:

- 15.3.2 The vendor has to submit their request for extension along with the undertaking as per clause 24 Section-5A (Fall Clause) at least two weeks before the expiry of delivery period. The vendor shall also submit un conditional acceptance of the conditions for delivery period
 - extension i.e. applicability of liquidated damages, prices to be provisional and to be regulated as per clauses 12.3 and 24 of section- 5A and submission of additional BG, wherever applicable. The decision regarding extension shall be communicated within two weeks of the receipt of request and after receipt of the unconditional acceptance and the undertaking mentioned above.
- 15.3.3 In case extension is being granted beyond 20 weeks then the vendor shall submit additional BG while seeking extension. For piecemeal items the amount of additional BG shall be 5% of the value of balance quantity of items to be supplied for which extension in delivery period has been sought. In case of infrastructure/turnkey projects other than as stated above, 1% of the total project value shall be the value for additional BG. The additional BG shall be valid for six months beyond extension of delivery period sought and shall be discharged after the full ordered quantity has been supplied to the ultimate consignee within the last extended delivery period on submission of inspection certificate from QA and consignee receipt without prejudice to the other remedies available to the purchaser.
- 15.3.4 If the vendor fails to deliver the full ordered quantity even during extended delivery period then the PO shall be short-closed and the Performance Bank Guarantee as well as additional BG shall be forfeited.
- 15.3.5 Format of (i) letters conveying conditions of DP extension and (ii) DP extension letter are at Section 7 Part A & Part B.
- 15.4 If the supplies are not completed in the extended delivery period, the purchase order shall be short-closed and both the Performance securities shall be forfeited.

16.0 LIQUIDATED DAMAGES

- 16.1 The date of delivery of the stores / date of completion of works stipulated in the acceptance of the tender should be deemed to be the essence of the contract and delivery/completion must be completed not later than the dates specified therein. Extension will not be given except in exceptional circumstances. Should, however, deliveries/completion be made after expiry of the contracted delivery/completion period, without prior concurrence of the purchaser and be accepted by the consignee, such delivery will not deprive the purchaser of its right to recover liquidated damage under clause 16.2 below
- 16.2 While granting extension of delivery period as per clause15.3, the liquidated damages shall be levied as follows:
 - (a) Should the Supplier/Contractor fails to deliver the store/complete the work or any consignment thereof within the period prescribed and agreed for delivery/completion of work, the purchaser, without prejudice to other remedies available to the purchaser shall be entitled to recover ,as agreed liquidated damages for breach of contract, a sum equivalent to 0.5% of the value of the delayed

supply/completion of work and/ or undelivered material/supply / /uncompleted works for each week of delay or part thereof for a period up to 10 (TEN) weeks, and thereafter at the rate of 0.7% of the value of the delayed supply and/ or undelivered material/ supply /uncompleted works for each week of delay or part thereof for another TEN weeks of delay.

- (b) DP extension/EOT beyond 20 weeks would not be generally allowed. The extension beyond 20 weeks may be decided in most exceptional circumstances on case to case basis, by the tender approving authority, stating reasons and justifications for grant of extension of delivery / work completion period beyond 20 weeks.
- (c) In the case of package supply/ turnkey projects when the delayed portion of the supply materially hampers installation and commissioning of the systems, LD charges shall be levied as above on the total value of the concerned package of the Purchase Order.
- (d) Quantum of liquidated damages assessed and levied by the purchaser and decision of the purchaser thereon shall be final and binding on the Supplier/Contractor, further the same shall not be challenged by the Supplier/Contractor either before Arbitration tribunal or before the court. The same shall stand specifically excluded from the purview of the arbitration clause, as such shall not be referable to arbitration. The total value of the liquidated damages as per above sub-clauses shall be limited to a maximum of 12% (Twelve percent) i.e .LD shall be levied up to 20weeks only as per provision at Para(a).
- In cases where the scheduled delivery period is distributed month-wise or is in installments, the liquidated damages shall be imposed for delay in each scheduled month/ installment. Liquidated damages shall be calculated separately for quantities to be supplied in every month/ installment and the corresponding delay. If the Supplier/Contractor supplies full quantity before the expiry of the scheduled delivery period of the last month/ installment but there is delay in month-wise/ installment-wise supply, then also liquidated damages shall be levied on the supplies against the earlier months/ installments that have been delayed. Twenty (20) weeks for the purpose of additional BG and grant of DP extension shall be counted from the last month/installment.
- 16.4 Deleted

17.0 FORCE MAJEURE

17.1 If, at any time, during the continuance of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts or act of God (hereinafter referred to as events) provided notice of happenings of any such eventuality is given by either party to the other within 21days from the date of occurrence thereof, neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance, and deliveries

under the contract shall be resumed as soon as practicable after such an event come to an end or cease to exist, and the decision of the Purchaser as to whether the deliveries have been so resumed or not shall be final and conclusive. Further that if the performance in whole or part of any obligation under this contract is prevented or delayed by reasons of any such event for a period exceeding 60 days, either party may, at its option, terminate the contract.

17.2 Provided, also that if the contract is terminated under this clause, the Purchaser shall be at liberty to take over from the Supplier/Contractor at a price to be fixed by the purchaser, which shall be final, all unused, undamaged and acceptable materials, bought out components and stores in course of manufacture which may be in possession of the Supplier/Contractor at the time of such termination or such portion thereof as the purchaser may deem fit, except such materials, bought out components and stores as the Supplier/Contractor may with the concurrence of the purchaser elect to retain.

18.0 ACTION BYPURCHASER AGAINST BIDDER(S)/VENDOR(S) IN CASE OF DEFAULT.

- 18.1 In case of default by Bidder(s)/ Vendor(s) such as
- 18.1.1 Failure to deliver and/ or commission any or all of the goods /completion of works within the time period(s) specified in the contract, or any extension thereof granted by the purchaser pursuant to clause15 of this section;
- 18.1.2 Failure to perform any other obligation(s)under the Contract; and
- 18.1.3 Equipment does not perform satisfactory in the field in accordance with the specifications;
- 18.1.4 Or any other default whose complete list is enclosed in Appendix-1 of Section-4, Part-A: Purchaser will take action as specified in Appendix-1 of Section-4, Part-A.
- 19.0 Clause deleted.
- **20.0 ARBITRATION** (Applicable in case of supply orders/Contracts with firms, other than Public Sector Enterprise) (Not applicable in cases valuing less than Rs. 5lakhs)

Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties unable to settle mutually, the same shall be referred to Arbitration as provided hereunder:

(1) A party wishing to commence arbitration proceeding shall invoke Arbitration Clause by giving 60 days' notice to the designated officer of the other party. The notice invoking arbitration shall specify all the points of disputes with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.

(2) The number of the arbitrators and the appointing authority will be asunder:

Claim amount (excluding claim for counter claim, if any)	Number of arbitrator	Appointing Authority
Above Rs. 5 lakhs to Rs. 5 crores	Sole Arbitrator to be appointed from a panel of arbitrators of BSNL.	BSNL (Note: BSNL will forward a list containing names of three empanelled arbitrators to the other party for selecting one from the list who will be appointed as sole arbitrator by BSNL)
Above Rs. 5 crores	3 Arbitrators	One arbitrator by each party and the3 rd arbitrator, who shall be the presiding arbitrator, by the two arbitrators. BSNL will appoint its arbitrator from its panel.

- (3) Neither party shall appoint its serving employee as arbitrator.
- (4) If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left it both parties consent for the same; otherwise, he shall proceed denovo.
- (5) Parties agree that neither party shall be entitled for any pre-reference or pendentelite interest on its claims. Parties agree that any claim for such interest made by any party shall be void.
- (6) Unless otherwise decided by the parties, Fast Track procedure as prescribed in Section 29 B of the Arbitration Conciliation Act, 1996 for resolution of all disputes shallbefollowed, where the claim amount is up to Rs. 5 crores.
 - [29B. Fast track procedure (1) Notwithstanding anything contained in this Act, the parties to an arbitration agreement, may, at any stage either before or at the time of appointment of the arbitral tribunal, agree in writing to have their dispute resolved by fast track procedure specified in sub-section(3).
- (7) The parties to the arbitration agreement, while agreeing for resolution of dispute by fast track procedure, may agree that the arbitral tribunal shall consist of a sole arbitrator who shall be chosen by the parties.
- (8) The arbitral tribunal shall follow the following procedure while conducting arbitration proceedings under sub-section(1):-

- (a) The arbitral tribunal shall decide the dispute on the basis of written pleadings, documents and submissions filed by the parties without oral hearing;
- (b) The arbitral tribunal shall have power to call for any further information or clarification from the parties in addition to the pleadings and documents filed by them;
- (c) An oral hearing may be held only, if, all the parties make a request or if the arbitral tribunal considers it necessary to have oral hearing for clarifying certain issues;
- (d) The arbitral tribunal may dispense with any technical formalities, if an oral hearing is held, and adopt such procedure as deemed appropriate for expeditious disposal of the case.
- (9) The award under this section shall be made within a period of six months from the date the arbitral tribunal enters upon the reference.
- (10) If the award is not made within the period specified in sub-section (4), the provisions of sub-sections (3) to (9) of Section 29 A shall apply to the proceedings.
- (11) The fees payable to the arbitrator and the manner of payment of the fees shall be such as may be agreed between the arbitrator and the parties.]
- (12) The arbitral tribunal shall make and publish the award within time stipulated as under:

Amount of Claims and Counter Claims	Period for making and publishing of the award (counted from the date the arbitral tribunal enters upon the reference)
Up to Rs. 5 crores	Within6months(Fast Track procedure)
Above Rs. 5 crores	Within 12 months

However, the above time limit can be extended by the Arbitrator for reasons to be recorded in writing with the consent of parties and in terms of provisions of the Act.

(13) In case of arbitral tribunal of 3 arbitrators, each party shall be responsible to make arrangements for the travel and stay, etc. of the arbitrator appointed by it. Claimant shall also be responsible for making arrangements for travel/stay arrangements for the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties.

In case of sole arbitrator, BSNL shall make all necessary arrangements for his travel/stay and the expenses incurred shall be shared equally by the parties.

(14) The Arbitration proceeding shall be held at New Delhi or Circle or SSA Headquarter (as the case maybe).

- (15) Subject to the aforesaid conditions, provisions of the Arbitration and ConciliationAct,1996 and any statutory modifications or re-enactment thereof shall apply to the arbitration proceedings under this clause.
- II. Following Arbitration Clause may be incorporated in Contracts POs, APOs, Tenders, EOIs, etc. between BSNL and Central/State Government (s) as the case may be in terms of DPE guidelines for settlement of commercial disputes between Public Sector Enterprises inter-se and Public Sector Enterprise(s) and Government Department(s) through Permanent Machinery of Arbitrators (PMA) in the Department of Public Enterprises.

In the event of any dispute or difference relating to the interpretation and application of the provisions of the contracts, such dispute or difference shall be referred by either party for Arbitration to the sole Arbitrator in the Department of Public Enterprises to be nominated by the Secretary to the Government of India in-charge of the Department of Public Enterprises. The Arbitration and Conciliation Act, 1996 shall not be applicable to arbitration under this clause. The award of the Arbitrator shall be binding upon the parties to the dispute, provided, however, any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary, Department of Legal Affairs, Ministry of Law & Justice, Government of India. Upon such reference the dispute shall be deiced by the Law Secretary or the Special Secretary/Additional Secretary, when so authorized by the Law Secretary, whose decision shall bind the Parties finally and conclusively. The Parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.

Further, with regard to already signed/existing contracts, existing Arbitration clause for sole arbitrator can be invoked in case the parties waive, subsequent to disputes having arisen between them, the applicability of sub-section (5) of section 12 by an express agreement in writing.

III. APPLICABLE LAW AND JURSDICTION

- (a) The supply order for Goods 'or' Services, including all matters connected with this supply order shall be governed by the Indian law both substantive and procedural, for the time being in force and shall be subject to the exclusive jurisdiction of Indian Courts at the place from where the Purchase Order has been placed.
- (b) Foreign companies, operating in India or entering into Joint Ventures in India, shall have to obey the law of land and there shall be no compromise or excuse for the ignorance of the Indian legal system in anyway.
- © The venue of arbitration shall be BSNL CO New Delhi and/or Circle/SSA HQ or the office of the Arbitrator situated at New Delhi or at the respective Territorial Circle/SSA HQ as the case may be.

21. SET OFF

Any sum of money due and payable to the Supplier/Contractor (including security deposit refundable to him) under this contract may be appropriated by the purchaser or the BSNL or any other person(s) contracting through the BSNL and setoff the same against any claim of the Purchaser or BSNL or such other person or person(s) for payment of a sum of money arising out of this contract or under any other contract made by the Supplier/Contractor with the Purchaser or BSNL or such other person(s) contracting through the BSNL.

22. INTIMATION OF SUPPLY STATUS

The bidders, who are given Purchase Orders, must give the details of the supplies made against all the Purchase Orders every month on the first working day of the following month to MM and the concerned User Branches of BSNL.

23. DETAILS OF THE PRODUCT

The bidder should furnish the name of its collaborator (if applicable), brand name, model number and type of the products offered in this tender. The technical literatures of the products should also be submitted. No change in either technology or product shall be permitted after opening of bids.

24. FALL CLAUSE

- 24.1 The prices once fixed will remain valid during the scheduled delivery period except for the provisions in clause 12.1 of Section-5A. Further, if at any time during the contract
- (a) It comes to the notice of purchaser regarding reduction of price for the same or similar equipment/service;

And / or

- (b) The prices received in a new tender for the same or similar equipment/service are less than the prices chargeable under the contract.
- 24.2 The purchaser, for the purpose of delivery period extension, if any, will determine and intimate the new price, taking into account various related aspects such as quantity, geographical location etc., and the date of its effect for the balance quantity/ service to the vendor. In case the vendor does not accept the new price to be made applicable during the extended delivery period and the date of its effect, the purchaser shall have the right to terminate the contract without accepting any further supplies. This termination of the contract shall be at the risk and responsibility of the Supplier/Contractor and the purchaser reserves the right to purchase the balance unsupplied quantity/ service at the risk and cost of the defaulting vendor besides considering the forfeiture of its performance security.
- 24.3 The vendor while applying for extension of time for delivery of equipment/services, if any, shall have to provide an undertaking as "We have not reduced the sale price, and/ or offered to sell the same or similar equipment/ service to any person/ organization including Department of central/state

- Government or any central/ state PSU at a price lower than the price chargeable under the contract for scheduled delivery period."
- 24.4 In case under taking as in Clause 24.3 is not applicable, the vendor will give the details of prices, the name(s) of purchaser, quantity etc. to the purchaser, while applying extension of delivery period.

25. COURT JURISDICTION

- 25.1 Any dispute arising out of the tender/ bid document/ evaluation of bids/ issue of APO shall be subject to the jurisdiction of the competent court at the place from where the NIT/ tender has been issued.
- 25.2 Where a contractor has not agreed to arbitration, the dispute/ claims arising out of the Contract/ PO entered with him shall be subject to the jurisdiction of the competent Court at the place from where Contract/ PO has been issued. Accordingly, a stipulation shall be made in the contract asunder.

"This Contract/ PO is subject to jurisdiction of Court at Bhubaneswar only".

26. General Guidelines:-

"The General guidelines as contained in Chapter 5, 6 and 8 of General Financial Rules as amended from time to time on works, procurement of goods and services and contract management respectively may also be referred to as guiding principles".

SECTION - 5 Part B

SPECIAL (COMMERCIAL) CONDITIONS OF CONTRACT (SCC)

Provisions in the Special Commercial Conditions of Contract (SCC) (SECTION-5 Part B) shall supersede the corresponding provisions in the General Commercial Conditions of Contract (GCC) (SECTION-5 Part A) in case of conflict.

The firm shall read carefully the following conditions and shall quote accordingly confirming all the points in their offer. Modification in tender conditions will not be permitted at any stage of tender/agreement formation/execution of work.

- <u>Definitions</u>: The 'Contract' means the documents forming the tender and acceptance thereof and
 the formal agreement executed between the competent authority on behalf of BSNL and the
 contractor, together with the documents referred to therein including these conditions, the
 specifications, designs, drawings and instructions issued from time to time by the Engineer-inCharge and all these documents taken together, shall be deemed to form one contract and
 shall be complementary to one another.
- 2. In the contract the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them:
 - i) The expression "works" or "work" shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
 - ii) The 'site' shall mean the land/building/or other places on, into or through which work is to be executed under the contract or any alternate land, building, path or street which may be allotted or used for the purpose of carrying out the contract.
 - iii) The 'Contractor' shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.
 - iv) BSNL means the Bharat Sanchar Nigam Ltd. having its corporate office at Harish Chandra Mathur Lane, Janpath, New Delhi-110001 and its successors.
 - v) The 'Engineer-in-charge' means the Engineer officer who shall supervise and be in-charge of the work and who shall sign the contract on behalf of BSNL.
 - vi) Accepting Authority shall mean the authority who accepts the tender on behalf of BSNL.
 - ix) Tendered value means the value of the entire work as stipulated in the letter of award.

- 3. <u>Scope and Performance</u>: Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- 4. The contractor shall be furnished, free of cost, one certified copy of the contract documents except standard specifications, schedule of rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.
- 5. Works to be carried out: The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognised principles.
- 6. <u>Sufficiency of Tender</u>: The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
- 7. <u>Discrepancies & adjustments of Error</u>: The several documents forming the contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- 7.1 In the case of discrepancy between the schedule of quantities/requirements, the specifications and/or the drawings, the following order of preference shall be observed:
 - i) Description of Schedule of Quantities/Requirements.
 - ii) Particular Specification and Special condition, if any
 - iii) Drawings
 - iv) BSNL Specifications
 - v) C.P.W.D. Specifications
 - vi) Indian Standard Specifications of B.I.S
- 7.2 If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.

7.3 Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the Contract or release the contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.

8.0 SIGNING OF CONTRACT:

- 8.1 The successful tenderer /contractor, on acceptance of his tender by the Accepting Authority, shall, within 07 days from the date of formal award of work by the Engineer in Charge, sign the contract consisting of the notice inviting tender, all the documents including drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 8.2 The agreement to be signed on non-judicial stamp paper and the cost to be decided as per the prevailing local bye-laws or zonal head of the circle.
- **9.0** This Contract/PO is subject to jurisdiction of Court at Bhubaneswar only.

10.0 BID BOND GAURANTEE OR EARNEST MONEY DEPOSIT (EMD)

10.1 Purpose

The Bid Bond Guarantee also known as Earnest Money Deposit (EMD) or Earnest Money Bank Guarantee (EMBG). The purpose of EMD is to get a commitment by the Bidder to honour its bid during the bid validity period.

10.2 Value

The value of EMD will be @2% of the total estimated cost of the equipment/ stores including services proposed to be procured in the tender subject to a maximum of Rupees Two Crore.

10.3 Validity Period

The validity period of the EM BG should be 30days beyond the Bid validity i.e. n+30 days, where 'n' is number of days invalidity period of offer e.g. 90+30 = 120 days, if the bid validity period is 90 days.

10.4 Extension of Validity Period

In case, where BSNL finds that it is not able to place Advance Purchase Order within the validity period of the bid, BSNL can request all bidders to extend the validity of their respective bids and the EMBGs by a reasonable period. In such cases, extension of validity of Bid Security Bond by 30 days beyond the extended validity date of bids should also be asked for. While BSNL can make the request for extension, the bidder is free to either extend the validity or refuse the request to extend the Validity.

10.5 Release of EMD

- 10.5.1 EMD of all unsuccessful Bidders should be released on placement of Purchase Order (PO) on the successful bidders. This should be done within one month of release of Purchase Order(s).
- 10.5.2 In case of successful Bidders, the EM BG shall be released on receipt of their acceptance of Advance Purchase Order and furnishing the performance security.

10.5.3 Where BSNL requests the Bidder to extend the validity of the Bid beyond the stipulated period given in the Bid documents, and the bidder refuses to extend the validity of its bid, the EMD of such Bidders shall be returned within one month of receipt of such communication. In such cases, the bidder shall not be considered for further evaluation or ordering.

10.6 Encashment of EMD

- 10.6.1 EMD of a bidder shall be forfeited, if the bidder withdraws or amends its bid or impairs or derogates from the bid in any respect during the period of bid validity specified by the bidder on the Bid Form or extended subsequently.
- 10.6.2 When BSNL places an Advance Purchase Order / purchase order on the successful bidder on its quoted price and the bidder refuses to accept it within the scheduled period as stated in APO, EMD shall be forfeited.
- 10.6.3 The decision of BSNL in this regard will be final & binding.

10.7 Acceptable forms of EMD

The EMD should be in the form of a Bank Guarantee drawn from a scheduled bank in favour of BSNL .EMD in the form of Account Payee Demand Draft, Fixed Deposit Receipt or Banker's Cheque, safeguarding BSNL's interest in all respects, shall also be acceptable. However, no interest shall be payable on EMD received in form of DD/banker's cheque.

11.0 PERFORMANCE GURANTEE:

- 11.1 The contractor is required to furnish performance guarantee to an amount equal to 10% of the contract value in the form of Bank guarantee (of a Nationalized / scheduled Bank in a standard format)/CDR/FDR/DD within two weeks from the date of issue of award letter. The validity period of the performance security shall be 18 months from the date of award of works.
- 11.2 In case the time for contract period gets enlarged ,the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time to cover up the contract period.
- 11.3 In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the Performance guarantee shall stand forfeited in full and shall be at the disposal of the BSNL.

12. SECURITY DEPOSIT:

No Security Deposit shall be deducted from the bills of the Contractor against receipt of Performance Guarantee @10% on the contract value as per clause. 11.0 above.

13. RELEASE OF SECURITY PERFORMANCE GURANTEE:

This Performance Guarantee shall be released after an observation period of 12 months after the date of actual completion of work subject to compliance of the clauses, terms and conditions of the contract including warranty and defect liability.

14. DATE OF COMPLETION

The date of successful rewinding/repairing of Transformer, re-installation, re-energisation, testing and commissioning shall be the actual date of completion of individual work.

The date of completion will be as per the followings:

- (i) For individual work, the time allowed for completion is 10 days in case of rewinding & repairing of Transformers and
- (ii) In case of replacement of faulty Transformer by a spare/new/repaired Transformer supplied to the Contractor by BSNL, the following is allowed:
 - (a). For Distance of up to 100 Kms from SSA head quarters: 24 hours
 - (b). For Distance more than 100 Kms and up to 200 Kms from SSA head quarters: 48 hours.

15. PENALTY FOR DELAY:

- (a) If the individual work is not completed within the stipulated period as above, penalty of ₹5,000/- (Rupees Five Thousand only) shall be imposed for the first case. If such delay is noticed in subsequent case, penalty of 10,000/- (Rupees Ten thousand only) shall be imposed. In case of subsequent repeated delays, BSNL reserves the right to close the contract by forfeiting the Performance Guarantee.
- (b) BSNL has the right to repair the faulty Transformer and restore power supply to the site by the other contractors at the cost and risk of the defaulted contractor in addition to imposition of the above mentioned penalties.
- (c) In case of repetitive defaults, the Contract will be cancelled with forfeiture of full performance Guarantee in addition to recovery of above penalty amounts, unless and otherwise, the date of completion is extended by the competent authority.
- (d) This is without prejudice to any rights or remedies under any of the other provisions of this contract to impose any penalty and recover any amount by the BSNL from the Contractor.
- (e) However, with due permission from the Engineer in charge the Contractor may make any stop gap arrangement for restoration of EB supply to the site at his own risk and cost to avoid the above mentioned penalties. No claims against this stop gap arrangement will be entertained by BSNL.
- (f) The imposition of the above penalties is however subject to force majeure condition.

16. PAYMENT SYSTEMS:

- 16.1 Payment will be made after successful completion of the work as per terms, conditions and Technical specifications of the Contract.
- 16.2 However, upon receiving the request of the supplier / Contractor, interim payment on account of amount admissible shall be made by the Engineer-in-charge certifying the sum to which the supplier / contractor is considered entitled by way of interim payment at such rates as decided by the Engineer-in-charge. The contractor shall not be entitled to be paid any interim payment if the gross work done since the last payment is less than Rupees Twenty thousand.
- 16.3 The final bill shall be submitted by the supplier / contractor within three months of physical completion of the work or within one month of the date of the final completion Certificate furnished by the Engineer-in-charge whichever is earlier. No further claims shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payment of those items of the bill in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by Engineer-in-charge, will, as far as possible be made Soon after allotment of funds by BSNL Corporate office.
- 16.4 No payments will be made for defective/rejected materials and substandard works.
- 16.5 GST will be paid after submission of the GST return by the firm and after confirmation with GSTR 2A.
- 16.6 DOCUMENTS TO BE SUBMITTED BY THE FIRM FOR PROCESSING THEIR BILLS

The Supplier /Contractor has to submit the following documents for processing their bills:

- i) Tax Invoice indicating proper HSN/SAC code of material supplied/works executed.
- ii) Delivery challan / Goods receipt /work completion certificate.
- iii) Computerised measurement books in triplicate.
- iv) Warranty documents of materials/goods and technical leaflets/manuals etc.
- v) Test Certificates of Transformer.

17. TAX DEDUCTED AT SOURCE:

BSNL shall deduct income tax/TDS, labour welfare cess and other statutory deductions from payments due to the supplier / contractor as per the prevailing rules of the State/Central Government.

18. CURRENCY OF CONTRACT

The currency of contract shall be as given in the detailed NIT. The Department reserves the right to terminate the contract by giving notice of one week duration at any time during the currency of the contract. BSNL reserves the right to extend the period of contract for a period of **03 months** at the same rate, terms and conditions of the tender.

However, if deliveries of goods/completion of works are to be made after expiry of the stipulated time period, without prior concurrence of the purchaser and will be accepted

by the purchaser, such delivery/completion of work will not deprive the purchaser of its right to recover liquidated damage under clause 16.2 of Sec. 5, Part.A.

19. OPERATION OF THE CONTRACT

- a) An award letter will be issued by Executive Engineer (E) along with schedule of work and agreement shall be framed by EE (E) concerned. The agreement so executed containing all the terms and conditions of tender shall be final & binding on both the parties and any action, if required, to be taken shall be taken as per this contract.
- b) It is a consolidated tender for a number of works to be executed at different sites under BSNL Bhubaneswar SSA. The department reserves the right to allot works for any site throughout the jurisdiction of BSNL Electrical Division, Bhubaneswar (Except Koraput SSA) at the same rates, terms and conditions of the tender.

20. TERMINATION OF CONTRACT

Right is reserved by BSNL for terminating the contract due to serious default. This includes abnormal delay in completion of the works, major break down or accident or loss due to negligence on the part of firm, disobedience and abandoning the site etc. In such a case full 10% of the performance Guarantee shall be forfeited by BSNL in addition to recovery of other penalty amount from the bills of the contractor as imposed under the other clauses of the contract. The decision of BSNL in this regard shall be final and binding.

21. CURTAILMENT OF QUANTITIES:

BSNL reserves the right to enforce curtailment in the assigned quantum of work for any supplier / contractor on the grounds of defaults/delay in regard to execution of the individual work assigned as well as on the ground of non availability of sites during the currency of contract.

22. DEFECT LIABILITY & GUARANTEE:

The Contractor has to give guarantee of the repaired work if any defect or failure, which arise due to faulty materials, workmanship or design within the defect liability period. The defect liability period shall be 12 months from the date of reinstallation and recommissioning of repaired transformers (last consignment) at site. If during this period any repaired ransformers are found defective, these shall be promptly replaced or rectified by the Contractor at his own cost including to and fro transportation cost.

23. E-WAY BILL:

It shall be the responsibility of Supplier / Contractor to obtain e-way bill in case of movement of goods exceeding limit as prescribed under the GST Act. The Supplier / Contractor would indemnify BSNL in case of any non-compliance or default or due to lack of diligence on the part of the Supplier / Contractor to comply with the e-waybill requirement. NO CONCESSIONAL FORMS WILL BE ISSUED BY BSNL.

24. COMPUTERISED MEASUREMENT BOOKS (CMB'S) AND BILLS TO BE SUBMITTED BY THE CONTRACTOR / FIRM

- 24.1 **Application and format of the computerised MB**: A bound volume of computerised measurements to be furnished by the contractor, duly machine numbered for the pages, and with an MB number given by the Division Office. The pages of these Measurement Books shall be of A-4 size. All these Measurement Books belonging to a Division shall be serially numbered, and a record of these Computerised Measurement Books shall be maintained in a separate Register in Form CPWA 92. The same format as in existing Measurement Books shall be used for the Computerised Measurement Books. The measurements shall be carried forward from the previous recorded measurements as per the existing procedure.
- 24.2 **Mode Of Measurements**: The measurements shall be recorded and entered in computerised format in the first instance by the contractor, and a hard copy shall be submitted to the Department. These measurements shall then be 100% checked by JTO (E). If JTO (E) is not available, S D E (E) shall perform 100% check of the measurements. The contractor shall incorporate all such changes or corrections, as may be done during these checks, to his draft computerised measurements, and submit to the department the corrected computerized measurements in the form of a book, duly hard bound in red colour on the lines of the conventional Measurement Books and with its pages machine numbered. The SDE (E) and the Executive Engineer (E) shall test check these computerised measurements as per the existing instructions. This book shall be treated as a Computerised Measurement Book. JTO (E), SDE (E) and EE (E) shall record the necessary certificates for their checks and test checks as per the existing procedure in this Computerised Measurement Book. The Computerised Measurement Books.
- 24.3 Cutting or over-writing in the computerised MB not allowed: The Computerized Measurement Book given by the contractor, duly bound, with its pages machine numbered, shall have no cutting or over-writing. It is the responsibility of JTO (E) or SDE (E) as the case may be to ensure that the checks and test checks done by them in the initial draft measurements are correctly incorporated in the Computerized Measurement Book before they record their certificates. In case of any error, the Computerised Measurement Book shall be cancelled, and the contractor shall re-submit a fresh Computerized Measurement Book. This should be done before the corresponding computerised bill is submitted to the Division for payment. The contractor shall submit Computerised Measurement Books in triplicate for the purpose of reference and record in the various offices of the department.
- 24.4 Computerised Bill to be submitted by the contractor: The contractor shall submit his running and final bills in a computerised form in the same format as the existing conventional bills, with all the pages machine numbered, and hard bound, and with all the entries made as per the existing procedure. The contractor shall submit the computerized bills in triplicate as may be required for the purpose of reference and record in the various offices of the department. The bill shall be carried forward from the previous running account bill and these computerised bills shall be processed by the various offices for payment.

SECTION-6

UNDERTAKING & DECLARATION

6(A) - For understanding the terms & condition of Tender & Spec. of work

a)	Cert	ified that:
	1.	I/ We have read, understood and agree with all the
		terms and conditions, specifications included in the tender documents & offer to
		execute the work at the rates quoted by us in the tender form.
	2.	If I/ We fail to enter into the agreement & commence the work in time, the
		EMD/SD deposited by us will stand forfeited to the BSNL.

b) The tenderer hereby covenants and declares that:

- 1. All the information, Documents, Photo copies of the Documents/ Certificates enclosed along with the Tender offer are correct.
- If anything is found false and/or incorrect and/or reveals any suppression of fact at any time, BSNL reserves the right to debar our tender offer/ cancel the LOA/ Purchase/ work order if issued and forfeit the EMD/ SD/ Bill amount pending with BSNL. In addition, BSNL may debar the contractor from participation in its future tenders.

Date:	Signature of Tenderer
Place:	Name of Tenderer:
	Along with date & Seal

6 (B) – UNDERTAKING - REGARDING EPF & ESI

"I,	
Re	sident of
hereby give an undert	aking that,
* I/ We have registe	red as per the EPF and ESI and Miscellaneous provisions Act, 1952 and our
registration no is	. We undertake to keep it valid during the currency of
contract.	
undersigned contracto	ing due to non-complying of EPF & ESI Act provision shall be sole liability of the or. In case at any stage, it is found that the information given by me is false / have the absolute right to take any action as deemed fit/without any prior
* Strike out whichever	is not applicable

(Seal of the firm) (Dated Signature of Contractor)

6 (C) – NEAR-RELATIONSHIP CERTIFICATE

(Format of the Certificate to be given as per the clause 34.4 of Sect	ction-4 Part-A by	the bidder in
respect of status of employment of his/ her near relation in BSNI	IL)	

The format of the certificate to be given is "I	s/o
r/o	
hereby certify that none of my relative(s)as defin	ned in the
tender document is/are employed in BSNL unit as per details given in tender do	cument. In
case at any stage, it is found that the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by me is false/ incompared to the information given by the information given by the information given give	rect, BSNL
shall have the absolute right to take any action as deemed fit/without any prior	intimation
tome."	

Signature of the tenderer With date and seal

SECTION-7

PROFORMAS

7(A) For the BIDSECURITY/EMD Guarantee (To be typed on Rs.100/- non-judicial stamp paper)

Sub: Bid Security/EMD guarantee.

Whereas M/s		R/o		(Here	after
referred to as Bidder) h	as approached	us for giving Bank (Guarantee of	Rs	/-
(hereafter known as t the "Validity date") in f the tender of work of	avour of AO Cas	h, BSNL, O/o GMTD,			
					e
tender no					
Now at the re	equest of the	Bidder, We			Bank
		having			
(Address) and Regd. Of	fice address as .				

- We the Bank do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the BSNL stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the BSNL by reason of breach by the said bidder(s) of any of terms or conditions contained in the said Agreement or by reason of the bidder (s) failure to perform the said Agreement. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee where the decision of the BSNL in these counts shall be final and binding on the bank. However, our liability under this guarantee shall be restricted to an amount not exceeding the "B. G. Amount".
- 3. We undertake to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the bidder(s) in any suit or proceeding before any court or tribunal relating thereto our liability under this present being absolute and unequivocal. The Payment so made by us under this bond shall be valid discharge of our liability for payment there under and the bidder(s) shall have no claim against us for making such payment.
- 4. We the Bank further agree that the guarantee here in contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till BSNL Certifies that the terms and conditions of the said Agreement have

been fully and properly carried out by the said bidder(s) and accordingly discharge this guarantee. Unless a demand or claim under this guarantee is made on us in writing or before the expiry of Validity date from the date hereof, we shall be discharged from all liability under this guarantee thereafter.

- 5. We the Bank further agree with the BSNL that the BSNL shall have the fullest liberty without our consent and without affecting in any manner our obligations here under to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said bidder(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the BSNL against the said bidder(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Bidder(s) or for any forbearance, act or omission on the part of the BSNL or any indulgence by the BSNL to the said bidder(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.
- 6. Notwithstanding anything herein contained;
 - (a) The liability of the Bank under this guarantee is restricted to the "B. G. Amount" and it will remain in force up to its Validity date specified above.
 - (b) The guarantee shall stand completely discharged and all rights of the BSNL under this Guarantee shall be extinguished if no claim or demand is made on us in writing on or before its validity date.
- 7. In case BSNL demands for any money under this bank guarantee, the same shall be paid through banker's Cheque in favour of **AO Cash, BSNL, O/o GMTD, Bhubaneswar**
- 8. The Bank guarantees that the below mentioned officer who have signed it on behalf of the Bank have authority to give this guarantee under its delegated power.

Place:	
Date:	(Signature of the Bank Officer)
Rubber stamp of the bank:	
Authorized Power of Attorney Number:	
Name of the Bank officer:	
Designation:	
Complete Postal address of Bank:	
Telephone Numbers	
Fax numbers	

7(B) For the Performance Guarantee (To be typed on Rs.100/- Non-judicial stamp paper)

Dated:....

Sub: Performance guarantee.		
issued award	Whereas Executive Engineer (Elect.) R/o(here after referred to as has an APO no/20 Dated:/20	
to M/s and has <i>Bhubane</i>	asked him to submit a performance guarantee in favour of <i>AO Cash, BSNL, O/o GMTD, eswar</i> of Rs/- (hereafter referred to as "P.G. Amount") valid up to /20(hereafter referred to as "Validity Date")	
	Now at the request of the Bidder,We	
(Hereina	after called 'the Bank") agreed to give this guarantee as hereinafter contained:	
2.	We, "the Bank" do hereby undertake and assure to the BSNL that if in the opinion of the BSNL, the Bidder has in any way failed to observe or perform the terms and conditions of the said agreement or has committed any breach of its obligations there-under, the Bank shall on demand and without any objection or demur pay to the BSNL the said sum limited to P.G. Amount or such lesser amount as BSNL may demand without requiring BSNL to have recourse to any legal remedy that may be available to it to compel the Bank to pay the same.	
3.	Any such demand from the BSNL shall be conclusive as regards the liability of Bidder to pay to BSNL or as regards the amount payable by the Bank under this guarantee. The Bank shall not be entitled to withhold payment on the ground that the Bidder had disputed its liability to pay or has disputed the quantum of the amount or that any arbitration proceeding or legal proceeding is pending between Bidder and BSNL	

4. We, the Bank further agree that the guarantee shall come into force from the date of its issue and shall remain in full force and effect up to its Validity date.

regarding the claim.

5. The Bank further agrees that the BSNL shall have the fullest liberty without the consent of the Bank and without affecting in any way the obligations hereunder to vary any of the terms and conditions of the said agreement or to extend the time for performance of the said agreement from any of the powers exercisable by BSNL against the Bidder and to forebear to enforce any of the terms and conditions relating to the

said agreement and the Bank shall not be relieved from its liability by reason of such failure or extension being granted to Bidder or through any forbearance, act or omission on the part of BSNL or any indulgence by BSNL to Bidder or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of relieving or discharging the guarantor.

- 6. Notwithstanding anything herein contained;
 - (a) The liability of the Bank under this guarantee is restricted to the P.G. Amount and it will remain in force up to its Validity date.
 - (b) The guarantee shall stand completely discharged and all rights of the BSNL under this Guarantee shall be extinguished if no claim or demand is made on us in writing on or before its validity date.
- 7. In case demands for any money under this bank guarantee, the same shall be paid through banker's Cheque in favour of AO Cash, BSNL, O/o GMTD, Bhubaneswar "payable at Bhubaneswar.
- 8. The Bank guarantees that the below mentioned officer who have signed it on behalf of the Bank have authority to give this guarantee under its delegated power.

Place:			
Date:	(Signature of the Bank Officer)		
Rubber stamp of the bank			
Authorized Power of Attorney Number:			
Name of the Bank officer:			
Designation:			
Complete Postal address of Bank:			
Telephone Numbers			
Fax numbers			

7 (C) For Letter of Authorization for attending Bid Opening Event.

(To be typed preferably on letter head of the company)

Subject: Authorization for attending Bid opening

	nave submitted our bid for the tender no
on (Date) in the Meeting Ro	(Item of work) which is due to open om, O/o
Signature of the Representative	Signature of Bidder/ Officer authorized to sign on behalf of the Bidder
Name of the Representative	
Signature of the alternative Represent	ative
Name of the alternative Representative	
Above Signatures Attested	

Note 1: Only one representative will be permitted to attend the Bid opening

2. Permission for entry to the hall where bids are opened may be refused in case authorization as prescribed above is not received.

7(D) Model Amendment Letter Intimating Conditions for Extension of Delivery Period

(Refer to Appendix (i) to clause 15.3 of Section-5 PartA)

	Registered Ack Due
То	
M/s	
	••••••
Address of BSNL	
Sub: This office of	 contract no dated placed on you for supply
	dated
	your letter, wherein you have asked for extension/ further extension of time
	on/installation/commissioning.
•	imstances stated in your above referred letter, the time of delivery can be
	(original/ last delivery period) to
	(presently agreed delivery period) subject to you
unconditional accep	tance of the following terms and conditions:
 16.2 & 16.3 Sect That, notwithstasuch increase, was admissible on superstanding. That, the price governed as peraccordance with impact or the province with impact or the province with additional Brown with validity up to the province with additional Brown with validity up to the province with additional Brown with validity up to the province with the price of the pric	G of Rs in accordance with clause 15.3, Section- 5PartA of the contracto
_	as required vide clause 24.3, Section-5A. Otherwise furnish the details as se24.4 section 5 Part A"
the issue of this l	our acceptance of this letter along with the additional BG within ten days of etter failing which the contract will be cancelled at your risk and expense er reference to you. This letter shall form part and parcel of the agreement/and all other terms & conditions of the contract remain unaltered.
	Yours faithfully, ()

Note: The entries which are not applicable for the case under consideration are to be deleted.

for and on behalf of.....

7(E)- Model Amendment Letter for Extension of Delivery Period

Appendix (ii) to clause 15.3 of Section-5 Part A

Registered Acknowledgement Due

То	Registered Acknowledgement Due M/s
	ddress of BSNL
c	
Ref:	s office contract no dated placed on you for supply of
for condelive In vision acceptate the to the presentation of the p	Your letter no
(a) (b)	Section-5 PartA of terms and conditions of the tender/PO. Notwithstanding any stipulation in the contract for increase in price on any ground, no such increase, whatsoever, which takes place after current last date of Delivery/completion of work shall be admissible on such of the said goods as are delivered after the said date as per clause12 Section-5Part A.
(c)	e prices during this extended delivery period shall be governed as per clauses 12 and 24 of Section-5 Part A and shall be finalized in accordance with current PO price or the current PO price with latest budget/duty impact or the prices in the new tender T.E.no) from the date of it s opening, on whichever is lower basis.
	ters under reference above and this letter shall form part and parcel of agreement t/APO/PO and all other terms & conditions of the contract remain un altered.
	Yours faithfully,
	for and on behalf of ()
Copy	: (All concerned)
Note	The entries which are not applicable for the case under consideration

are to be deleted.

SECTION-8

Tenderer / Bidder's profile & Questionnaire.

(To be filled in and submitted by the bidder)

A)			rer's Profile of the Individual/Firm:		
2.	Р	rese	ent Correspondence Addres	s	
	Te	elepl	hone No N	lobile No	
	F	N X	0		
3.	A	ddre	ess of place of Works/Manufac	ture :	
	Te	elep	hone No M	obile No	•
4.			the Type of Firm: Sole proprie the correct choice):	tor-ship/partnership firm/ P	rivate limited company/
5.	N	ame	of the sole proprietor/ partne	ers/ Director(s) of Pvt. Ltd Co) .:
	S. No		Name	Father's Name	Designation
	1.				
	2.				
	3.				
	4.				
	5.				
6.		agr par	me of the person authoriz eement and the capacity tnership/ private Ltd compar	in which he is authoriz	ed (in case of
7.		Per	manent Account No.:		

	erial is required to complete the work
specified in the specification? Yes/N	lo.
Do you think any other item of wor	k need be included in tender form to
complete the work specified in the	specification? Yes/No.
indly indicate the maximum Quantity capable of supplying within the schedu	
Name of the tendered Item	Qty that can be supplied by the fir within scheduled delivery period.
	- decides and
buggestion for improvement of the ter	ider document.
Suggestion for improvement of the ter	nder document.
	Do you think any other detail/ mate specified in the specification? Yes/N If Yes, Give details Do you think any other item of wor complete the work specified in the If Yes, Give details indly indicate the maximum Quantity capable of supplying within the schedule

SECTION-9 Part-A

BID FORM

	To		⁼ rom,
		ecutive Engineer (Electrical)	
	BSNL E	lectrical Division, Bhubaneswar	
	Bidder	's Reference No:	Dated
	Ref: Yo	our Tender Enquiry No	dated
	1.	amendment/ clarification, datedthe receipt of undersigned, offer to supply in conformity with the said drawn.	which is hereby duly acknowledged, we, the
	2.	Bid submitted by us is proper subsequent alteration and rep	ly sealed and prepared so as to prevent any acement.
	3.		or a period ofdays from the date fixed for a period period, if any, agreed to by us. This up to the aforesaid period.
	4.	.	bound to accept the lowest or any bid, you may
	5.		ovide you with a performance guarantee from a 6 of the contract value for the due performance
	6.	•	rtake to complete delivery of all the items and in the contract in accordance with the delivery (Tender Information).
	7.		of Contract is prepared and executed, this Bid stance thereof in your notification of award shall tween us.
	Dated	:day of20	
	Witne	SS:	
Signat	ure		Signature
	Name		Name In the capacity of
	Addres	SS:	Duly authorized to sign the bid
			for and on behalf of

SECTION-9 Part-B PRICED SCHEDULE

				Immediate Replacement and Rewinding of 25/63 KVA, 11KV/0.415KV Aluminium wound oil cooled Transformers with associated works under Bhubaneswar SSA (2020-21, Ph-I)						
	NIT No	08/BSNL/BSR/2020-21								
	Name of the Tenderer									
SI No	Description of item	Quantity	Unit	BASIC RATE In Figures: To be entered by the Bidder in Rs. P	GST (CGST+SGST / IGST) Amount : To be entered by the Bidder in Rs. P	Rate including GST col (7) = (5) + (6) in Rs. P	TOTAL AMOUNT Without GST col (8) = (3) x (5) in Rs. P	TOTAL AMOUNT With GST col (9) = (3) X (7) in Rs. P	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	8.	9	10	
1	Dismantling the following ratings faulty transformer from the existing D.P. structure/Plinth & installation of standby/repaired transformer i/c testing and commissioning, recording the required parameters etc. by engagement of experienced & qualified staff, arranging required tools & plant with proper precautionary measures etc. as required.									
	i) 25 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	08 jobs	Job		111					
	ii) 63 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	2 jobs	Job		1					

2	Rewinding of the HT windings of following ratings Oil immersed Distribution Transformer with superior grade and suitable size Double paper covered Transformer winding conductor , providing re-insulation of LT winding etc. including dismantling the transformer parts i.e. conservator tank, terminal boxes, bushings, removing the core and windings from the tank, draining of transformer oil, cleaning of tank etc. reassembling the core & windings and all the aforesaid parts after rewinding/repairing, pouring of superior quality and grade Transformer oil (supply of Transformer oil is not included in this item), replacement of breather, providing new silica gel, replacement of gaskets, worn out nuts, bolts and washers/cork washers etc, HV/ LV bushings and arcing horns if required, painting of the transformer body with two coats of synthetic enamel paints, heating in heat chamber, carry out factory tests as per technical specifications and submission of test certificates etc. complete as required. (The dismantled aluminium winding and other materials can be					
	retained by the agency and credit for the same to be given in the quoted rate of this item)					
	i) 25 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	08 jobs	Job			
	ii) 63 KVA, 11KV/0.415KV, 50 Hz Aluminium wound oil cooled Transformer	2 jobs	Job			
3	Supplying and pouring of transformer oil (IS:325) of suitable make & grade for topping up/replacement of old deteriorated oil etc. complete as required.	150 ltrs	Ltr			
4	Filtration and de hydration of existing Transformer oil at factory / work shop, testing of BDV etc. as required.	900 ltrs	Ltr			

Transportation of spare/new/Repaired 25/63 KVA transformer from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only).								
i) Distance up to and including 50 KMs	03 jobs	Job						
ii) Distance above 50 KM and up to and including 100 KMs	03 jobs	Job						
iii) Distance above 100 KM and up to and including 150 KMs	02 jobs	Job				111		
iv) Distance above 150 KM and up to and including 200 KMs	02 jobs	Job			'	6/1/1		
Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only).				4	N. Alli			
i) Distance up to and including 50 KMs	03 jobs	Job						
ii) Distance above 50 KM and up to and including 100 KMs	03 jobs	Job						
iii) Distance above 100 KM and up to and including 150 KMs	02 jobs	Job						
iv) Distance above 150 KM and up to and including 200 KMs	02 jobs	1 !			Ì		1	
	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs O2 jobs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs O3 jobs ii) Distance above 50 KM and up to and including 100 KMs O3 jobs iii) Distance above 50 KM and up to and including 150 KMs O2 jobs	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs 03 jobs Job iii) Distance above 50 KM and up to and including 100 KMs 03 jobs Job	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs o2 jobs Job Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance above 50 KM and up to and including 100 KMs o3 jobs Job ii) Distance above 50 KM and up to and including 100 KMs o3 jobs Job	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs iv) Distance above 150 KM and up to and including 200 KMs iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs 03 jobs Job ii) Distance above 50 KM and up to and including 100 KMs 03 jobs Job	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). ii) Distance up to and including 50 KMs iii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs o2 jobs Job iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). ii) Distance up to and including 50 KMs o3 jobs Job iii) Distance above 50 KM and up to and including 100 KMs o3 jobs Job	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs iv) Distance above 150 KM and up to and including 200 KMs iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs 03 jobs Job iii) Distance above 100 KM and up to and including 150 KMs 02 jobs Job	from Electrical Sub Division/workshop to respective sites by using suitable transportation medium including loading and unloading at both ends etc. complete as required. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs iii) Distance above 100 KM and up to and including 150 KMs iv) Distance above 150 KM and up to and including 200 KMs iv) Distance above 150 KM and up to and including 200 KMs Transportation of faulty/burnt-out 25/63 KVA transformer from respective site to workshop/Electrical sub Divisions by using suitable transportation medium including loading and unloading at both ends etc. complete as required as per direction of Engineer in charge. (The rate should be inclusive of toll gate fee/charges wherever applicable, nothing extra will be paid. Distance will be on shortest route only). i) Distance up to and including 50 KMs ii) Distance above 50 KM and up to and including 100 KMs O3 jobs Job iii) Distance above 100 KM and up to and including 150 KMs O2 jobs Job

7	Providing 25 KVA/63 KVA 11KV/0.415 KV Distribution Transformer on hiring basis as a stop gap arrangements etc. as required. (BSNL will not be held responsible for occurrence of any faults in the hired Transformer while working at site or any damage or loss occurred to the said Transformer during transportation, loading, unloading and negligence of the agency etc.). (Commencement date shall be the date of energisation and commissioning at site)	12 days	Day			
8	Replacement of faulty Lightening arrestors by new three piece (one set) nonlinear resistor type distribution class lightning arrestor suitable for operation on nominal system voltage of 11 KV and highest system voltage of 12 KV for transformer Substation, complete with galvanized clamping arrangement, G.I. bolts, nuts, washers, connection of earth strips etc. as required. (BSNL approved make)	03 sets	Set			
9	Liasoning with supply authority for inspection of site by their maintenance / MRT personnel and taking shut down of 11KV line to carry out the repairing and maintenance works of the substation and re-energisation etc. complete as required.	08 jobs	Job			
10	Making arrangements for inspection and testing of the re winded transformer by the designated inspector of supply company at workshop and obtaining test certificates and clearance for re installation and energisation of the re winded transformer etc. complete as required.	02 jobs	Job	·		

Note: Due to emergent nature of works, BSNL has proposed penalties for non completion of works within stipulated time period. In this regard clause.15 of Sec.5 Part-B may be referred.

Signature of the Contractor with seal

Executive Engineer (E)

LIST OF APPROVED MAKES OF BSNL ELECTRICAL WING

SI. No.	Item	Makes
1.	Transformer (Oil filled / Dry type)	ABB / Schneider Electric /Andrew Yule / Bharat Bijlee / Crompton / EMCO / Kirloskar / Siemens/ Uttam /Automatic Electric Gear (AEG) / Patson / Rajasthan Transformer OR CPRI approved and BEE certified Star rated make transformer
2.	AIR BREAK SWITCH	NATIONAL / KIRAN / PACTIL / ATLAS / SIGMA / SCPL
3.	PIN & DISC INSULATOR	JAYSHREE / WS / IEC / PCL / BHEL/ MAYUR
4.	LIGHTNING ARRESTOR	ELARO / LAMCO / INTERNATIONAL / GE / ATLAS / OBLUM
5. 6.	HORN GAP FUSES Heat/Cold shrink HT/LT Cable Joint	NATIONAL / KIRAN/ PACTIL / SIGMA / SCPL Denson / 3M (M-Seal) / Raychem
7.	MCB/ Isolator / ELCB/ RCCB/ Distribution Board	Crompton / Havells / Indokopp / MDS Legrand/ L&T / Schneider Electric/ Siemens / Standard / C&S / ABB / HPL
8.	MS/ PVC Conduit	ISI mark
9.	HT/LT Cables	ISI mark
10.	PVC insulated copper conductor wire	ISI mark
11.	GI/MS Pipe	ATC / ATL / BST / GSI / ITC / ITS / IIA / JST / Jindal /TTA / Tata/Zenith

Appendix-1 to Section 4 Part A of Chapter 4 (Standard Tender Enquiry Document)

-	В	С					
-		C					
	Submitting fake / forged	i) Rejection of tender bid of respective Vendo ii) Banning of business for 3 years which implies barri					
	 a) Bank Instruments with the bid to meet terms & condition of tender in respect of tender fee and/ or EMD; 	further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL for 3 years from date of issue of banning order.					
	b) Certificate for claiming exemption in respect of tender fee and/ or EMD;	iii) Termination/ Short Closure of PO/WO, if issued. This implies non-acceptance of further supplies / work & services except to make the already received material work/complete work in hand.					
	and detection of default at any stage from receipt of bids till award of APO/ issue of PO/WO.	complete work in hand.					
	Note 1: - However, in this case the performance g	uarantee if alright will not be forfeited.					
	Note 2:- Payment for already received supplies/PO/WO.	completed work shall be made as per terms & conditions of					
	Submitting fake / forged documents towards meeting eligibility criteria such as experience capability, supply proof, registration with Sales Tax, Income Tax departments etc and as supporting documents towards other terms & conditions with the bid to meet terms & condition of tender:						
	(i) If detection of default is prior to award of APO	i) Rejection of Bid & ii) Forfeiture of EMD.					
	(ii) If detection of default after issue of APO but before receipt of PG/SD (DD,BG etc.)	i) Cancellation of APO/PO , ii) Rejection of Bid & iii) Forfeiture of EMD.					
	(iii) If detection of default after receipt of PG/ SD (DD,BG etc.) .	i) Cancellation of APO/PO ii) Rejection of Bid & iii) Forfeiture of PG/ SD. However on realization of PG/ SD amount, EMD, if not already released shall be returned.					
	(iv) If detection of default after issue of PO/ WO	i) Termination/ Short Closure of PO/WO and Cancellation of APO ii) Rejection of Bid & iii) Forfeiture of PG/ SD. However on realization of PG/ SD amount, EMD, if not released shall be returned.					
	Note 3:- However, settle bills for the material recaffect working or use of supplied items.	eived in correct quantity and quality if pending items do not					
	Note 4:- No further supplies are to be accepted e	xcept that required to make the already supplied items work.					

S. No.	Defaults of the bidder / vendor.	Action to be taken
Α	В	С
2	If vendor or his representative uses violent/coercive means viz. Physical / Verbal means to threatens BSNL Executive / employees and/or obstruct him from functioning in discharge of his duties & responsibilities for the following:	
	a) Obstructing functioning of tender opening executives of BSNL in receipt/ opening of tender bids from prospective Bidders, suppliers/ Contractors.	Banning of business for 3 years which implies Barring further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL for 3 years from date of issue of banning order.
	b) Obstructing/ Threatening other prospective bidders i.e. suppliers/ Contractors from entering the tender venue and/ or submitting their tender bid freely.	
3	Non-receipt of acceptance of APO/ AWO and SD/ PG by L-1 bidder within time period specified in APO/ AWO.	Forfeiture of EMD.
4.1	Failure to supply and/ or Commission the equipment and /or execution of the work at all even in extended delivery schedules, if granted against PO/ WO.	 i) Termination of PO/ WO. ii) Under take purchase/ work at the risk & cost of defaulting vendor. iii) Recover the excess charges if incurred from the PG/ SD and outstanding bills of the defaulting Vendor.
4.2	Failure to supply and/ or Commission the equipment and /or execution of the Work in full even in extended delivery schedules, if granted against PO/ WO.	 i) Short Closure of PO/ WO to the quantity already received by and/ or commissioned in BSNL and/ or in pipeline provided the same is usable and/or the Vendor promises to make it usable. ii) Under take purchase/ work for balance quantity at the risk & cost of defaulting vendor. iii) Recover the excess charges if incurred from the PG/ SD and outstanding bills of the defaulting Vendor.
5.1	The supplied equipment does not perform satisfactory in the field in accordance with the specifications mentioned in the PO/WO/Contract.	i) If the material is not at all acceptable, then return the non-acceptable material (or its part) & recover its cost, if paid, from the o/s bills/ PG/ SD. OR ii) If the material is inducted in network & it is not possible to return it and/ or material is acceptable with degraded performance, the purchaser may determine the price for degraded equipment (Financial penalty = Price — price determined for degraded equipment) himself and/ or through a committee. Undertake recovery of financial penalty from outstanding dues of vendor including PG/ SD.

S. No.	Defaults of the bidder / vendor.	Action to be taken	
Α	В	С	
5.2	Major quality problems (as established by a joint team / committee of User unit(s) and QA Circle) / performance problems and non-rectification of defects (based on reports of field units and QA circle).	i) If the material is not at all acceptable, then return the non-acceptable material (or its part) & recover its cost, if paid, from the o/s bills/ PG/ SD; OR ii) If the material is inducted in network & it is not possible to return it and/ or material is acceptable with degraded performance, the purchaser may determine the price for degraded equipment (Financial penalty = Price – price determined for degraded equipment) himself and/ or through a committee. Undertake recovery of financial penalty from outstanding dues of vendor including PG/ SD; and iii) Withdrawal of TSEC/ IA issued by QA Circle.	
6	Submission of claims to BSNL against a contract (a) for amount already paid by BSNL.	i) Recovery of over payment from the outstanding dues of Vendor including EMD/ PG & SD etc. and by invoking 'Set off' clause 21 of Section 5 Part A or by any other legal tenable	
		manner.	
	(b) for Quantity in excess of that supplied by Vendor to BSNL.	ii) Banning of Business for 3 years from date of issue of banning order or till the date of recovery of over payment in full, whichever is later.	
	c) for unit rate and/ or amount higher than that approved by BSNL for that purchase.		
	Note 5:- The claims may be submitted with or without collusion of BSNL Executive/ employees. Note 6:- This penalty will be imposed irrespective of the fact that payment is disbursed by BSNL or not.		
7	Network Security/ Safety/ Privacy:- If the vendor tampers with the hardware, software/ firmware or in any other way that a) Adversely affects the normal working of	 i) Termination of PO/WO. ii) Banning of business for 3 years which implies barring further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL for 3 years from date of issue of banning order. iii) Recovery of any loss incurred on this account from the Vendor from its PG/SD/O/s bills etc. 	
	BSNL equipment(s) and/ or any other TSP through BSNL.		
	b) Disrupts/ Sabotages functioning of the BSNL network equipments such as exchanges, BTS, BSC/ MSC, Control equipment including IN etc., transmission equipments but not limited to these elements and/ or any other TSP through BSNL.	iv) Legal action will be initiated by BSNL against the Vendor if required.	
	c) tampers with the billing related data/ invoicing/ account of the Customer/ User(s) of BSNL and/ or any other TSP(s).		
	d) hacks the account of BSNL Customer for unauthorized use i.e. to threaten others/spread improper news etc.		
	e) undertakes any action that affects/ endangers the security of India.		

S. No.	Defaults of the bidder / vendor.	Action to be taken
А	В	С
8	If the vendor is declared bankrupt or insolvent or its financial position has become unsound and in case of a limited company, if it is wound up or it is liquidated.	i) Termination/ Short Closure of the PO/ WO. ii) Settle bills for the quantity received in correct quantity and quality if pending items do not affect working or use of supplied items. iii) No further supplies are to be accepted except that required to make the already supplied items work. iv) In case of turnkey projects, If the material is commissioned and is usable without any degradation of performance, then settle bills for the acceptable equipment/ material (or its part). v) In case of turnkey projects, if the material is inducted in network & it is not possible to return it and/ or material is acceptable with degraded performance, the purchaser may determine the price for degraded equipment (Financial penalty = Price — price determined for degraded equipment) himself and/ or through a committee. (continues to page 173)
		Undertake recovery of financial penalty from outstanding dues of vendor including PG/SD.
9	In the event of the vendor, its proprietor, Director(s), partner(s) is / are convicted by a Court of Law following prosecution for offences involving moral turpitude in relation to the business dealings.	i) Termination/ Short Closure of the PO/ WO. ii) Settle bills for the material received in correct quantity and quality if pending items do not affect working or use of supplied items. iii) No further supplies are to be accepted except that required to make the already supplied items work. iv) In case of turnkey projects, If the material is commissioned and is usable without any degradation of performance, then settle bills for the acceptable equipment/ material (or its part). v) In case of turnkey projects, If the material is inducted in network & it is not possible to return it and/ or material is acceptable with degraded performance, the purchaser may determine the price for degraded equipment (Financial penalty = Price — price determined for degraded equipment) himself and/ or through a committee. Undertake recovery of financial penalty from outstanding dues of vendor including PG/ SD.
10	If the vendor does not return/ refuses to return BSNL's dues:	i) Take action to appoint Arbitrator to adjudicate the dispute.
	a) in spite of order of Arbitrator.	i) Termination of contract, if any. ii) Banning of business for 3 years which implies barring further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL from date of issue of banning order or till the date by which vendor clears the BSNL's dues, whichever is later. (continues to page 174)

S. No.	Defaults of the bidder / vendor.	Action to be taken
Α	В	С
10 con- td.		iii) Take legal recourse i.e. filing recovery suite in appropriate court.
	b) inspite of Court Orders.	i) Termination of contract, if any. ii) Banning of business for 3 years which implies barring further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL from date of issue of banning order or till the date by which vendor clears the BSNL's dues, whichever is later.
11	If the Central Bureau of Investigation/ Independent External Monitor (IEM) / Income Tax/ Sales Tax/ Excise / Custom Departments recommends such a course	Take Action as per the directions of CBI or concerned department.
12	The following cases may also be considered for Banning of business:	
	(a) If there is strong justification for believing that the proprietor, manager, MD, Director, partner, employee or representative of the vendor/ supplier has been guilty of malpractices such as bribery, corruption, fraud, substitution of tenders, interpolation, misrepresentation with respect to the contract in question. (b) If the vendor/ supplier fails to execute a contract or fails to execute it satisfactorily beyond the provisions of Para 4.1 & 4.2.	i) Banning of business for 3 years which implies Barring further dealing with the vendor for procurement of Goods & Services including participation in future tenders invited by BSNL for 3 years from date of issue of banning order.
	(c) If the vendor/ supplier fails to submit required documents/ information, where required.	
	(d) Any other ground which in the opinion of BSNL is just and proper to order for banning of business dealing with a vendor/supplier.	

Note 7: The above penalties will be imposed provided it does not clash with the provision of the respective tender.

Note 8:-In case of clash between these guidelines & provision of invited tender, the provision in the respective tender shall prevail over these guidelines.

Note 9: Banning of Business dealing order shall not have any effect on the existing/ ongoing works/ AMC / CAMC which will continue along with settlement of Bills.
