



(A Government Of India Enterprise)

O/o The Executive Engineer (Electrical), BSNL Electrical Division, Staff Qtr Compex, Ainthapalli, Sambalpur NIT NOTIFICATION

The Executive Engineer (Elect.), BSNL Electrical Division, Sambalpur invites on behalf of the Bharat Sanchar Nigam Limited sealed item rate tenders for the following works from the contractors satisfying the under mentioned eliqibility conditions: -

SI. No		inclu	ted cost uding (Rs.)	E.M.D (Rs.)	Time allowed for completion	NIT No.
1	Extension of Existing three phase LT Supply and allied El works at the new room at TE Jujumara, Dismantling the electrical accessories and equipments and transportation to TE Sambalpur.		38.00	2955.00	1 month	50/BSNL/ED/SBP/2020-21
	Tender paper cost (Non refundable) Rs.			590.00		

Tender paper cost (Non refundable) Rs.	590.00	
Last Date of receipt of application:-	02.12.2020	(upto 4.00PM)
Last Date of tender paper sale:-	02.12.2020	(upto 5.30PM)
Last Date of tender paper receipt:	03.12.2020	(upto 3.00PM)
Date of opening:-	03.12.2020	(at 3.30 PM).

Eligibility Criteria :-

- 1 BSNL enlisted contractors in Electrical category with valid electrical licence of respective class as per their tendering limits.
 - NOTE:
 - 1. Valid GST Registration Certificate issued by statutory authority.
 - 2. The company or firm or any other person is not permitted to tender for work in BSNL unit in which his/her near relative(s) is(are) posted .
- 2 All other terms& conditions as per BSNL EW-6 and BSNL EW-8 form.
- 3 The tenderer shall submit the tender in 2 sealed covers marked as cover 1st and 2nd inscribing the name of work. Both should be separate & they should not be enclosed in common third cover. The first cover should contain the earnest money deposited in the shape of demand draft/pay order of a schedule bank/nationalized bank/state bank guaranteed by reserve bank of India drawn in favour of Accounts Officer(Cash), O/o GMTD, BSNL, Sambalpur. In case submitting tender down loading from web site, the 1st cover should contain DD towards cost of tender document and EMD drawn in favour of AO (cash), BSNL, O/o GMTD, Sambalpur along with attested copies of eligible criteria with mandatory documents. The second cover contains the tender documents. If the 1st cover is not annexed in proper form, the second cover containing tender documents will not be opened at all.
- 4 If the date of opening is declared as holiday, then the tender shall be opened on next working day.
- 5 If the performance of the contractor is not satisfactory his tender shall not be opened. EE(E)'s decision shall be final and binding.

LIST OF MANDATORY SELF ATTESTED DOCUMENTS TO BE SUBMITTED WITH THE TENDER (1st COVER)

(1) Demand Draft/Pay Order/Banker's Cheque /FDR/TDR/BG of any Nationalized/ scheduled bank in favour of "Accounts Officer (Cash), BSNL, O/o the GMTD, Sambalpur" towards EMD
(2) DD/Pay Order/Bankers Cheque of a Nationalized / Scheduled Bank in favour of "Accounts Officer (Cash), BSNL, O/o the GMTD, Sambalpur" towards tender cost.
(3) Documentary proof of satisfying eligibility conditions as per para 1 of above.
(4) PAN card issued by Income Tax Department, Govt of India.
(5) Valid GST Registration Certificate issued by statutory authority.
(6) Employees Provident Fund (EPF) & ESI Registrations Certificates.

Executive Engineer(E), BSNL Electrical Division, Sambalpur

No:- DB/5(NIT)/TED-SBP/ 159

Dt. 20/11/2020

Copy to-

- 1) The C.E(E), BSNL Electrical Odisha Zone, Bhubaneswar
- 2 3) The Executive Engineer(E) BSNL Electrical Division, Bhubaneswar/Cuttack
- 4-15) The Sub-Divisional Engineer(E) BSNL.E.S.D., BBSR-I/III//Berhampur/SBP-I/II/RKL/ KPT/ DKL/BLS/BGR/CK/DKL.
- 16) The Vigilance Officer, O/O the CGMT, Orissa Circle, Bhubaneswar.
- 17) The Accounts Officer(Cash), O/o GMTD, BSNL, Sambalpur
- 18) The Accounts Officer, BSNL Electrical Division, Sambalpur
- 19-20) Notice Board/website.
- 21) Contractors' association.

Executive Engineer(E), BSNL Electrical Division, Sambalpur

BHARAT SANCHAR NIGAM LIMITED

(A Government of India Enterprise)

Item rate tenders are invited on behalf of the BSNL from eligible contractors for the work of :-

Extension of Existing three phase LT Supply and allied El works at the new room at TE Jujumara, Dismantling the electrical accessories and equipments and transportation to TE Sambalpur.

The work is estimated to cost Rs. 147738.00

This estimate however is given merely as a rough guide.

1) Tender will be issued to

BSNL enlisted contractors in Electrical category with valid electrical licence of respective class as per their tendering limits.

completed work of magnitude as specificied in press notification at page No. 4.

- 2) Agreement shall be drawn with the successful tenderer on prescribed form no. 8 which is available as a Govt. of India publication, tender shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3) The time allowed for carrying out the work will be

1 month

- 4) The availability of individual site will be specified in the letter of intent.
- 5) Receipt of applications for issue of forms will be stopped by 1600 Hrs. two days before the date fixed for opening of tenders. Issue of tender forms will be stopped three days before the date fixed for opening of tenders. Tender documents consists of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of contract to be complied with by the whose tender may be accepted and other necessary document can be seen in the office of the Executive Engineer (E), BSNL ELECTRICAL DIVISION, Sambalpur between 11.00 AM & 04.00 PM every day except on Sunday and public Holiday. Tender documents, excluding standard form, will be issued from his office, during the hours specified above on payment of Rs. 590.00 only in DD.
- 6) The tender must produce an Chattered Accountant certificate in the revised form as modified under Ministry of Finance O.M. No. 67/30/69/ITAL dated 02.07.1970 as amended from time to time before tender papers can be sold to him.
- 7) Tenders, which should always be in sealed envelope, with the name of work and due date written on the envelope, will be received by the Executive Engineer(E), BSNL Electrical Division, Sambalpur up to 03.00 PM on 03.12.2020 and will be opened by him or his authorized representative in his office on the same day at 03.30 PM.
- 8) The tender shall be accompanied by earnest money (unless exempted) of Rs. 2955.00
 in the form of DD of a scheduled Bank issued in favour of Accounts Officer(Cash), O/o GMTD, BSNL, Sambalpur, the amount being credited to Nationalized Bank / State Bank.
- 9) The description of the work is a follows :-

Name of the work :-

Extension of Existing three phase LT Supply and allied El works at the new room at TE Jujumara, Dismantling the electrical accessories and equipments and transportation to TE Sambalpur.

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the ground and sub - soil. (so far as is practicable), the form and nature of the site, the means of access to the site the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water electricity access, facilities for workers and all other service required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plants, etc. will be issued to him by the department and local conditions and other factors having a bearing on the execution, of the work.

- 1 The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenderers in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the renderer shall be summarily rejected. The public enterprises that avail benefits of the purchase preference should be subjected to adequate penalties for cost overruns etc.
- 2 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who restore to canvassing will be liable to rejection.
- 3 The competent authority on behalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 4 The contractor shall not be permitted to tender for work in the BSNL (responsible for award and execution of contracts) in which his near relative is posted as divisional account ant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the BSNL or in the Ministry of communication. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 5 No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of he Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time 'to be such a person who had obtained the permission of the Government of 'India as aforesaid before submission of the tender or engagement in the contractor's service. The tender for the works shall remain open for acceptance for a period of ninety days from the date of opening of tenders. If any tender withdraws his tender before the said period or makes any notifications in the terms and condition of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50 % of the earnest money as aforesaid.
- 6 This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/ contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of:
 - a) The Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading there to.
 - b) Standard C.P.W.D. form 8.

Near relative(s) of BSNL employee not permitted to tender :

The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is (are) posted . The unit is defined as SSA/ Circle / Chief Engineer / Chief Architect / Corporate office for non- executive employees and all SSA in a circle including circle office / Chief Engineer/ Chief Architect/ Corporate office for executive employees (including those called as Gazetted officers at present). Therefore, it has been decided by the competent authority that a clause must be added in the tender and other related documents that the tenderer should give a certificate that none of his / her such near relatives is working in the units as defined above where he is going to apply for tender. In case of proprietorship form certificate will be given by the proprietor, for partnership firm certificate will be given by the partners and in case of limited company by all the directors of the company. Any breach of these conditions by the company or firm or any other person, the tender / work will be cancelled and earnest money / security deposited will be forfeited any stage whenever it is so notices.

The department will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned

FORMAT OF THE CERTIFICATE TO BE GIVEN BY THE	IE FIRM/ PERSON:	
I S/O	R/O	here by certify that none of my relative(S) as defined below is/ are employed in BSNL
		at the information given by me is false / incorrect, BSNL shall have absolute right to take any action as
deemed fit / without any prior intimation to me.		
a) Members of Hindu Undivided family,		
b) They are husband and wife,		
 c) The one is related to the other in the manner as fathe & sister's husband(brother in law). 	r, mother, son(s) & son's wife (daughter- in - law), Daughter(s) & daughter's husband (son-in law , brother(s) & brother's wife , sister(s)
		Signature of the firm / person.
	DECLARATION	
	'	déclare that I am fully aware of the terms and conditions of contracts for work presently prevailing in the
		agreements as contained in various clauses clauses and Sub - Clauses of terms P.W.D 8 I/c up to date
	•	full name of contractor)further declare that while submitting the tender for lly agree to abide by the aforesaid terms and conditions of the contract and shall be bound to enter into
	,	s etc. of constitution of India.arising out of 46th amendments
and agreement in case my terraer to accepte a randortal		State of School and State
Date :-		(Full signature of the tenderer)
		, · · · · · · · · · · · · · · · · · · ·
		Executive Engineer(E), BSNL Electrical Division, Sambalpur
Declaration by Contractor for EW-6, EW-8 (To be furnished by	by the firm)	
I / We do hereby undertake to have gone through the t	erms & conditions / clauses of	all the tender documents including Form EW-06, EW-08 being adopted by the BHARAT SANCHAR
NIGAM LIMITED (Electrical Wing) & agree to abide by the	ne same. In case of failure to co	omply as above, our offer will stand withdrawn and our tender documents would not be opened by
the tender eneming officer. The decision of tender enem	aing afficar in this regard shall l	as final 8 hinding on ma

the tender opening officer. The decision of tender opening officer in this regard shall be final & binding on me.

(Full signature of the tenderer)

GENERAL SPECIFICATIONS.

- 1) The work shall be carried out as per current department / CPWD specifications.
- 2) Layout of the work shall be given at site of work by the Engineering in Charge or his duty authorized representative.
- 3) Samples of the all articles shall be got approved from the Engineer in Change before they are used.
- 4) The work shall be supervised by the qualified supervisor from the contractor's side.
- 5) Any damage done o the building / equipment of the department shall be made good by the contractor without any extra cost.
- 6) No T & P shall be issued to the contractor by the department.
- 7) Testing shall be done in the pres4nce of the Engineering in Change or his duly authorized representative.
- 8) The contract shall stand for guarantee against defective materials of manufacturing defects and workmanship for the work carried out by him for the period of one year from it's commissioning & make good / repair / replace the faults during this period without any extra cost , failing which the same shall got done at the risk and cost of the contactor.
- 9) Security deposited of the contractor shall be released only after satisfactory completion of guarantee period.
- 10) Makes of product shall be as per product directory enclosed or approved by the Engineer in Change.

- 11) Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.
- 12) INDULGING OF CONTRACTOR IN CRIMINAL/ANTISOCIAL ACTIVITIES AND CASES UNDER INVESTIGATION / CHARGE SHEETED BY CBI OR ANY OTHER GOVERNMENT AGENCIES ETC.: If the CBI/Independent External Monitor (IEM) / Income Tax /Sales Tax/ Central Excise/ Custom Departments recommend such a course Action will be taken as per the directions of CBI or concerned department.

"ESSENTIAL CONDITIONS OF CONTRACT"

The firm shall read carefully the following conditions and shall quote accordingly conforming all the points in their offer. Firm should specifically note that if they do not enclose E.M.D. with their tender, their tender will not be opened at all.

1 TAXES AND DUTIES:

BSNL shall deduct income tax and other statutory deductions / cess from payments due to the firm as per rules of the State / Central Government. The Accounts Officer of the concerned Division shall issue certificates for such deductions to the firm. In case of statutory variation in GST within the stipulated date of completion of individual agreement, the same shall be paid or recovered as per the actual against documentary proof for major equipments/ materials. However, beyond this period BSNL will take advantage of any duty reduction but will not pay extra on account of duty increase.

- 2 Evaluation of Tenders:-The evaluation and comparison of responsive tenders shall be done on the basis of Net cost to BSNL, considering GST as Input Tax Credit.
- 3 Loading, unloading, transportation, insurance etc. shall all be included in their offer.
- 4 All the materials will be under the charge of the contractor till it is completed and handed over . No materials will be removed from site without written permission of the Engineer in Charge.
- 5 Firm shall confirm to carry out the work as per the N.I.T. conditions.

6 PAYMENTS TERMS:

No advance payments will be made. Stipulations like levy of interest if any payment is not made in specificied time is not acceptable to the department.

7 Offer should be clear.

Any ambiguous offer is liable for rejection by the department. There will be no negotiate with the lowest tenderer. Hence the firms are requested to quote carefully. Department's decision in this regard shall be final and binding on the tenderer. Offer with condition will be summarily rejected.

8 **GST**:

- 8.1 All taxes and Duties are as per applicable GST. Variation if any will be guided by Statutes pertaining to GST.
- 8.2 The Firm shall furnish Invoices to BSNL for availing of applicable Input Tax Credit.
- 8.3 Vendors should furnish the correct HSN/SAC code. If the Input Tax Credit (ITC) under GST is found to be not admissible at any stage subsequently owing to wrong furnishing of data, the vendor will be liable such non-admissible amount, if already paid along with penalty if charged by the concerned authority.
- 8.4 If the Vendors fail to furnish necessary supporting documents for availing of input tax credit by BSNL, the amount pertaining to such input credit will be deducted from the payment due to the firm.
- 8.5 Invoices should clearly indicate break up details of composite price i.e. unit price of goods/services/materials and GST etc.
- 8.6 In case of any statutory variations in regard to GST or any other taxes, within the currency of contract including extension period if any, the same shall be admissible as per prevailing GST laws as applicable subject to the condition that, the reason for such extension of time period is not attributable to the agency

SPECIFICATION E.I & FANS :

- 1 The work is to be carried out as per CPWD specifications (External) and I.E Rule amended up to date.
- 2 Good workmanship is an essential requirement to be complied with. The entire work of manufacturer, fabrication, assembly and installation shall conform to sound engineering practice.
- 3 Rates quoted shall be inclusive of all taxes, packing, forwarding, insurance, freight, delivery at site watch and ward of all materials.
- 4 All Sundry fittings, accessories, hardware items, foundation bolts, termination lugs for electrical connection as required and all other sundry items which are useful & necessary for proper assembly and efficient working of the various components of the works shall be deemed to have included in the tender.
- 5 Following works shall be carried out by the contractor and therefore their cost shall be deemed to be included in their tendered cost.
- a) The contractor shall be responsible for repairing all damages and restoring the same to their original finish. He shall also remove at his cost all unwanted and waste materials arising out of his work from his site.
- b) All chases required in connection with the electrical works shall be provided and filled by the contractor to the original finish.

- c) Temporary shed if required over the storage space and locking arrangement ,watch and ward of the materials shall be provided by firm till completion of the work and final taking over of the installation by the department.
- 6 The contractor shall employ qualified engineer/Supervisor as required and intimate names of such persons to the Engineer- in- Charge on commencement of work. Failure to employ will attract penalty as per agreement.
- 7 If any conduit is laid before award of work recovery for the same will be made from contractor at the rate of S.R. 16 + Abatement of respective S/H of this tender.
- 8 All non- metallic conduit pipes and accessories shall be of I.S.I marked, conduit accessories shall be of grip type / threaded type.
- 9 PVC conduit to be used shall be ISI marked heavy gauge and fire retardant quality.
- 10 The switch box shall be made of mild steel of size 16 / 18 SWG as per CPWD specification except the front side. The clear depth of M>S> switch shall not be less than 60 mm. Phenolic laminated sheet cover of 3 mm thick shall be provided in the front side of box.
- 11 Earthing shall be carried out in presence of representative of the department.
- 12 Numbering and sign writing of entire installation shall be carried out by the contractor as per instructions of the Engineering in- Charge for which nothing extra shall be paid.
- 13 On completion of installation following tests shall be carried out:;
 - a) Insulation resistance test.
 - b) Polarity test.
 - c) Earth continuity test.
 - d) Earth electrode resistance test.
- 14 On completion of electrical installation a certificate shall be furnished by the contractor in prescribed proforma, this certificate shall be in addition to the certificate required by local electric supply company.
- 15 Breaking capacity of MCBs should be 10 KA.

SCHEDULE OF WORK

Na	Name of work:		ension		ng three phase				ks at the new re	
-	2 70	Sam	balpui	·	Unit Price					
SI. No.	Description of item	Quantity		Quantity Unit e		GST=(CGST+ SGST) /IGST % Amount		Total Unit Price including	Total Amount including GST (Rs.)	Total Amount excluding GST (Rs.)
					(Rs.)	/0	Amount	GST (Rs.)	(1.5.7)	
Col	Col.2	(Col.3	Col.4	Col.5		Col.6	Col.7 = col. (5+6)	Col.8 = Col.3 X Col.7	Col.9 = Col.3 X Col.5
	SUB-HEAD-I (I.T.C OF AC UNITS)									
1	Liasoning with WESCO authority i/c MRT wing for necessary LT shutdown, meter seal opening/ resealing for execution of work & energizing the system after thorough supervising, testing & checking etc. complete as reqd.	1	Job	Job						
2	S/F of Old dismantled cubicle panel at the newly constructed room at TE Jujumara i/c minor repairing of damaged sheets, painting, transportation, fixing, connection, testing, complete as required	1	Job	Job						
3	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of upto 35 sq. mm in the following manner:									
a)	in the existing METAL pipe as required.	10	mtrs	mtr						
b)	Upto 35 sq. mm (clamped with 1mm thick saddle)	40	mtrs	mtr						
c)	in the existing masonry open duct as required.	50	mtrs	mtr						
d)	Supplying and embedding 40mm dia G.I. pipe (medium class) in ground for cable entry including bending the pipe to the required shape complete as reqd.		mtrs	mtr						
4	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor									
	single core cable etc. as required. Group A			D · ·						
		15	Points	Point						
5	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required									
a)	5/6 amps switch	1	No	Each						
b)	3 pin 5/6 A socket outlet	1	No	Each						
c)	Supplying and fixing brass batten/ angle holder including connection etc. as required.		Nos	Each						
			ļ	<u> </u>						
d)	4" 20W LED Tubelight	6	Nos	Each				l		

			_						
e)	9W LED Bulb	2	! 1	No	Each				
			T						
f)	25-30W LED O/d Street light (IP65/ISI)	3	ı	Vos	Each				
-'/	20 0011 222 014 04:00t iig.it (ii 00:10:)		+	100	Lacii				
	00 A A I I I I I I I I I I I I I I I I I		+	.1-	E				
g)	63 Amp. 4 pole on load type change over switch. W/o enclosure	1	ľ	No	Each				
h)	32/63A TPN SDFU Mainswitch W/o Sheet Steel Enclosure	3	١	Vos	Each				
			T						
i١	(0-500V) Voltmeter	1	N	No	Each				
-'/	(0-500V) Volunciei		ť	10	Lacii				
	0.4004.4		١.						
J)	0-100A Ammeter	1	ľ	No	Each				
k)	Indicating Lamp	3	I	Vos	Each				
	•		T						
- 17	Voltmeter and Ammeter selector switch	2	, h	Vos	Each				
''	VOIDTICLES GITG / BITHTICLES SCIENCES SWILLOTS		+	100	Lacii				
_	Military for significant and a significant		+						
6	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of								
1	FRLS PVC insulated copper conductor, single core cable in surface/ recessed								
	steel conduit as required.								
a)	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	3	r	ntrs	Meter				
	·		T						
h)	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	3	ŀ	ntrs	Meter				
D)	2 X + 3q. min + 1 X + 3q. min carat wife	J	Ή	11113	IVICICI				
<u> </u>	0 1: 15: (11 5400)/400)/00 1 / : 1:)		+						
/	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (nominal size)								
	on surface or in recess with suitable size of phenolic laminated sheet cover in								
	front including providing and fixing 6 pin 5/6 & 15/16 A socket outlet and 15/16 A								
	piano type switch, connections, painting etc. as required.								
		1	١	No	Each				
			T						
8	Installation of exhaust fan up to 450mm sweep in the existing opening with		t						
0	fastener/ GI nuts and bolts, including making good the damage, connection,								
		1	L	No	Each				
-	testing, commissioning etc. as required	- !	1	NO	Lacii				
			1						
9	Installation of gravity type Aluminum/ GI louver shutters suitable for upto 450mm								
	sweep exhaust fans with fastener /GI nuts and bolts etc. complete as required.								
		1	١	No	Each				
			T						
10	I/T/C of 1.5 TR split A.C. unit i/c mounting of indoor unit on wall & outdoor unit on		t						
	the existing foundation /inside the protection grill i/c copper piping, brazing,								
	welding complete with leak testing & electrical wiring complete as regd.								
	weiging complete with leak testing & electrical withing complete as requ.	^	١,	Jobs	loh				
<u> </u>			. J	เบบร	Job				
<u> </u>			1						
11	S/F of Heavy Duty Air Conditioner Outdoor Unit Mounting Bracket/stand having 2								
	mm thick high grade steel & Powder Coating for Rust Prevention	2	ļ J	Jobs	Job				
12	Pdg extra accessories like copper piping for suction / discharge line , electrical		1			T	Ţ		
	wiring from indoor to outdoor unit in excess of 5 meters I/c brazing, welding,								
	insulating, complete with leak testing etc as regd.								
a١	3 / 8", 22SWG copper refrigerent pipe	3	N	Vitrs	Mtr				
	5 / 8" ,22SWG copper refrigerent pipe		_	Vitrs	Mtr				
	Supply & charging of R-22/R410 refrigerent gas as reqd.		۲	〈 g	Kg				
13	S/F of suitable size heavy guage PVC drain pipe line for condensed water as		1.						
	reqd.	2	! IN	Vitrs	Mtr				

14	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact								
	fluorescent fitting of all types, complete with all accessories and tube etc. directly								
	on ceiling/ wall, including connection with 1.5 sq mm FRLS PVC insulated,								
	cu.cond. single core cable and earthing etc. as reqd.	6	3 n	os	Each				
			T						
15	I/T/C of ceiling fan with regulator I/c wiring the down rod of standard length		t						
	with 1.5 Sqmm pvc insulated copper conductor cable etc complete as								
	· · · · · · · · · · · · · · · · · · ·	9	, ,		Foob				
	rquired.		2 111	ios	Each				
			-						
16	I/T/C of street light fitting on wall i/c P/F of 40 mm dia G.I. bracket of								
	suitable length with fixing the same on wall with clamps, painting, minor								
	civil work, connection, testing etc complete as required.	3	3 n	os	Each				
	· • • • • • • • • • • • • • • • • • • •								
17	S/F 40 mm dia PVC conduit pipe (ISI marked) along with the accessories		+						
''	as required.	5	-In	ntrs	mtr				
	as required.	,		iius	1110				
40	O/D of A v 40 Courses DVO installated and this translated and this translated and the course of the		+		1				
18	S/D of 4 x 10 Sqmm PVC insulated multi strand copper conductor cable in								
	the existing conduit, socketing the both ends, connection, testing complete								
	as required.	8	3 n	ntrs	mtr				
					L T]			
19	Earthing with G.I. earth plate 600mm x 600mm x 6mm i/c accessories and							-	
	providing massonary enclosure with cover plate having locking								
	arrangement and watering pipe etc. (with charcoal and salt) complete as								
	read.	2	ءاد	ets	set				
	requ.		- 3	Cio	301				
	D/E 05 5 O.L. atria in 40 arms dis O.L. air a forma and also trade		+						
20	P/F 25mm x 5mm G.I. strip in 40 mm dia. G.I. pipe from earth electrode								
	as reqd.	10	ח (ntrs	mtr				
			1						
21	P/F 25mm x 5mm G.I. strip on surface/recess for earth connections as								
	reqd.	8	3 n	ntrs	mtr				
22	P/F 6 SWG dia. G.I. wire on surface/recess for loop earthing along with		Ī						
	the existing cable as regd.	6	sln	ntrs	Mtr				
	are chicking capie as requi	Ť	1						
22	Fixing of existing 4 Way MCB TPDB with MS sheet enclosure with allied		+						
23									
	asseessories, interconnections, painting, Earthing the body complete as		Ι.						
	required.	1	IJ	lob	Job				
L_			1						
24	P/f followings in the above TPDB i/c connections etc as required.								
	a) 6-25 A SPMCB	6	3 n	ios	Each				
	b) 32 A 3 pole MCB	1	1 n	10	Each				
	•		Ť						
25	S/M end termination with brass compression gland and aluminium lugs for 3½ X		t						
	25 sq. mm Al. Cond. Armd Cable.	2	2 8	ets	set				
		-	Ť	- 10					
26	S/F Sheet Steel, Phosphatised, Powder Painted MCB DBs with Din Rail i/c 16/25		+						
20	amp SPN MCB in Powder coated M.S.Box (M/S legrand, HPL or SS Make)								
	ramp of 14 Mod in 1 owder coated M.S.Dox (M/S legiand, FIFL 01 33 Make)	2	2 N	Jo.	Each				
-			-11,	NU.	LdUII				
							т.	otal for SH-I:	
							10	J.ai IVI 3M-II	
	SUB-HEAD-II (Electrical wiring)								
			_						

_	D: (F. CH. : F. F.		1			1		
1	Dismantling of the existing El,panels, Industrial DBs, MCB DBs, cables, earthing							
	strips etc. together with liasoning with WESCO for service Cable dismantling							
	complete as reqd.	1	Job	Job				
		-	000	000				
2	Transportation of above materials i/c loading and unloading as required	1	1-1-	1-6				
		ı	Job	Job				
	Dismantling of existing conventional type 30KVA Engine Alternator Set from the							
	existing foundation, cables, Earthing, Connections, Diesel Tank, Exhaust vents							
	etc. complete as reqd.	1	Job	Job				
4	Transportation of DEA set from Jujumara to Sambalpur i/c loading and unloading							
	with the help of Hydra etc. As required.	1	Job	Job				
	· · ·	<u> </u>	000	000				
F	Disposettion of all applied AV/D Cot from institution and dispose in the second control of the second control		<u> </u>					
	Dismantling of oil cooled AVR Set from inside the existing room i/c cables & Bypass pannel etc. complete as required.	1	Job	Job				
	bypass parmer etc. complete as required.	'	300	300				
6	Transportation of oil cooled AVR from Jujumara to Sambalpur i/c loading and							
	unloading with the help of Hydra etc. As required.	1	Job	Job				
7	Dismantling of the existing Window AC units, stabilizers, AC Panel, controller,							
'	cables etc. complete as regd.							
	odbiod did. dompioto do roqu.	1	Job	Job				
_	Discounting of the existing AFD Content with its all Detectors. Detectors							
	Dismantling of the existing AFD System unit i/c all Detectors, Panel, cables, testing, transportation from old site i/c loading & un-loading etc. complete as							
	regd.	1	Job	Job				
	icqu.		000	000				
9	Transportation of above materials i/c loading and unloading as required	1	Job	Job				
		'	300	300				
						То	tal for SH-II:	
	SUB-HEAD-III(DEPARTMENTAL SUPPLY)							
1	The following materials will be supplied from the Departmental Store:		1					
	4 X 25 Sq.mm AL Cond. Armd Cable		1					
a.	4 A 25 Sq.HiIII AL CONG. AITHG CADIE	5	Mtrs	mtr.				
	1 X 120 Sq.mm AL Cond. Armd Cable	Ŭ						
b.		60	Mtrs	mtr.				
	2 X 6 Sq.mm AL Cond. Armd Cable		Mtrs	Each				
			1			ABSTRACT C	F COST	
			1			1		
						Total f	or SH-I	
						Total f	or SH-II	
						CDANG	TOTAL:	
						GRANL	TOTAL:	

NOTE: THE BIDDERS/TENDERERS SHOULD ENSURE THAT THEY ARE GST COMPLIANT AND THEIR QUOTED TAX STRUCTURE / RATES ARE AS PER GST LAW. BSNL WILL AVAIL OF INPUT TAX CREDIT.

LIST OF APPROVED MAKES FOR E.I. & FAN, PUMP SET, COMPOUND LIGHT

C.	LIST OF AFFROVED MAKES FOR E.I. & FAIN, FUMIF SET, COMIFOUND LIGHT	Name of Manufacturer					
	Item	Name of Manufacturer					
No.							
1	ACB	L & T / Siemence /Control & Switchgear / Schneider/ GE Power Control					
2	MCCB	L & T / Siemence / Control & Switchgear / Schneider/ GE Power Controls.					
3	TPN Switches & HRC fuses	Siemence / L & T / Havels/ HH Elcon/ Schneider/ Standard (Upto 400A)/ GE Power controls					
4	C.T.	AE / IMP / Marshal / Pactil / Kappa / L &T/ Ashmor / Indcoil / Waco / Meco					
5	Ammeter / Voltmeter	AE / IMP / Universal/ Reshabh /Kaycee / Meco / Enercon.					
6	Selector Switch	L&T / KEYCEE/ AE/ IMP/ THAKOOR/ Reco/ Vaishno/ Salzor/ Rass Control					
ľ	Colodol Cintoli	Ext. The Fole The Invited to 1600, Valsinio Galzon Mass Control					
7	INDICATING LAMP	Vaishno/ Siemens/ L&T / AE/ IMP/ Rass Control / Teknic / Schneider / Kaycee.					
8	LED based avaiation lamp	M/S. G.S. Enterprises/ M/S. Insta Power/ Shrigauri					
_	CAPACITOR (APP Type)	Khatau Junkar/ Shneider / L & T / Universal Electric / Usha / Asian / AE/ IMP.					
	() () () () () () () () () ()	Third a same of the same of th					
10	Cable ISI Mark						
	(a) upto 1.1 KV grade.	ISI Marked					
	(b) Above 1.1 KV grade.	ISI Marked					
11	PVC insul. Cu cond wire	Havell, Anchor, L &T, Phinolex, Polycab					
12	Fire Extinguisher	ISI Marked					
13	Rubber Matting	ISI Marked					
14	Cable joint Kit	Raychem / M- Seal / DENSONs					

17	MCBs / Isolators &							
	Distribution Board.	Benetex / Clariton/ Havells / Seimens / Standard/ Shneider / Indokoop / MDS						
18	Change Over Switch	Standard / Havells/ Control and Switch Gear / H-H Elecon.						
19	Piano Switch	ISI Marked						
20	Mono Block pump set	Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.						
21	Starter	L & T / Siemens / BCH /ABB /MEI /GE Power Control.						
22	G.I / M.S Pipe	BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA						
23	Foot valve	ISI Marked						
	Gate Valve	Sant / Leader / Tishul / Fountain / Annapurna.						
	M.S. Conduit	Siddharth, Nice						
	PVC conduit	ISI Marked						
	Submersible pump	KSB / Calama / Amrut / Kirloskar / PEC / BE.						
28	ELCB	Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.						
29	RCCB	Indo Asian						
30	Contractors	Siemens / L & T / GE Power controls / Shneider / MEI / Laxmi.						

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities :Enclosed.

SCHEDULE 'B'
Schedule of materials to be issued to the contractor.

SI. No.				Rates in figures and words at which the material will be charged to the contractor	Place of Issue			
1	2		3	4	5			
	NIL							

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S	Description of item		Hire charges per day	Place of Issue						
No										
1	2		3	4						
	NIL									

SCHEDULE 'D'

Extra schedule for specific requirement/documents for the work if any.

- A. General conditions & specifications : Enclosed
- B. List of approved makes: Enclosed
- C. Correction slips :Enclosed

SCHEDULE 'F'

Reference to General Conditions of contract.

Name of work:

Extension of Existing three phase LT Supply and allied El works at the new room at TE Jujumara, Dismantling the electrical accessories and equipments and transportation to TE Sambalpur.

25%

Estimated cost of work: 147738.00 Earnest money: 2955

Security Deposit: 5 % of the tendered value of the work.

Performance guarantee 5% of the tendered value of the work. The same to be submitted to

EE(E) within 15 days after receipt of award letter

GENERAL RULES and DIRECTIONS:

Officer inviting tender: Executive Engineer(E), BSNL Electrical Division, Sambalpur

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with

clauses 12.2 and 12.3.

Definitions:

2(v) Engineer-in-Charge Executive Engineer(E), BSNL Electrical Division, Sambalpur 2(viii) Accepting Authority Executive Engineer(E), BSNL Electrical Division, Sambalpur

2(x) Percentage on cost of materials and labour to cover all overheads and

profits. 2(xi) Standard Schedule of Rates

2(xii) Department

9(ii) Standard CPWD contract Form

10%

DSR-E&M-2016

BSNL

CPWD Form 8 as modified & corrected upto date

Clause 2 Authority for fixing compensation under Clause 2.	Superintending Engineer (E), BSNL Electrical Circle, Bhubaneswar.
Clause 5 Time allowed for execution of work. Authority to give fair and reasonable extension of time for completion of work.	1 month
Clause 7 Gross work to be done together with net payment/ adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.	As Applicable.
Clause 11 Specifications to be followed for execution of work	CPWD internal and external specification up to date
Clause 12 12.1.2 (iii) Schedule of rates for determining rates for additional, altered or, substituted items that cannot be determined under 12.1.2 (i)and(ii)	DSR-E&M-2016
12.1.2 (iii) ± the % over the rate entered in the schedule of rates.	NA
12.1.2 (vi) A. Deviation Limit beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 and 12.3 shall apply	25%
12.1.2 (vi) B(a). Limit for value of any item of any individual trade beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 and 12,3 shall apply.	NA
Clause 16 Competent Authority for deciding reduced rates.	Superintending Engineer (E), BSNL Electrical Circle, Bhubaneswar.
Clause 36 (i) Minimum Qualifications and experience required for Principal Technical Representative.	
a) For works with estimated cost put to tender more than i) Rs. 10 lakhs for Civil work ii) Rs. 5 Lakhs for Elect/ Mech.Works	Graduate or retired AE possessing at least recognised diploma
b) For works with estimated cost put to tender more than	
i) Rs. 5 lakhs but less than Rs. 10 lakhs for Civil works ii) Rs. 1 lakh but less than Rs.5 Lakhs for Elect/ Mech. Works	Recognised diploma holder
c) Discipline to which the Principal Technical Representative should belong.	:Electrical/ Mechanical
d) Minimum experience of works	: Three (3) years.
e) Recovery to be effected from the contractor in the event of not fulfilling provision o 36(1)	f clause :Rs.4,000/- p.m. for Graduate Rs 2,000/- p.m for Diploma holder
END OF NIT	