(A Government Of India Enterprise)

# O/o The Executive Engineer (Electrical), BSNL Electrical Division, SSPO Building (2nd Floor), 15, Cantonment Road, Cuttack.

### NIT NOTIFICATION

The Executive Engineer (Elect.), BSNL Electrical Division, Cuttack invites on behalf of the Bharat Sanchar Nigam Limited sealed item rate tenders for the following work from the contractors satisfying the under mentioned eligibility conditions: -

SI No	Name of work	Estimated cost including GST(Rs.)	E.M.D (Rs.)	Time allowed for completio n	NIT no.
1	General Maintenance of Electrical Installations, operation of pump sets & DEA sets in Telephone Bhawan compound at Dhenkanal under Dhenkanal SSA.		3028.00	4 months	74/BSNL/ED/CTC/2019-20
	To a low way and Alexandre Lables De		500.00		1

Tender paper cost (Non refundable) Rs.	590.00	
Last Date of receipt of application:-	21.08.2019	(upto 4.00PM)
Last Date of tender paper sale:-	21.08.2019	(upto 5.30PM)
Last Date of tender paper receipt:	22.08.2019	(upto 3.00PM)
Date of opening:-	22.08.2019	(at 3.30 PM).

Eligibility Criteria :-

- 1 1.1 Average annual turnover during the last 3 years, ending 31 st March of the previous financial year, should be at least 30% of the estimated cost put to tender.
  - AND
  - 1.2 BSNL enlisted contractors in Electrical category of respective class with valid electrical licence as per their tendering limits.

OR

- 1.3 Experience of having successfully completed similar works in BSNL comprising of either substation or air conditioning service as part of scope of work during last 7 years ending last day of month previous to the one in which applications are invited, should be either of the following:
- -> Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

OF

-> Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

OF

-> One similar successfully completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

## NOTE -

- I) The agency has to submit valid GST Registration Certificate issued by statutory authority.
- II) The company or firm or any other person is not permitted to tender for work in BSNL unit in which his/her near relative(s) is(are) posted .
- 2 All other terms& conditions as per BSNL EW-6 and BSNL EW-8 form.
- 3 The tenderer shall submit the tender in 2 sealed covers marked as cover 1st and 2nd inscribing the name of work. Both should be separate & they should not be enclosed in common third cover. The first cover should contain the earnest money deposited in the shape of demand draft/pay order of a schedule bank/nationalized bank/state bank guaranteed by reserve bank of India drawn in favour of Accounts Officer(Cash), O/o GMTD, BSNL, Cuttack. In case submitting tender down loading from web site, the 1st cover should contain DD towards cost of tender document and EMD drawn in favour of AO (cash), BSNL, O/o GMTD, Cuttack along with attested copies of eligible criteria with mandatory documents. The second cover contains the tender documents. If the 1st cover is not annexed in proper form, the second cover containing tender documents will not be opened at all.
- 4 If the date of opening is declared as holiday, then the tender shall be opened on next working day.
- 5 If the performance of the contractor is not satisfactory his tender shall not be opened. EE(E)'s decision shall be final and binding.

### LIST OF MANDATORY SELF ATTESTED DOCUMENTS TO BE SUBMITTED WITH THE TENDER(1st COVER)

	(1) Demand Draft/Pay Order/Banker's Cheque /FDR/TDR/BG of any Nationalized/ scheduled bank in favour of "Accounts Officer (Cash), BSNL, O/o the GMTD, Cuttack" towards EMD.					
(2) DD/Pay Order/Bankers Cheque of a Nationalized / Scheduled Bank in favour of "Accounts Officer (Cash), BSNL, O/o the GMTD, Cuttack towards the tender cost.						
	(3) Documentary proof of satisfying eligibility conditions as per 1.1 to 1.4 above.					
	(4) Turn Over Certificate from Chartered Accountant for last 03 years.					
	(5) PAN card issued by Income Tax Department, Govt of India.					
	(6) Valid GST Registration Certificate issued by statutory authority					
	(7) Employees Provident Fund (EPF) & ESI Registrations Certificate.					

# No:- 10(17)/TED/BSNL/CTK/323

Dt. 07/08/2019

Copy to-

- 1) The C.E(E), BSNL Electrical Odisha Zone, Bhubaneswar
- 2 3) The Executive Engineer(E) BSNL Electrical Division, Bhubaneswar/Sambalpur
- 4-15). The Sub-Divisional Engineer(E) BSNL.E.S.D.,BBSR-I/II//Berhampur/SBP-I/II/RKL/ KPT/ DKL/BLS/BGR/CK/DKL.
- 16) The Vigilance Officer, O/o the CGMT, Odisha Circle, Bhubaneswar.
- 17) The Accounts Officer(Cash), O/o GMTD, BSNL, Cuttack
- 18) The Accounts Officer, BSNL Electrical Division, Cuttack
- 19-20) Notice Board/website.
- 21) Contractors' association.

Executive Engineer(E), BSNL Electrical Division, Cuttack

### **BHARAT SANCHAR NIGAM LIMITED**

(A Government Of India Enterprise)

Item rate tenders are invited on behalf of the BSNL from eligible contractors for the work of :-

General Maintenance of Electrical Installations, operation of pump sets & DEA sets in Telep	hone Bhawan compound at Dhenkanal under Dhenkanal SSA.
	454440.00

The work is estimated to cost Rs.

151418.00

This estimate however is given merely as a rough guide.

1) Tender will be issued to

1.1 Average annual turnover during the last 3 years, ending 31 st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

#### ANI

1.2 BSNL enlisted contractors in Electrical category of respective class with valid electrical licence as per their tendering limits.

#### OF

- 1.3 Experience of having successfully completed similar works in BSNL comprising of either substation or air conditioning service as part of scope of work during last 7 years ending last day of month previous to the one in which applications are invited, should be either of the following:
- -> Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

OR

-> Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

OF

-> One similar successfully completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

completed work of magnitude as specificied in press notification at page No. 4.

- 2) Agreement shall be drawn with the successful tenderer on prescribed form no. 8 which is available as a Govt. of India publication, tender shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3) The time allowed for carrying out the work will be

4 months

- 4) The availability of individual site will be specified in the letter of intent.
- 5) Receipt of applications for issue of forms will be stopped by 1600 Hrs. two days before the date fixed for opening of tenders. Issue of tender forms will be stopped three days before the date fixed for opening of tenders. Tender documents consists of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of contract to be complied with by the whose tender may be accepted and other necessary document can be seen in the office of the Executive Engineer (E), BSNL ELECTRICAL DIVISION, Cuttack between 11.00 AM & 04.00 PM every day except on Sunday and public Holiday. Tender documents, excluding standard form, will be issued from his office, during the hours specified above on payment of Rupees 590,00 only in DD.
- 6) The tender must produce an Chattered Accountant certificate in the revised form as modified under Ministry of Finance O.M. No. 67/30/69/ITAL dated 02.07.1970 as amended from time to time before tender papers can be sold to him.
- Tenders, which should always be in sealed envelope, with the name of work and due date written on the envelope, will be received by the
  Executive Engineer(E), BSNL Electrical Division, Cuttack up to 03.00 PM on
  and will be opened by him or his authorized representative in his office on the same day at 03.30 PM.
- 8). The tender shall be accompanied by earnest money (unless exempted) of Rs. 3028.00 in the form of DD of a scheduled Bank issued in favour of Accounts Officer(Cash), O/o GMTD, BSNL, Cuttack, the amount being credited to Nationalized Bank / State Bank .
- 9). The description of the work is a follows :-

#### Name of the work :-

General Maintenance of Electrical Installations, operation of pump sets & DEA sets in Telephone Bhawan compound at Dhenkanal under Dhenkanal SSA.

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the ground and sub - soil. (so far as is practicable), the form and nature of the site, the means of access to the site the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water electricity access, facilities for workers and all other service required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plants, etc. will be issued to him by the department and local conditions and other factors having a bearing on the execution, of the work.

- 1 The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenderers in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the renderer shall be summarily rejected. The public enterprises that avail benefits of the purchase preference should be subjected to adequate penalties for cost overruns etc.
- 2 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who restore to canvassing will be liable to rejection.
- 3 The competent authority on behalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 4 The contractor shall not be permitted to tender for work in the BSNL (responsible for award and execution of contracts) in which his near relative is posted as divisional accoun tant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the BSNL or in the Ministry of communication. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 5 No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of he Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time 'to be such a person who had obtained the permission of the Government of 'India as aforesaid before submission of the tender or engagement in the contractor's service. The tender for the works shall remain open for acceptance for a period of ninety days from the date of opening of tenders. If any tender withdraws his tender before the said period or makes any notifications in the terms and condition of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50 % of the earnest money as aforesaid.
- 6 This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/ contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of:
  - a) The Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading there to.
  - b) Standard C.P.W.D. form 8.

### Near relative(s) of BSNL employee not permitted to tender :

The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is (are) posted. The unit is defined as SSA/ Circle / Chief Engineer / Chief Architect / Corporate office for non- executive employees and all SSA in a circle including circle office / Chief Engineer/ Chief Architect/ Corporate office for executive employees (including those called as Gazetted officers at present). Therefore, it has been decided by the competent authority that a clause must be added in the tender and other related documents that the tenderer should give a certificate that none of his / her such near relatives is working in the units as defined above where he is going to apply for tender. In case of proprietorship form certificate will be given by the partners and in case of limited company by all the directors of the company. Any breach of these conditions by the company or firm or any other person, the tender / work will be cancelled and earnest money / security deposited will be forfeited any stage whenever it is so notices.

The department will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

FORMAT OF THE C	ERTIFICATE TO BE GIVEN B	THE FIRM/ PERSON:	
I	S/O	R/O	here by certify that none of my relative(S) as defined below is/ are employed in BSNL unit as
per details given in the any prior intimation to		any stage, it is found that the information	on given by me is false / incorrect, BSNL shall have absolute right to take any action as deemed fit / without
a) Members of Hindu	Undivided family,		
b) They are husband			
c) The one is related sister's husband( brot		father, mother, son(s) & son's wife ( d	aughter- in - law), Daughter(s) & daughter's husband ( son-in law , brother(s) & brother's wife , sister(s) &
			Signature of the firm / person.
		DECLARATION	
Wing of BSNL . I als amendments there	so declare that, I have thorough	ghly gone through the terms and agre	clare that I am fully aware of the terms and conditions of contracts for work presently prevailing in the Civil ements as contained in various clauses clauses and Sub - Clauses of terms P.W.D 8 I/c up to date ull name of contractor )further declare that while submitting the tender for agree to abide by the aforesaid terms and conditions of the contract and shall be bound to enter into the
			constitution of India.arising out of 46th amendments
Date :-			( Full signature of the tenderer )
			Executive Engineer(E), BSNL Electrical Division, Cuttack

#### Declaration by Contractor for EW-6, EW-8 (To be furnished by the firm)

I / We do hereby undertake to have gone through the terms & conditions / clauses of all the tender documents including Form **EW-06**, **EW-08** being adopted by the BHARAT SANCHAR NIGAM LIMITED (Electrical Wing) & agree to abide by the same. In case of failure to comply as above, our offer will stand withdrawn and our tender documents would not be opened by the tender opening officer. The decision of tender opening officer in this regard shall be final & binding on me.

(Full signature of the tenderer)

### GENERAL SPECIFICATIONS.

- 1) The work shall be carried out as per current department / CPWD specifications.
- 2) Layout of the work shall be given at site of work by the Engineering in Charge or his duty authorized representative.
- 3) Samples of the all articles shall be got approved from the Engineer in Change before they are used.
- 4) The work shall be supervised by the qualified supervisor from the contractor's side.
- 5) Any damage done o the building / equipment of the department shall be made good by the contractor without any extra cost.
- 6) No T & P shall be issued to the contractor by the department.
- 7) Testing shall be done in the pres4nce of the Engineering in Change or his duly authorized representative.
- 8) The contract shall stand for guarantee against defective materials of manufacturing defects and workmanship for the work carried out by him for the period of one year from it's commissioning & make good / repair / replace the faults during this period without any extra cost, failing which the same shall got done at the risk and cost of the contactor.
- 9) Security deposited of the contractor shall be released only after satisfactory completion of guarantee period.
- 10) Makes of product shall be as per product directory enclosed or approved by the Engineer in Change.
- 11) Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.
- 12) INDULGING OF CONTRACTOR IN CRIMINAL/ANTISOCIAL ACTIVITIES AND CASES UNDER INVESTIGATION / CHARGE SHEETED BY CBI OR ANY OTHER GOVERNMENT AGENCIES ETC.: If the CBI/Independent External Monitor (IEM) / Income Tax /Sales Tax/ Central Excise/ Custom Departments recommend such a course Action will be taken as per the directions of CBI or concerned department.

#### "ESSENTIAL CONDITIONS OF CONTRACT"

The firm shall read carefully the following conditions and shall quote accordingly conforming all the points in their offer. Firm should specifically note that if they do not enclose E.M.D. with their tender, their tender will not be opened at all.

#### 1 TAXES AND DUTIES:

BSNL shall deduct income tax and other statutory deductions / cess from payments due to the firm as per rules of the State / Central Government. The Accounts Officer of the concerned Division shall issue certificates for such deductions to the firm. In case of statutory variation in GST within the stipulated date of completion of individual agreement, the same shall be paid or recovered as per the actual against documentary proof for major equipments/ materials. However, beyond this period BSNL will take advantage of any duty reduction but will not pay extra on account of duty increase.

- 2 Evaluation of Tenders:-The evaluation and comparison of responsive tenders shall be done on the basis of Net cost to BSNL, considering GST as Input Tax Credit.
- 3 Loading, unloading, transportation, insurance etc. shall all be included in their offer.
- 4 All the materials will be under the charge of the contractor till it is completed and handed over . No materials will be removed from site without written permission of the Engineer in Charge.
- 5 Firm shall confirm to carry out the work as per the N.I.T. conditions.

### 6 PAYMENTS TERMS:

No advance payments will be made. Stipulations like levy of interest if any payment is not made in specificied time is not acceptable to the department.

### 7 Offer should be clear.

Any ambiguous offer is liable for rejection by the department. There will be negotiation with the lowest tenderer. Hence the firms are requested to quote carefully. Department's decision in this regard shall be final and binding on the tenderer. Offer with condition will be summarily rejected.

### 8 **GST**:

- 8.1 All taxes and Duties are as per applicable GST. Variation if any will be guided by Statutes pertaining to GST.
- 8.2 The Firm shall furnish Invoices to BSNL for availing of applicable Input Tax Credit.
- 8.3 Vendors should furnish the correct HSN/SAC code. If the Input Tax Credit (ITC) under GST is found to be not admissible at any stage subsequently owing to wrong furnishing of data, the vendor will be liable such non-admissible amount, if already paid along with penalty if charged by the concerned authority.
- 8.4 If the Vendors fail to furnish necessary supporting documents for availing of input tax credit by BSNL, the amount pertaining to such input credit will be deducted from the payment due to the firm.
- 8.5 Invoices should clearly indicate break up details of composite price i.e. unit price of goods/services/materials and GST etc.
- 8.6 In case of any statutory variations in regard to GST or any other taxes, within the currency of contract including extension period if any, the same shall be admissible as per prevailing GST laws as applicable subject to the condition that, the reason for such extension of time period is not attributable to the agency
- 9 The currency of contract shall be **04** months. The Department reserves the right to terminate the contract by giving show cause notice of one-month duration at any time during the currency of the contract. The Department reserves the right to extend the contract for a maximum period of two months (two months at a time) at the same rates & conditions **without consent of the firm**.

Executive Engineer(E), BSNL Electrical Division, Cuttack

## SPECIFICATION E.I & FANS :

- 1 The work is to be carried out as per CPWD specifications (External) and I.E Rule amended up to date.
- 2 Good workmanship is an essential requirement to be complied with. The entire work of manufacturer, fabrication, assembly and installation shall conform to sound engineering practice.
- 3 Rates quoted shall be inclusive of all taxes, packing, forwarding, insurance, freight, delivery at site watch and ward of all materials.
- 4 All Sundry fittings, accessories, hardware items, foundation bolts, termination lugs for electrical connection as required and all other sundry items which are useful & necessary for proper assembly and efficient working of the various components of the works shall be deemed to have included in the tender.
- 5 Following works shall be carried out by the contractor and therefore their cost shall be deemed to be included in their tendered cost.
- a) The contractor shall be responsible for repairing all damages and restoring the same to their original finish. He shall also remove at his cost all unwanted and waste materials arising out of his work from his site.
- b) All chases required in connection with the electrical works shall be provided and filled by the contractor to the original finish.
- c) Temporary shed if required over the storage space and locking arrangement ,watch and ward of the materials shall be provided by firm till completion of the work and final taking over of the installation by the department.
- 6 The contractor shall employ qualified engineer/Supervisor as required and intimate names of such persons to the Engineer- in- Charge on commencement of work. Failure to employ will attract penalty as per agreement.
- 7 If any conduit is laid before award of work recovery for the same will be made from contractor at the rate of S.R. 16 + Abatement of respective S/H of this tender.
- 8 All non- metallic conduit pipes and accessories shall be of I.S.I marked, conduit accessories shall be of grip type / threaded type.
- 9 PVC conduit to be used shall be ISI marked heavy gauge and fire retardant quality.
- 10 The switch box shall be made of mild steel of size 16 / 18 SWG as per CPWD specification except the front side. The clear depth of M.S. switch shall not be less than 60 mm. Phenolic laminated sheet cover of 3 mm thick shall be provided in the front side of box.
- 11 Earthing shall be carried out in presence of representative of the department.
- 12 Numbering and sign writing of entire installation shall be carried out by the contractor as per instructions of the Engineering in- Charge for which nothing extra shall be paid.
- 13 On completion of installation following tests shall be carried out:;
  - a) Insulation resistance test.
  - b) Polarity test.
  - c) Earth continuity test.
  - d) Earth electrode resistance test.
- 14 On completion of electrical installation a certificate shall be furnished by the contractor in prescribed proforma, this certificate shall be in addition to the certificate required by local electric supply company.
- 15 Breaking capacity of MCBs should be 10 KA.

Executive Engineer(E), BSNL Electrical Division, Cuttack

## Name of work:

General Maintenance of Electrical Installations, operation of pump sets & DEA sets in Telephone Bhawan compound at Dhenkanal under Dhenkanal SSA.

## SCHEDULE OF WORK

SI.	Description of items	_		intity Unit	Unit Rate	GST=(CGST+ SGST) /IGST		Total Unit Rate	Total Amount	Total Amount
No	Description of item	ų	Quantity	Unit	excluding GST (Rs.)	%	Amount	including GST (Rs.)	including GST (Rs.)	excluding GST (Rs.)
col.	col.2		col.3	col.4	col.5	col.6	col.7	col.8 = col. (5+7)	col.9 = col.3Xcol.8	col.10 = col.3Xcol.5
1	General maintenance of Electrical Installations, operation of pump sets & DEA sets (as & when required) in Telephone Bhawan compound at <b>Dhenkanal</b> as per detailed specifications, terms & conditions attached.		months	month						
	Details of Equipments:-									
	(A) Telephone Bhawan									
	i) MBM Exchange with Mobile BTS- 1 No.									
	ii) SDE(Int.), ETR/OFC etc. office									
	iii) Compound lights - 7 nos. iv) 250 KVA DEA set- 2 nos.									
	v) Pump set- 3 nos. ( Centrifugal - 2 nos., Submersible -1no.)									
	For operation of E/A set, Diesel, Lub oil & other consumables shall be supplied by the Telecom authority.									
							тот	AL AMOUNT:		
	Note:							ļ		

#### NOte

- 1) For all repaired/replaced items, a warranty for 12 months is applicable.
- 2) For the purpose of arriving estimated cost two nos. of staff included one semiskilled and one unskilled to attend any fault/operation.
- 3) The Contractor should have full setup along with all Paraphernalia /tools/equipment/spare accessories/skilled and appropriately trained staffs etc. for proper maintenance as and when required.
- 4) The contractor has to submit necessary documents to BSNL regarding the proof of payment of EPF & ESI contribution along with all bills. EPF challans in respect of engaged workers should be submitted along with bills. Without EPF Challans in support of EPF amount remittance in favour of engaged contractual staff, bill should not be passed.
- 5) Electrical faults are to be attended as and when required. Complaint register to be kept as per Engineer in Charge's instructions.
- 6) DG set & Pump sets are to be operated as or when required, to through standby power when load shedding and to fill water tank when empty respectively.
- 7) For consumable items/spares will be paid extra.
- 8) The staff engaged by the agency should be paid as per minimum wages act as amended from time to time through Cheque/On line only.

LIST OF APPROVED MAKES FOR E.I. & FAN, PUMP SET, COMPOUND LIGHT

Name of Manufacturer		<u>LIST OF APPROVED MAKES FOR E.I. &amp; FAN, PUMP SET, COMPOUND LIGHT</u>				
I. 8. T. / Siemence / Control & Switchgear / Schneider / GE Power Control  MCCB  L. 8. T. / Siemence / Control & Switchgear / Schneider / GE Power Controls.  L. 8. T. / Siemence / L. 8. T. / Havels/ HH. Elcon / Schneider / GE Power controls.  Siemence / L. 8. T. / Havels/ HH. Elcon / Schneider / Standard (Upto 400A) / GE Power controls  A. E. / IMP / Marshal / Pacifil / Kappa / L. 8. T. / Ashmor / Indool / Waso / Meco  5. Ammeter / Voltmeter  6. A. E. / IMP / Liniversal / Pacifil / Kappa / L. 8. T. / Ashmor / Indool / Waso / Meco  5. Ammeter / Voltmeter  6. Selector Switch  1. E. T. / KEYCEE / AE / IMP / THAKOOR / Recod / Vaishno' Salzori Rass Control  7. INDICATING LAMP  1. Vaishno' Siemens / L. 8. T. / AE / IMP / Rass Control / Teknic / Schneider / Kaycee.  8. LED based avaisation lamp  9. CAPACITOR (APP Type)  1. Cable ISI Mark  1. (a) upbo 1. T. KV grade.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) upbo 1. T. KV grade.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) upbo 1. T. KV grade.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) upbo 1. T. KV grade.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) upbo 1. T. KV grade.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (c) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (b) Liniversal Electric / Usha / Asian / AE / IMP.  1. (c) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniversal Electric / Usha / Asian / AE / IMP.  1. (a) Liniv	SI.	Item	Name of Manufacturer			
L. & T / Stemence / Control & Switchgear / Schneider/ GE Power Controls.						
3   TPN Switches & HRC fuses	1	ACB	L & T / Siemence /Control & Switchgear / Schneider/ GE Power Control			
AE / IMP / Markel / Pactil / Kappa / L &T / Ashmor / Indooil / Waco / Meco	2	MCCB	L & T / Siemence / Control & Switchgear / Schneider/ GE Power Controls.			
AE / IMP / Markel / Pactil / Kappa / L &T / Ashmor / Indooil / Waco / Meco						
Ammeter / Voltmeter						
Selector Switch	4	C.T.	AE / IMP / Marshal / Pactil / Kappa / L &T/ Ashmor / Indcoil / Waco / Meco			
Selector Switch						
Vaishno/ Siemens/L&T / AE/ IMP/ Rass Control / Teknic / Schneider / Kaycee.	5	Ammeter / Voltmeter				
S   LED based availation lamp	6	Selector Switch	L&T / KEYCEE/ AE/ IMP/ THAKOOR/ Reco/ Vaishno/ Salzor/ Rass Control			
S   LED based availation lamp	<u> </u>	INDICATING LAMP	Vista (Constitution of the Constitution of the			
9   CAPACITOR (APP Type)	/	INDICATING LAMP	Vaisnno/ Siemens/ L&T / AE/ IMP/ Rass Control / Texnic / Schneider / Kaycee.			
10	8	LED based avaiation lamp	M/S. G.S. Enterprises/ M/S. Insta Power/ Shrigauri			
Si Marked   Si M	9	CAPACITOR (APP Type)	Khatau Junkar/ Shneider / L & T / Universal Electric / Usha / Asian / AE/ IMP.			
ISI Marked   ISI Marked   ISI Marked   ISI Marked   Havell, Anchor, L &T, Phinolex, Polycab   Havell, Anchor, L &T, Phinolex, Polycab   ISI Marked	10	Cable ISI Mark				
11 PVC insul. Cu cond wire		(a) upto 1.1 KV grade.	ISI Marked			
12   Fire Extinguisher   ISI Marked   ISI		(b) Above 1.1 KV grade.	ISI Marked			
12   Fire Extinguisher			Havell, Anchor, L &T, Phinolex, Polycab			
14   Cable joint Kit   Raychem / M- Seal / DENSONS     15   Single phasing preventor   L & T / Siemens / Minilac / Zerotrip     16   Timer   L & T / Siemens / Minilac / Telemechanique / AE.     17   MCBs / Isolators &   L & T / Siemens / Minilac / Telemechanique / AE.     18   Change Over Switch   Standard / Havells / Seimens / Standard / Shneider / Indokoop / MDS     18   Change Over Switch   Standard / Havells / Control and Switch Gear / H-H Elecon.     19   Piano Switch   ISI Marked     20   Mono Block pump set   Beacon / Battibio / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.     21   Starter   L & T / Siemens / BCH / ABB / MEI / GE Power Control.     22   G.I / M.S. Pipe   BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA     23   Foot valve   ISI Marked   ISI Marked     24   Gate Valve   Sant / Leader / Tishul / Fountain / Annapurna.     25   M.S. Conduit   Siddharth, Nice     26   PVC conduit   ISI Marked     27   Submersible pump   KSB / Calama / Amrut / Kirloskar / PEC / BE.     28   ELCB   Standard / MDS/ Havells/ Datar / Siemens / GE Power Controls / HPL- Techno.     19   Indo Asian   Indo	12	Fire Extinguisher				
14   Cable joint Kit   Raychem / M- Seal / DENSONS     15   Single phasing preventor   L & T / Siemens / Minilac / Zerotrip     16   Timer   L & T / Siemens / Minilac / Telemechanique / AE.     17   MCBs / Isolators &   L & T / Siemens / Minilac / Telemechanique / AE.     18   Change Over Switch   Standard / Havells / Seimens / Standard / Shneider / Indokoop / MDS     18   Change Over Switch   Standard / Havells / Control and Switch Gear / H-H Elecon.     19   Piano Switch   ISI Marked     20   Mono Block pump set   Beacon / Battibio / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.     21   Starter   L & T / Siemens / BCH / ABB / MEI / GE Power Control.     22   G.I / M.S. Pipe   BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA     23   Foot valve   ISI Marked   ISI Marked     24   Gate Valve   Sant / Leader / Tishul / Fountain / Annapurna.     25   M.S. Conduit   Siddharth, Nice     26   PVC conduit   ISI Marked     27   Submersible pump   KSB / Calama / Amrut / Kirloskar / PEC / BE.     28   ELCB   Standard / MDS/ Havells/ Datar / Siemens / GE Power Controls / HPL- Techno.     19   Indo Asian   Indo	13	Rubber Matting	ISI Marked			
16 Timer	14	Cable joint Kit	Raychem / M- Seal / DENSONs			
17 MCBs / Isolators & Benetex / Clariton/ Havells / Seimens / Standard/ Shneider / Indokoop / MDS  18 Change Over Switch Standard / Havells / Control and Switch Gear / H-H Elecon.  19 Piano Switch ISI Marked  20 Mono Block pump set Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.  21 Starter L & T / Siemens / BCH / ABB / MEI / GE Power Control.  22 G.I / M.S Pipe BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA  23 Foot valve ISI Marked  24 Gate Valve Sant / Leader / Tishul / Fountain / Annapurna.  25 M.S. Conduit Sidharth, Nice  26 PVC conduit ISI Marked  27 Submersible pump KSB / Calama / Amrut / Kirloskar / PEC / BE.  28 ELCB Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.	15	Single phasing preventor				
Distribution Board.  Benetex / Clariton/ Havells / Seimens / Standard/ Shneider / Indokoop / MDS  Standard / Havells / Control and Switch Gear / H-H Elecon.  Standard / Havells / Control and Switch Gear / H-H Elecon.  ISI Marked  Distribution Board.  Standard / Havells / Control and Switch Gear / H-H Elecon.  ISI Marked  Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.  Starter  L & T / Siemens / BCH /ABB /MEI /GE Power Control.  Standard / HAVEL / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA  ISI Marked  Gate Valve  Standard / Havells / Seimens / Standard / Havells / Control / WASP / BE / PEC.  ISI Marked  Standard / Havells / Seimens / Standard / Havells / Control / WASP / BE / PEC.			L & T / Siemens / Minilac / Telemechanique / AE.			
18 Change Over Switch 19 Piano Switch 10 Mono Block pump set 11 Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC. 12 Starter 13 Starter 14 L & T / Siemens / BCH / ABB / MEI / GE Power Control. 15 Marked 16 Sant / Leader / Tishul / Fountain / Annapurna. 17 Sidharth, Nice 18 Marked 19 M.S. Conduit 19 Piano Switch 19 Piano Switch 19 Marked 20 Mono Block pump set 21 Starter 22 G.I / M.S Pipe 23 Foot valve 24 Gate Valve 25 M.S. Conduit 26 PVC conduit 27 Submersible pump 28 KSB / Calama / Amrut / Kirloskar / PEC / BE. 29 RCCB 20 Indo Asian	17	MCBs / Isolators &				
19   Piano Switch   ISI Marked   Beacon / Batiliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.     21   Starter   L & T / Siemens / BCH /ABB /MEI /GE Power Control.     22   G.I / M.S Pipe   BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA     23   Foot valve   ISI Marked     24   Gate Valve   Sant / Leader / Tishul / Fountain / Annapurna.     25   M.S. Conduit   Siddharth, Nice     26   PVC conduit   ISI Marked     27   Submersible pump   KSB / Calama / Amrut / Kirloskar / PEC / BE.     28   ELCB   Standard / MDS/ Havells/ Datar / Siemens / GE Power Controls / HPL- Techno.     29   RCCB   Indo Asian		Distribution Board.	Benetex / Clariton/ Havells / Seimens / Standard/ Shneider / Indokoop / MDS			
Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.	18	Change Over Switch	Standard / Havells/ Control and Switch Gear / H-H Elecon.			
21 Starter L & T / Siemens / BCH /ABB /MEI /GE Power Control.  22 G.I / M.S Pipe BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA  23 Foot valve ISI Marked  24 Gate Valve Sant / Leader / Tishul / Fountain / Annapurna.  25 M.S. Conduit Sidharth, Nice  26 PVC conduit ISI Marked  27 Submersible pump KSB / Calama / Amrut / Kirloskar / PEC / BE.  28 ELCB Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.			ISI Marked			
22 G.I / M.S Pipe         BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA           23 Foot valve         ISI Marked           24 Gate Valve         Sant / Leader / Tishul / Fountain / Annapurna.           25 M.S. Conduit         Siddharth, Nice           26 PVC conduit         ISI Marked           27 Submersible pump         KSB / Calama / Amrut / Kirloskar / PEC / BE.           28 ELCB         Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.           29 RCCB         Indo Asian	20	Mono Block pump set	Beacon / Batliboi / Kirloskar / Jyoti / Mather & Platt / KSB / Crompton / WASP / BE / PEC.			
Sant / Leader / Tishul / Fountain / Annapurna.						
24 Gate Valve     Sant / Leader / Tishul / Fountain / Annapurna.       25 M.S. Conduit     Siddharth, Nice       26 PVC conduit     ISI Marked       27 Submersible pump     KSB / Calama / Amrut / Kirloskar / PEC / BE.       28 ELCB     Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.       29 RCCB     Indo Asian	22	G.I / M.S Pipe	BST/TATA / ATC/IIA/JUST/ITS/ JINDAL/ ZENITH/ GSI/ TTA			
25 M.S. Conduit 26 PVC conduit 27 Submersible pump 28 ELCB 29 RCCB Siddharth, Nice ISI Marked KSB / Calama / Amrut / Kirloskar / PEC / BE. Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.			ISI Marked			
Z6     PVC conduit     ISI Marked       27     Submersible pump     KSB / Calama / Amrut / Kirloskar / PEC / BE.       28     ELCB     Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.       29     RCCB     Indo Asian	24	Gate Valve	Sant / Leader / Tishul / Fountain / Annapurna.			
27       Submersible pump       KSB / Calama / Amrut / Kirloskar / PEC / BE.         28       ELCB       Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.         29       RCCB       Indo Asian						
28       ELCB       Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.         29       RCCB       Indo Asian	26	PVC conduit				
29 RCCB Indo Asian						
	28	ELCB	Standard / MDS/ Havells/ Datar /Siemens / GE Power Controls / HPL- Techno.			
	29	RCCB	Indo Asian			
			Siemens / L & T / GE Power controls / Shneider / MEI / Laxmi.			

### PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

## SCHEDULE 'A'

Schedule of quantities : Enclosed.

## SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

SI. No.	Description of item		Rates in figures and words at which the material will be charged to the contractor	Place of Issue		
1	2	3	4	5		
	NIL					

## SCHEDULE 'C'

Tools and plants to be hired to the contractor

SI	Description of item		Hire charges per day	Place of Issue
No	•			
1	2		3	4
NIL				

# SCHEDULE 'D'

Extra schedule for specific requirement/documents for the work if any.

- A. General conditions & specifications : Enclosed
- B. List of approved makes : Enclosed
- C. Correction slips: Enclosed

## SCHEDULE 'F'

Name of work:

Reference to General Conditions of contract.

compound at Dhenkanal under Dhenkanal SSA.

General Maintenance of Electrical Installations, operation of pump sets & DEA sets in Telephone Bhawan

25%

Estimated cost of work: 151418.00 Earnest money: 3028

Security Deposit: 5 % of the tendered value of the work.

Performance guarantee 5% of the tendered value of the work. The same to be submitted to EE(E) within 15 days after receipt of award letter

**GENERAL RULES and DIRECTIONS:** 

Officer inviting tender: Executive Engineer(E), BSNL Electrical Division, Cuttack

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with clauses 12.2 and 12.3.

Definitions:

2(v) Engineer-in-Charge Executive Engineer(E), BSNL Electrical Division, Cuttack 2(viii) Accepting Authority Executive Engineer(E), BSNL Electrical Division, Cuttack

2(x) Percentage on cost of materials and labour to cover all overheads and profits.

10% DSR-E&M-2016

2(xi) Standard Schedule of Rates
2(xii) Department

BSNL

9(ii) Standard CPWD contract Form CPWD Form 8 as modified & corrected upto date

Clause 2

Authority for fixing compensation under Clause 2.

Clause 5

Time allowed for execution of work. Authority to give fair and reasonable extension of time for completion of work.

Clause 7

Superintending Engineer (E), BSNL Electrical Circle, Bhubaneswar.

4 months

Gross work to be done together with net payment/ adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.	As Applicable.
Clause 11	
Specifications to be followed for execution of work	CPWD internal and external specification up to date
Clause 12	
12.1.2 (iii) Schedule of rates for determining rates for additional, altered or, substituted items that cannot be determined under 12.1.2 (i)and(ii)	DSR-E&M-2016
12.1.2 (iii) ± the % over the rate entered in the schedule of rates.	NA
<b>12.1.2</b> (vi) A. Deviation Limit beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 and 12.3 shall apply	25%
<b>12.1.2</b> (vi) B(a). Limit for value of any item of any individual trade beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 and 12,3 shall apply.	
	NA
Clause 16	
Competent Authority for deciding reduced rates.	Superintending Engineer (E), BSNL Electrical Circle, Bhubaneswar.
Clause 36 (i) Minimum Qualifications and experience required for Principal Technical Representative.	
a) For works with estimated cost put to tender more than	
i) Rs. 10 lakhs for Civil work	Creducte or retired AF passessing at least recognised
ii) Rs. 5 Lakhs for Elect/ Mech.Works	Graduate or retired AE possessing at least recognised diploma
b) For works with estimated cost put to tender more than	
i) Rs. 5 lakhs but less than Rs. 10 lakhs for Civil works	1
ii) Rs. 1 lakh but less than Rs.5 Lakhs for Elect/ Mech. Works	Recognised diploma holder
c) Discipline to which the Principal Technical Representative should belong.	
	:Electrical/ Mechanical
d) Minimum experience of works	: Three (3) years.
e) Recovery to be effected from the contractor in the event of not fulfilling provision of c	lause 36(1) :Rs.4,000/- p.m. for Graduate Rs 2,000/- p.m for Diploma holder
E	ND OF NIT